

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
1-Jan	7,320	2,680	7,690	2,310	7,460	2,540	9,700	300	9,850	150	9,780	220	9,780	220
2-Jan	7,100	2,900	7,700	2,300	7,220	2,780	9,700	300	9,830	170	9,760	240	9,760	240
3-Jan	7,060	2,940	7,650	2,350	7,180	2,820	9,690	310	9,810	190	9,740	260	9,740	260
4-Jan	7,050	2,950	7,650	2,350	7,180	2,820	9,690	310	9,830	170	9,760	240	9,760	240
5-Jan	7,050	2,950	7,620	2,380	7,160	2,840	9,700	300	9,800	200	9,740	260	9,730	270
6-Jan	7,050	2,950	7,590	2,410	7,140	2,860	9,660	340	9,780	220	9,710	290	9,710	290
7-Jan	7,050	2,950	7,580	2,420	7,150	2,850	9,660	340	9,780	220	9,720	280	9,720	280
8-Jan	7,050	2,950	7,560	2,440	7,130	2,870	9,650	350	9,770	230	9,700	300	9,690	310
9-Jan	7,030	2,970	7,570	2,430	7,140	2,860	9,650	350	9,780	220	9,720	280	9,700	300
10-Jan	7,030	2,970	7,560	2,440	7,150	2,850	9,650	350	9,780	220	9,720	280	9,710	290
11-Jan	7,080	2,920	7,570	2,430	7,180	2,820	9,670	330	9,800	200	9,740	260	9,720	280
12-Jan	7,080	2,920	7,540	2,460	7,180	2,820	9,660	340	9,790	210	9,720	280	9,710	290
13-Jan	7,000	3,000	7,550	2,450	7,130	2,870	9,650	350	9,780	220	9,710	290	9,680	320
14-Jan	7,000	3,000	7,530	2,470	7,130	2,870	9,640	360	9,770	230	9,700	300	9,690	310
15-Jan	7,020	2,980	7,530	2,470	7,130	2,870	9,650	350	9,770	230	9,700	300	9,690	310
16-Jan	7,020	2,980	7,520	2,480	7,140	2,860	9,650	350	9,760	240	9,700	300	9,690	310
17-Jan	7,020	2,980	7,520	2,480	7,150	2,850	9,650	350	9,760	240	9,690	310	9,690	310
18-Jan	7,020	2,980	7,520	2,480	7,160	2,840	9,640	360	9,760	240	9,690	310	9,690	310
19-Jan	7,020	2,980	7,510	2,490	7,150	2,850	9,620	380	9,750	250	9,680	320	9,670	330
20-Jan	7,020	2,980	7,520	2,480	7,150	2,850	9,620	380	9,770	230	9,700	300	9,690	310
21-Jan	7,050	2,950	7,520	2,480	7,160	2,840	9,650	350	9,770	230	9,700	300	9,690	310
22-Jan	7,100	2,900	7,740	2,260	7,200	2,800	9,820	180	9,960	40	9,890	110	9,980	20
23-Jan	7,200	2,800	7,800	2,200	7,210	2,790	9,830	170	9,950	50	9,880	120	9,880	120
24-Jan	7,100	2,900	7,710	2,290	7,220	2,780	9,710	290	9,860	140	9,790	210	9,790	210
25-Jan	7,100	2,900	7,670	2,330	7,210	2,790	9,710	290	9,840	160	9,770	230	9,770	230
26-Jan	7,100	2,900	7,620	2,380	7,190	2,810	9,690	310	9,810	190	9,740	260	9,730	270
27-Jan	7,100	2,900	7,600	2,400	7,170	2,830	9,670	330	9,790	210	9,730	270	9,720	280
28-Jan	7,050	2,950	7,580	2,420	7,150	2,850	9,660	340	9,790	210	9,720	280	9,720	280
29-Jan	7,070	2,930	7,570	2,430	7,160	2,840	9,680	320	9,780	220	9,720	280	9,710	290
30-Jan	7,050	2,950	7,560	2,440	7,160	2,840	9,690	310	9,780	220	9,720	280	9,710	290
31-Jan	7,050	2,950	7,560	2,440	7,160	2,840	9,690	310	9,780	220	9,710	290	9,710	290
1-Feb	7,050	2,950	7,580	2,420	7,160	2,840	9,690	310	9,810	190	9,740	260	9,710	290
2-Feb	7,050	2,950	7,550	2,450	7,150	2,850	9,690	310	9,790	210	9,730	270	9,720	280
3-Feb	7,000	3,000	7,510	2,490	7,120	2,880	9,650	350	9,760	240	9,700	300	9,690	310
4-Feb	7,000	3,000	7,510	2,490	7,100	2,900	9,650	350	9,760	240	9,700	300	9,690	310
5-Feb	6,990	3,010	7,490	2,510	7,070	2,930	9,550	450	9,740	260	9,680	320	9,660	340
6-Feb	6,990	3,010	7,490	2,510	7,070	2,930	9,630	370	9,750	250	9,690	310	9,680	320
7-Feb	7,000	3,000	7,660	2,340	7,130	2,870	9,810	190	9,950	50	9,880	120	9,880	120
8-Feb	7,070	2,930	7,710	2,290	7,150	2,850	9,770	230	9,890	110	9,830	170	9,870	130
9-Feb	7,050	2,950	7,630	2,370	7,140	2,860	9,730	270	9,840	160	9,770	230	9,760	240
10-Feb	7,000	3,000	7,580	2,420	7,150	2,850	9,670	330	9,810	190	9,740	260	9,750	250
11-Feb	6,970	3,030	7,550	2,450	7,090	2,910	9,700	300	9,800	200	9,730	270	9,720	280
12-Feb	7,000	3,000	7,530	2,470	7,090	2,910	9,680	320	9,790	210	9,720	280	9,690	310
13-Feb	6,970	3,030	7,510	2,490	7,090	2,910	9,680	320	9,780	220	9,710	290	9,700	300
14-Feb	6,970	3,030	7,510	2,490	7,090	2,910	9,680	320	9,790	210	9,720	280	9,710	290
15-Feb	6,970	3,030	7,520	2,480	7,050	2,950	9,680	320	9,800	200	9,730	270	9,730	270
16-Feb	6,940	3,060	7,500	2,500	7,050	2,950	9,700	300	9,770	230	9,710	290	9,710	290
17-Feb	6,950	3,050	7,500	2,500	7,070	2,930	9,650	350	9,780	220	9,710	290	9,700	300
18-Feb	6,950	3,050	7,490	2,510	7,070	2,930	9,670	330	9,770	230	9,710	290	9,700	300
19-Feb	6,950	3,050	7,480	2,520	7,060	2,940	9,650	350	9,750	250	9,690	310	9,690	310

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
20-Feb	6,950	3,050	7,470	2,530	7,050	2,950	9,650	350	9,740	260	9,680	320	9,680	320
21-Feb	6,950	3,050	7,480	2,520	7,050	2,950	9,650	350	9,760	240	9,690	310	9,680	320
22-Feb	6,950	3,050	7,450	2,550	7,050	2,950	9,650	350	9,750	250	9,680	320	9,670	330
23-Feb	6,950	3,050	7,530	2,470	7,090	2,910	9,770	230	9,890	110	9,820	180	9,810	190
24-Feb	7,050	2,950	7,620	2,380	7,140	2,860	9,750	250	9,850	150	9,790	210	9,790	210
25-Feb	7,000	3,000	7,590	2,410	7,140	2,860	9,730	270	9,850	150	9,780	220	9,780	220
26-Feb	7,100	2,900	7,740	2,260	7,180	2,820	9,800	200	9,910	90	9,840	160	9,820	180
27-Feb	7,100	2,900	7,710	2,290	7,200	2,800	9,750	250	9,870	130	9,810	190	9,800	200
28-Feb	7,100	2,900	7,630	2,370	7,180	2,820	9,730	270	9,830	170	9,760	240	9,760	240
29-Feb	7,100	2,900	7,600	2,400	7,170	2,830	9,730	270	9,820	180	9,760	240	9,750	250
1-Mar	7,050	2,950	7,670	2,330	7,170	2,830	9,750	250	9,870	130	9,800	200	9,800	200
2-Mar	7,050	2,950	7,700	2,300	7,180	2,820	9,750	250	9,850	150	9,790	210	9,790	210
3-Mar	7,100	2,900	7,820	2,180	7,230	2,770	9,800	200	9,920	80	9,850	150	9,850	150
4-Mar	7,200	2,800	7,980	2,020	7,290	2,710	9,800	200	9,940	60	9,870	130	9,860	140
5-Mar	7,250	2,750	8,240	1,760	7,390	2,610	9,920	80	10,070	70	10,010	10	9,990	10
6-Mar	7,450	2,550	8,360	1,640	7,580	2,420	9,900	100	10,040	40	9,980	20	9,980	20
7-Mar	7,450	2,550	8,190	1,810	7,580	2,420	9,900	100	10,010	10	9,940	60	9,940	60
8-Mar	7,450	2,550	8,060	1,940	7,530	2,470	9,850	150	9,970	30	9,900	100	9,900	100
9-Mar	7,400	2,600	7,990	2,010	7,520	2,480	9,850	150	9,960	40	9,890	110	9,880	120
10-Mar	7,400	2,600	8,170	1,830	7,560	2,440	9,900	100	10,030	30	9,960	40	9,960	40
11-Mar	7,500	2,500	8,360	1,640	7,630	2,370	9,920	80	10,030	30	9,960	40	9,960	40
12-Mar	7,500	2,500	8,260	1,740	7,630	2,370	9,900	100	10,020	20	9,960	40	9,960	40
13-Mar	7,500	2,500	8,130	1,870	7,600	2,400	9,870	130	9,980	20	9,910	90	9,910	90
14-Mar	7,500	2,500	8,050	1,950	7,580	2,420	9,850	150	9,960	40	9,890	110	9,890	110
15-Mar	7,450	2,550	8,010	1,990	7,550	2,450	9,850	150	9,950	50	9,880	120	9,880	120
16-Mar	7,450	2,550	7,960	2,040	7,520	2,480	9,800	200	9,930	70	9,860	140	9,860	140
17-Mar	7,400	2,600	7,960	2,040	7,480	2,520	9,800	200	9,950	50	9,880	120	9,870	130
18-Mar	7,400	2,600	7,970	2,030	7,510	2,490	9,850	150	9,980	20	9,970	30	9,890	110
19-Mar	7,400	2,600	7,940	2,060	7,530	2,470	9,850	150	9,950	50	9,890	110	9,880	120
20-Mar	7,400	2,600	7,920	2,080	7,520	2,480	9,830	170	9,950	50	9,880	120	9,870	130
21-Mar	7,400	2,600	7,900	2,100	7,520	2,480	9,830	170	9,940	60	9,870	130	9,870	130
22-Mar	7,400	2,600	7,880	2,120	7,500	2,500	9,800	200	9,940	60	9,870	130	9,870	130
23-Mar	7,400	2,600	7,860	2,140	7,490	2,510	9,800	200	9,930	70	9,860	140	9,860	140
24-Mar	7,500	2,500	8,340	1,660	7,650	2,350	9,930	70	10,040	40	9,980	20	9,980	20
25-Mar	7,500	2,500	8,160	1,840	7,640	2,360	9,900	100	10,020	20	9,960	40	9,950	50
26-Mar	7,450	2,550	8,050	1,950	7,580	2,420	9,850	150	10,080	80	9,990	10	9,890	110
27-Mar	7,450	2,550	7,990	2,010	7,540	2,460	9,850	150	9,950	50	9,880	120	9,880	120
28-Mar	7,400	2,600	7,950	2,050	7,480	2,520	9,820	180	9,940	60	9,880	120	9,870	130
29-Mar	7,370	2,630	7,900	2,100	7,450	2,550	9,820	180	9,920	80	9,860	140	9,850	150
30-Mar	7,390	2,610	7,890	2,110	7,500	2,500	9,820	180	9,940	60	9,870	130	9,880	120
31-Mar	7,350	2,650	7,920	2,080	7,480	2,520	9,820	180	9,960	40	9,890	110	9,890	110
1-Apr	7,350	2,650	7,940	2,060	7,490	2,510	9,850	150	9,970	30	9,900	100	9,900	100
2-Apr	7,050	2,950	7,850	2,150	7,160	2,840	9,750	250	9,870	130	9,800	200	9,800	200
3-Apr	7,050	2,950	7,830	2,170	7,200	2,800	9,750	250	9,890	110	9,820	180	9,800	200
4-Apr	7,130	2,870	8,210	1,790	7,330	2,670	9,900	100	10,010	10	9,940	60	9,940	60
5-Apr	7,200	2,800	8,060	1,940	7,340	2,660	9,850	150	9,950	50	9,880	120	9,880	120
6-Apr	7,230	2,770	7,990	2,010	7,330	2,670	9,820	180	9,930	70	9,860	140	9,860	140
7-Apr	7,250	2,750	7,930	2,070	7,310	2,690	9,780	220	9,900	100	9,840	160	9,830	170
8-Apr	7,250	2,750	7,880	2,120	7,290	2,710	9,750	250	9,890	110	9,820	180	9,820	180
9-Apr	7,250	2,750	7,870	2,130	7,390	2,610	9,780	220	9,900	100	9,840	160	9,800	200

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
10-Apr	7,300	2,700	7,830	2,170	7,360	2,640	9,750	250	9,880	120	9,810	190	9,810	190
11-Apr	7,300	2,700	7,860	2,140	7,380	2,620	9,800	200	9,920	80	9,860	140	9,860	140
12-Apr	7,300	2,700	7,840	2,160	7,400	2,600	9,800	200	9,920	80	9,860	140	9,860	140
13-Apr	7,250	2,750	7,810	2,190	7,320	2,680	9,780	220	9,890	110	9,820	180	9,820	180
14-Apr	7,150	2,850	7,770	2,230	7,220	2,780	9,750	250	9,860	140	9,790	210	9,790	210
15-Apr	7,150	2,850	7,800	2,200	7,240	2,760	9,750	250	9,890	110	9,830	170	9,800	200
16-Apr	7,200	2,800	7,790	2,210	7,280	2,720	9,750	250	9,880	120	9,810	190	9,810	190
17-Apr	7,200	2,800	7,780	2,220	7,300	2,700	9,750	250	9,880	120	9,810	190	9,810	190
18-Apr	7,200	2,800	7,750	2,250	7,290	2,710	9,750	250	9,860	140	9,800	200	9,800	200
19-Apr	7,200	2,800	7,740	2,260	7,300	2,700	9,750	250	9,850	150	9,790	210	9,790	210
20-Apr	7,200	2,800	7,740	2,260	7,300	2,700	9,750	250	9,850	150	9,780	220	9,780	220
21-Apr	7,200	2,800	7,730	2,270	7,300	2,700	9,750	250	9,850	150	9,790	210	9,790	210
22-Apr	7,200	2,800	7,740	2,260	7,300	2,700	9,750	250	9,860	140	9,800	200	9,790	210
23-Apr	7,250	2,750	7,750	2,250	7,300	2,700	9,800	200	9,910	90	9,820	180	9,820	180
24-Apr	7,300	2,700	7,870	2,130	7,370	2,630	9,850	150	9,950	50	9,880	120	9,880	120
25-Apr	7,300	2,700	7,820	2,180	7,350	2,650	9,800	200	9,910	90	9,840	160	9,840	160
26-Apr	7,300	2,700	7,810	2,190	7,350	2,650	9,800	200	9,900	100	9,830	170	9,830	170
27-Apr	7,300	2,700	7,990	2,010	7,380	2,620	9,850	150	9,980	20	9,920	80	9,920	80
28-Apr	7,350	2,650	7,970	2,030	7,410	2,590	9,850	150	9,940	60	9,880	120	9,810	190
29-Apr	7,350	2,650	7,900	2,100	7,400	2,600	9,800	200	9,930	70	9,860	140	9,850	150
30-Apr	7,350	2,650	7,860	2,140	7,410	2,590	9,800	200	9,910	90	9,840	160	9,850	150
1-May	7,350	2,650	7,840	2,160	7,400	2,600	9,780	220	9,910	90	9,840	160	9,850	150
2-May	7,300	2,700	7,820	2,180	7,500	2,500	9,800	200	9,910	90	9,840	160	9,840	160
3-May	7,400	2,600	8,120	1,880	7,450	2,550	10,000	0	10,120	120	10,050	50	10,050	50
4-May	7,750	2,250	8,920	1,080	7,810	2,190	9,950	50	10,080	80	10,020	20	10,020	20
5-May	7,720	2,280	8,530	1,470	7,780	2,220	9,920	80	10,040	40	9,970	30	9,970	30
6-May	7,670	2,330	8,380	1,620	7,730	2,270	9,900	100	10,030	30	9,960	40	9,960	40
7-May	7,650	2,350	8,600	1,400	7,730	2,270	9,900	100	10,030	30	9,960	40	9,950	50
8-May	7,650	2,350	8,330	1,670	7,700	2,300	9,900	100	10,020	20	9,960	40	9,960	40
9-May	7,650	2,350	8,270	1,730	7,690	2,310	9,900	100	10,020	20	9,960	40	9,960	40
10-May	7,650	2,350	8,370	1,630	7,720	2,280	9,850	150	9,990	10	9,930	70	9,930	70
11-May	7,650	2,350	8,280	1,720	7,720	2,280	9,850	150	9,990	10	9,930	70	9,930	70
12-May	7,650	2,350	8,220	1,780	7,700	2,300	9,850	150	10,000	0	9,940	60	9,940	60
13-May	7,600	2,400	8,160	1,840	7,700	2,300	9,850	150	10,000	0	9,930	70	9,930	70
14-May	7,600	2,400	8,110	1,890	7,670	2,330	9,850	150	9,990	10	9,930	70	9,920	80
15-May	7,600	2,400	8,110	1,890	7,670	2,330	9,900	100	10,020	20	9,950	50	9,950	50
16-May	7,600	2,400	8,100	1,900	7,660	2,340	9,900	100	10,020	20	9,950	50	9,950	50
17-May	7,600	2,400	8,080	1,920	7,670	2,330	9,900	100	10,000	0	9,940	60	9,940	60
18-May	7,620	2,380	8,290	1,710	7,670	2,330	9,920	80	10,050	50	9,980	20	9,980	20
19-May	7,720	2,280	8,520	1,480	7,800	2,200	9,920	80	10,040	40	9,970	30	9,970	30
20-May	7,720	2,280	8,340	1,660	7,790	2,210	9,920	80	10,030	30	9,960	40	9,960	40
21-May	7,700	2,300	8,250	1,750	7,750	2,250	9,900	100	10,020	20	9,950	50	9,950	50
22-May	7,650	2,350	8,210	1,790	7,750	2,250	9,900	100	10,020	20	9,950	50	9,950	50
23-May	7,800	2,200	8,830	1,170	7,870	2,130	9,950	50	10,050	50	9,980	20	9,980	20
24-May	7,800	2,200	8,520	1,480	7,870	2,130	9,950	50	10,040	40	9,970	30	9,980	20
25-May	7,800	2,200	8,410	1,590	7,880	2,120	9,850	150	9,970	30	9,910	90	9,910	90
26-May	7,800	2,200	8,370	1,630	7,830	2,170	9,850	150	9,990	10	9,920	80	9,920	80
27-May	7,750	2,250	8,310	1,690	7,830	2,170	9,850	150	9,970	30	9,900	100	9,910	90
28-May	7,750	2,250	8,260	1,740	7,830	2,170	9,850	150	9,980	20	9,910	90	9,910	90
29-May	7,800	2,200	8,540	1,460	7,880	2,120	9,900	100	10,020	20	9,950	50	9,950	50

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
30-May	7,820	2,180	8,580	1,420	7,900	2,100	9,900	100	10,030	30	9,960	40	9,960	40
31-May	7,850	2,150	8,500	1,500	7,920	2,080	9,900	100	10,000	0	9,940	60	9,940	60
1-Jun	7,800	2,200	8,390	1,610	7,870	2,130	9,870	130	9,980	20	9,920	80	9,920	80
2-Jun	7,800	2,200	8,320	1,680	7,860	2,140	9,850	150	9,970	30	9,910	90	9,910	90
3-Jun	7,750	2,250	8,280	1,720	7,830	2,170	9,850	150	9,970	30	9,900	100	9,900	100
4-Jun	7,750	2,250	8,240	1,760	7,850	2,150	9,850	150	9,970	30	9,900	100	9,900	100
5-Jun	7,750	2,250	8,220	1,780	7,840	2,160	9,850	150	9,970	30	9,900	100	9,900	100
6-Jun	7,750	2,250	8,220	1,780	7,840	2,160	9,800	200	9,990	10	9,920	80	9,910	90
7-Jun	7,750	2,250	8,190	1,810	7,840	2,160	9,850	150	9,980	20	9,920	80	9,900	100
8-Jun	7,750	2,250	8,170	1,830	7,840	2,160	9,850	150	10,010	10	9,940	60	9,940	60
9-Jun	7,750	2,250	8,170	1,830	7,840	2,160	9,900	100	10,020	20	9,960	40	9,960	40
10-Jun	7,900	2,100	8,680	1,320	7,950	2,050	9,950	50	10,060	60	10,000	0	9,980	20
11-Jun	7,900	2,100	8,200	1,800	7,950	2,050	10,050	50	10,040	40	9,970	30	9,980	20
12-Jun	7,800	2,200	8,360	1,640	7,950	2,050	9,950	50	10,030	30	9,960	40	9,960	40
13-Jun	7,850	2,150	8,300	1,700	7,890	2,110	9,900	100	10,040	40	9,970	30	9,960	40
14-Jun	7,800	2,200	8,260	1,740	7,880	2,120	9,900	100	10,020	20	9,960	40	9,950	50
15-Jun	7,800	2,200	8,220	1,780	7,850	2,150	9,900	100	10,020	20	9,960	40	9,950	50
16-Jun	7,800	2,200	8,210	1,790	7,850	2,150	9,900	100	10,020	20	9,950	50	9,950	50
17-Jun	7,800	2,200	8,220	1,780	7,890	2,110	9,950	50	10,050	50	9,980	20	9,980	20
18-Jun	7,800	2,200	8,260	1,740	7,950	2,050	9,900	100	10,030	30	9,960	40	9,960	40
19-Jun	7,750	2,250	8,210	1,790	7,850	2,150	9,900	100	10,030	30	9,960	40	9,960	40
20-Jun	8,050	1,950	9,110	890	8,100	1,900	9,950	50	10,080	80	10,020	20	10,000	0
21-Jun	8,050	1,950	8,760	1,240	8,100	1,900	9,950	50	10,060	60	9,990	10	9,990	10
22-Jun	8,000	2,000	8,790	1,210	8,040	1,960	9,900	100	10,070	70	10,000	0	9,950	50
23-Jun	8,000	2,000	8,680	1,320	8,060	1,940	9,950	50	10,040	40	9,980	20	9,980	20
24-Jun	7,950	2,050	8,560	1,440	8,040	1,960	9,900	100	10,040	40	9,970	30	9,970	30
25-Jun	7,950	2,050	8,480	1,520	7,990	2,010	9,900	100	10,040	40	9,970	30	9,970	30
26-Jun	7,900	2,100	8,410	1,590	7,980	2,020	9,900	100	10,110	110	10,180	180	10,180	180
27-Jun	7,850	2,150	8,380	1,620	7,930	2,070	9,900	100	10,020	20	9,960	40	9,960	40
28-Jun	7,850	2,150	8,350	1,650	7,930	2,070	9,900	100	10,030	30	9,960	40	9,960	40
29-Jun	7,850	2,150	8,310	1,690	7,900	2,100	9,900	100	10,020	20	9,960	40	9,950	50
30-Jun	7,850	2,150	8,290	1,710	7,880	2,120	9,900	100	10,030	30	9,960	40	9,960	40
1-Jul	7,850	2,150	8,270	1,730	7,900	2,100	9,900	100	10,030	30	9,970	30	9,970	30
2-Jul	7,850	2,150	8,420	1,580	7,930	2,070	9,900	100	10,060	60	9,990	10	9,990	10
3-Jul	7,850	2,150	8,420	1,580	7,890	2,110	9,900	100	10,040	40	9,970	30	9,970	30
4-Jul	7,850	2,150	8,380	1,620	7,920	2,080	9,900	100	10,040	40	9,970	30	9,970	30
5-Jul	7,850	2,150	8,330	1,670	7,930	2,070	9,900	100	10,040	40	9,970	30	9,970	30
6-Jul	7,900	2,100	8,700	1,300	7,970	2,030	9,950	50	10,060	60	9,990	10	10,000	0
7-Jul	8,050	1,950	9,250	750	8,150	1,850	10,000	0	10,130	130	10,060	60	10,060	60
8-Jul	8,250	1,750	9,370	630	8,320	1,680	10,000	0	10,120	120	10,050	50	10,040	40
9-Jul	8,100	1,900	8,950	1,050	8,140	1,860	9,950	50	10,080	80	10,010	10	10,010	10
10-Jul	8,050	1,950	8,780	1,220	8,120	1,880	9,950	50	10,060	60	10,000	0	10,010	10
11-Jul	8,050	1,950	8,690	1,310	8,150	1,850	9,950	50	10,060	60	9,990	10	10,000	0
12-Jul	8,050	1,950	8,640	1,360	8,110	1,890	9,950	50	10,060	60	9,990	10	10,000	0
13-Jul	8,050	1,950	8,590	1,410	8,130	1,870	9,950	50	10,060	60	9,990	10	10,000	0
14-Jul	8,050	1,950	8,550	1,450	8,110	1,890	9,950	50	10,060	60	9,990	10	9,990	10
15-Jul	8,000	2,000	8,500	1,500	8,090	1,910	9,950	50	10,050	50	9,980	20	9,980	20
16-Jul	8,000	2,000	8,460	1,540	8,070	1,930	9,950	50	10,050	50	9,980	20	9,970	30
17-Jul	7,950	2,050	8,430	1,570	8,040	1,960	9,900	100	10,050	50	9,980	20	9,990	10
18-Jul	7,950	2,050	8,400	1,600	8,030	1,970	9,900	100	10,040	40	9,980	20	9,980	20

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
19-Jul	7,950	2,050	8,380	1,620	8,020	1,980	9,900	100	10,050	50	9,980	20	9,980	20
20-Jul	7,950	2,050	8,360	1,640	8,020	1,980	9,900	100	10,040	40	9,970	30	9,980	20
21-Jul	7,900	2,100	8,340	1,660	8,020	1,980	9,900	100	10,040	40	9,980	20	9,980	20
22-Jul	7,950	2,050	8,330	1,670	8,010	1,990	9,950	50	10,040	40	9,970	30	9,980	20
23-Jul	7,950	2,050	8,320	1,680	8,010	1,990	9,900	100	10,040	40	9,980	20	9,980	20
24-Jul	7,900	2,100	8,310	1,690	7,990	2,010	9,950	50	10,050	50	9,980	20	9,980	20
25-Jul	7,900	2,100	8,300	1,700	7,990	2,010	9,900	100	10,040	40	9,980	20	9,980	20
26-Jul	7,900	2,100	8,290	1,710	8,000	2,000	9,950	50	10,040	40	9,980	20	9,980	20
27-Jul	7,900	2,100	8,280	1,720	7,950	2,050	9,900	100	10,040	40	9,970	30	9,980	20
28-Jul	7,850	2,150	8,270	1,730	7,940	2,060	9,900	100	10,040	40	9,970	30	9,970	30
29-Jul	7,850	2,150	8,250	1,750	7,940	2,060	9,900	100	10,040	40	9,970	30	9,970	30
30-Jul	7,800	2,200	8,240	1,760	7,900	2,100	9,900	100	10,030	30	9,970	30	9,970	30
31-Jul	7,800	2,200	8,220	1,780	7,880	2,120	9,900	100	10,030	30	9,970	30	9,970	30
1-Aug	7,800	2,200	8,200	1,800	7,870	2,130	9,900	100	10,030	30	9,970	30	9,970	30
2-Aug	7,800	2,200	8,190	1,810	7,860	2,140	9,900	100	10,030	30	9,970	30	9,970	30
3-Aug	7,750	2,250	8,170	1,830	7,840	2,160	9,900	100	10,030	30	9,960	40	9,960	40
4-Aug	7,750	2,250	8,160	1,840	7,810	2,190	9,900	100	10,030	30	9,970	30	9,970	30
5-Aug	7,700	2,300	8,160	1,840	7,800	2,200	9,900	100	10,040	40	9,970	30	9,970	30
6-Aug	7,700	2,300	8,160	1,840	7,810	2,190	9,900	100	10,030	30	9,960	40	9,960	40
7-Aug	7,700	2,300	8,140	1,860	7,800	2,200	9,900	100	10,030	30	9,960	40	9,960	40
8-Aug	7,700	2,300	8,120	1,880	7,750	2,250	9,900	100	10,020	20	9,960	40	9,960	40
9-Aug	7,700	2,300	8,120	1,880	7,770	2,230	9,900	100	10,020	20	9,960	40	9,960	40
10-Aug	7,650	2,350	8,110	1,890	7,750	2,250	9,900	100	10,020	20	9,960	40	9,950	50
11-Aug	7,650	2,350	8,100	1,900	7,740	2,260	9,900	100	10,010	10	9,950	50	9,960	40
12-Aug	7,650	2,350	8,090	1,910	7,760	2,240	9,900	100	10,070	70	9,930	70	9,960	40
13-Aug	7,650	2,350	8,090	1,910	7,740	2,260	9,900	100	10,020	20	9,960	40	9,960	40
14-Aug	7,650	2,350	8,060	1,940	7,710	2,290	9,900	100	10,020	20	9,950	50	9,960	40
15-Aug	7,650	2,350	8,040	1,960	7,710	2,290	9,900	100	10,010	10	9,940	60	9,940	60
16-Aug	7,650	2,350	8,050	1,950	7,700	2,300	9,900	100	10,020	20	9,950	50	9,950	50
17-Aug	7,650	2,350	8,040	1,960	7,700	2,300	9,900	100	10,010	10	9,940	60	9,930	70
18-Aug	7,600	2,400	8,030	1,970	7,690	2,310	9,900	100	10,000	0	9,930	70	9,940	60
19-Aug	7,600	2,400	8,020	1,980	7,690	2,310	9,900	100	10,000	0	9,940	60	9,940	60
20-Aug	7,600	2,400	8,070	1,930	7,700	2,300	9,900	100	10,000	0	9,940	60	9,940	60
21-Aug	7,600	2,400	8,010	1,990	7,700	2,300	9,900	100	10,000	0	9,930	70	9,930	70
22-Aug	7,600	2,400	8,100	1,900	7,670	2,330	9,900	100	10,000	0	9,940	60	9,930	70
23-Aug	7,600	2,400	8,000	2,000	7,690	2,310	9,900	100	10,000	0	9,930	70	9,930	70
24-Aug	7,600	2,400	7,990	2,010	7,680	2,320	9,900	100	9,990	10	9,930	70	9,930	70
25-Aug	7,600	2,400	7,990	2,010	7,680	2,320	9,900	100	10,000	0	9,930	70	9,930	70
26-Aug	7,550	2,450	7,980	2,020	7,640	2,360	9,900	100	9,980	20	9,910	90	9,910	90
27-Aug	7,550	2,450	7,980	2,020	7,630	2,370	9,850	150	9,980	20	9,910	90	9,910	90
28-Aug	7,550	2,450	7,970	2,030	7,590	2,410	9,900	100	9,980	20	9,910	90	9,920	80
29-Aug	7,500	2,500	7,960	2,040	7,570	2,430	9,850	150	9,980	20	9,920	80	9,930	70
30-Aug	7,450	2,550	7,950	2,050	7,560	2,440	9,850	150	9,970	30	9,910	90	9,920	80
31-Aug	7,500	2,500	7,940	2,060	7,560	2,440	9,850	150	9,970	30	9,910	90	9,910	90
1-Sep	7,500	2,500	7,930	2,070	7,560	2,440	9,850	150	9,960	40	9,900	100	9,900	100
2-Sep	7,450	2,550	7,920	2,080	7,520	2,480	9,850	150	9,970	30	9,910	90	9,910	90
3-Sep	7,450	2,550	7,930	2,070	7,560	2,440	9,900	100	10,010	10	9,940	60	9,950	50
4-Sep	7,450	2,550	7,920	2,080	7,550	2,450	9,900	100	9,980	20	9,920	80	9,920	80
5-Sep	7,600	2,400	8,330	1,670	7,630	2,370	9,900	100	10,040	40	9,980	20	9,970	30
6-Sep	7,550	2,450	8,190	1,810	7,640	2,360	9,900	100	10,030	30	9,960	40	9,970	30
7-Sep	7,600	2,400	8,330	1,670	7,680	2,320	9,900	100	10,040	40	9,970	30	9,980	20
8-Sep	7,600	2,400	8,200	1,800	7,660	2,340	9,900	100	10,020	20	9,960	40	9,960	40
9-Sep	7,600	2,400	8,130	1,870	7,630	2,370	9,900	100	10,020	20	9,950	50	9,960	40

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.



Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
10-Sep	7,550	2,450	8,090	1,910	7,650	2,350	9,900	100	10,010	10	9,950	50	9,960	40
11-Sep	7,550	2,450	8,060	1,940	7,630	2,370	9,900	100	10,010	10	9,940	60	9,950	50
12-Sep	7,550	2,450	8,070	1,930	7,640	2,360	9,950	50	10,030	30	9,970	30	9,970	30
13-Sep	7,550	2,450	8,060	1,940	7,630	2,370	9,900	100	10,020	20	9,960	40	9,960	40
14-Sep	7,500	2,500	8,020	1,980	7,590	2,410	9,900	100	9,990	10	9,930	70	9,930	70
15-Sep	7,400	2,600	7,980	2,020	7,510	2,490	9,900	100	9,980	20	9,910	90	9,920	80
16-Sep	7,400	2,600	7,960	2,040	7,460	2,540	9,900	100	9,970	30	9,910	90	9,910	90
17-Sep	7,350	2,650	7,940	2,060	7,430	2,570	9,900	100	9,980	20	9,920	80	9,920	80
18-Sep	7,300	2,700	7,930	2,070	7,400	2,600	9,850	150	9,980	20	9,910	90	9,920	80
19-Sep	7,300	2,700	7,920	2,080	7,400	2,600	9,900	100	10,010	10	9,950	50	9,960	40
20-Sep	7,300	2,700	7,900	2,100	7,380	2,620	9,850	150	9,980	20	9,920	80	9,920	80
21-Sep	7,300	2,700	7,920	2,080	7,400	2,600	9,900	100	10,010	10	9,940	60	9,950	50
22-Sep	7,300	2,700	7,930	2,070	7,400	2,600	9,900	100	10,030	30	9,960	40	9,970	30
23-Sep	7,300	2,700	8,130	1,870	7,420	2,580	9,900	100	10,040	40	9,980	20	9,980	20
24-Sep	7,600	2,400	8,680	1,320	7,650	2,350	9,950	50	10,060	60	10,000	0	10,010	10
25-Sep	7,600	2,400	8,660	1,340	7,690	2,310	9,950	50	10,050	50	9,990	10	9,970	30
26-Sep	7,550	2,450	8,420	1,580	7,650	2,350	9,950	50	10,040	40	9,970	30	9,980	20
27-Sep	7,500	2,500	8,300	1,700	7,580	2,420	9,950	50	10,030	30	9,970	30	9,970	30
28-Sep	7,500	2,500	8,300	1,700	7,590	2,410	10,100	100	10,080	80	10,020	20	10,020	20
29-Sep	7,700	2,300	8,940	1,060	7,780	2,220	9,950	50	10,080	80	10,010	10	10,020	20
30-Sep	7,650	2,350	8,590	1,410	7,740	2,260	9,950	50	10,050	50	9,990	10	9,990	10
1-Oct	7,700	2,300	8,860	1,140	7,770	2,230	9,950	50	10,060	60	10,000	0	10,000	0
2-Oct	7,650	2,350	8,540	1,460	7,730	2,270	9,950	50	10,050	50	9,980	20	9,980	20
3-Oct	7,600	2,400	8,420	1,580	7,700	2,300	9,900	100	10,060	60	9,990	10	10,000	0
4-Oct	8,100	1,900	9,420	580	8,200	1,800	10,100	100	10,190	190	10,130	130	10,130	130
5-Oct	8,050	1,950	9,030	970	8,130	1,870	10,000	0	10,090	90	10,020	20	10,030	30
6-Oct	7,950	2,050	8,840	1,160	8,030	1,970	10,000	0	10,070	70	10,010	10	10,010	10
7-Oct	7,900	2,100	8,760	1,240	7,980	2,020	10,000	0	10,090	90	10,030	30	10,030	30
8-Oct	7,850	2,150	8,750	1,250	7,910	2,090	9,950	50	10,070	70	10,000	0	10,000	0
9-Oct	7,800	2,200	8,610	1,390	7,850	2,150	9,950	50	10,060	60	10,000	0	10,000	0
10-Oct	7,700	2,300	8,520	1,480	7,820	2,180	9,950	50	10,060	60	10,000	0	9,990	10
11-Oct	7,700	2,300	8,570	1,430	7,800	2,200	9,950	50	10,080	80	10,020	20	10,020	20
12-Oct	7,700	2,300	8,530	1,470	7,750	2,250	9,900	100	10,060	60	10,000	0	9,970	30
13-Oct	7,650	2,350	8,430	1,570	7,790	2,210	9,950	50	10,050	50	9,990	10	9,990	10
14-Oct	7,600	2,400	8,360	1,640	7,700	2,300	9,950	50	10,050	50	9,980	20	9,980	20
15-Oct	7,600	2,400	8,320	1,680	7,600	2,400	9,900	100	10,050	50	9,980	20	9,990	10
16-Oct	7,550	2,450	8,270	1,730	7,650	2,350	9,950	50	10,040	40	9,980	20	9,980	20
17-Oct	7,500	2,500	8,250	1,750	7,610	2,390	9,900	100	10,050	50	9,990	10	9,980	20
18-Oct	7,750	2,250	8,870	1,130	7,820	2,180	10,000	0	10,100	100	10,030	30	10,040	40
19-Oct	7,700	2,300	8,610	1,390	7,770	2,230	9,950	50	10,060	60	10,000	0	10,000	0
20-Oct	7,700	2,300	8,470	1,530	7,780	2,220	9,950	50	10,050	50	9,990	10	9,990	10
21-Oct	7,650	2,350	8,400	1,600	7,750	2,250	9,950	50	10,050	50	9,990	10	9,990	10
22-Oct	7,650	2,350	8,330	1,670	7,740	2,260	9,950	50	10,050	50	9,980	20	9,980	20
23-Oct	7,600	2,400	8,330	1,670	7,680	2,320	9,950	50	10,060	60	9,990	10	9,990	10
24-Oct	7,550	2,450	8,500	1,500	7,660	2,340	9,950	50	10,060	60	10,000	0	10,000	0
25-Oct	7,550	2,450	8,350	1,650	7,640	2,360	9,950	50	10,040	40	9,980	20	9,980	20
26-Oct	7,450	2,550	8,250	1,750	7,520	2,480	9,950	50	10,040	40	9,970	30	9,970	30
27-Oct	7,450	2,550	8,180	1,820	7,520	2,480	9,950	50	10,030	30	9,970	30	9,970	30
28-Oct	7,450	2,550	8,160	1,840	7,500	2,500	9,900	100	10,040	40	9,980	20	9,960	40
29-Oct	7,550	2,450	8,690	1,310	7,650	2,350	9,950	50	10,090	90	10,020	20	10,020	20
30-Oct	7,550	2,450	8,480	1,520	7,670	2,330	9,900	100	10,060	60	9,990	10	9,990	10
31-Oct	7,550	2,450	8,350	1,650	7,600	2,400	9,900	100	10,050	50	9,990	10	9,970	30
1-Nov	7,550	2,450	8,280	1,720	7,650	2,350	9,900	100	10,050	50	9,990	10	9,980	20

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
2-Nov	7,500	2,500	8,220	1,780	7,610	2,390	9,900	100	10,040	40	9,980	20	9,980	20
3-Nov	7,450	2,550	8,170	1,830	7,570	2,430	9,900	100	10,040	40	9,970	30	9,970	30
4-Nov	7,500	2,500	8,200	1,800	7,550	2,450	9,900	100	10,040	40	9,970	30	9,970	30
5-Nov	7,450	2,550	8,110	1,890	7,480	2,520	9,900	100	10,040	40	9,970	30	9,980	20
6-Nov	7,450	2,550	8,110	1,890	7,530	2,470	9,950	50	10,080	80	10,010	10	10,010	10
7-Nov	7,450	2,550	8,240	1,760	7,530	2,470	9,900	100	10,060	60	10,000	0	10,000	0
8-Nov	7,450	2,550	8,170	1,830	7,530	2,470	9,900	100	10,040	40	9,980	20	9,980	20
9-Nov	7,400	2,600	8,100	1,900	7,460	2,540	9,900	100	10,040	40	9,970	30	9,960	40
10-Nov	7,400	2,600	8,060	1,940	7,420	2,580	9,900	100	10,030	30	9,960	40	9,950	50
11-Nov	7,400	2,600	8,040	1,960	7,480	2,520	9,900	100	10,030	30	9,970	30	9,970	30
12-Nov	7,400	2,600	8,280	1,720	7,500	2,500	9,950	50	10,070	70	10,010	10	10,010	10
13-Nov	7,500	2,500	8,360	1,640	7,580	2,420	9,950	50	10,050	50	9,990	10	9,990	10
14-Nov	7,450	2,550	8,240	1,760	7,560	2,440	9,900	100	10,050	50	9,980	20	9,980	20
15-Nov	7,450	2,550	8,140	1,860	7,500	2,500	9,900	100	10,040	40	9,970	30	9,960	40
16-Nov	7,450	2,550	8,070	1,930	7,540	2,460	9,900	100	10,030	30	9,960	40	9,960	40
17-Nov	7,450	2,550	8,070	1,930	7,510	2,490	9,900	100	10,040	40	9,970	30	9,970	30
18-Nov	7,450	2,550	8,280	1,720	7,540	2,460	9,900	100	10,050	50	9,990	10	9,980	20
19-Nov	7,400	2,600	8,160	1,840	7,490	2,510	9,900	100	10,040	40	9,970	30	9,970	30
20-Nov	7,400	2,600	8,110	1,890	7,480	2,520	9,900	100	10,040	40	9,970	30	9,970	30
21-Nov	7,350	2,650	8,040	1,960	7,470	2,530	9,900	100	10,030	30	9,960	40	9,960	40
22-Nov	7,350	2,650	8,020	1,980	7,470	2,530	9,900	100	10,030	30	9,960	40	9,960	40
23-Nov	7,350	2,650	8,020	1,980	7,470	2,530	9,900	100	10,030	30	9,970	30	9,970	30
24-Nov	7,300	2,700	7,980	2,020	7,420	2,580	9,900	100	10,010	10	9,940	60	9,940	60
25-Nov	7,250	2,750	7,950	2,050	7,370	2,630	9,900	100	9,990	10	9,930	70	9,930	70
26-Nov	7,250	2,750	7,960	2,040	7,350	2,650	9,900	100	10,030	30	9,960	40	9,960	40
27-Nov	7,250	2,750	7,930	2,070	7,330	2,670	9,900	100	10,010	10	9,940	60	9,940	60
28-Nov	7,250	2,750	7,900	2,100	7,290	2,710	9,850	150	9,980	20	9,910	90	9,900	100
29-Nov	7,250	2,750	7,900	2,100	7,280	2,720	9,850	150	10,000	0	9,930	70	9,910	90
30-Nov	7,200	2,800	7,880	2,120	7,290	2,710	9,850	150	9,980	20	9,920	80	9,920	80
1-Dec	7,200	2,800	7,880	2,120	7,300	2,700	9,850	150	9,990	10	9,920	80	9,910	90
2-Dec	7,200	2,800	7,860	2,140	7,330	2,670	9,850	150	9,970	30	9,910	90	9,910	90
3-Dec	7,200	2,800	7,860	2,140	7,290	2,710	9,900	100	10,010	10	9,950	50	9,920	80
4-Dec	7,250	2,750	7,900	2,100	7,360	2,640	9,900	100	10,030	30	9,970	30	9,960	40
5-Dec	7,250	2,750	7,980	2,020	7,340	2,660	9,900	100	10,020	20	9,960	40	9,960	40
6-Dec	7,250	2,750	7,960	2,040	7,330	2,670	9,900	100	10,030	30	9,960	40	9,970	30
7-Dec	7,200	2,800	7,890	2,110	7,330	2,670	9,900	100	9,990	10	9,920	80	9,920	80
8-Dec	7,050	2,950	7,830	2,170	7,100	2,900	9,850	150	9,930	70	9,860	140	9,850	150
9-Dec	7,000	3,000	7,770	2,230	7,060	2,940	9,800	200	9,910	90	9,840	160	9,830	170
10-Dec	6,950	3,050	7,720	2,280	7,020	2,980	9,750	250	9,890	110	9,830	170	9,820	180
11-Dec	6,950	3,050	7,680	2,320	6,960	3,040	9,750	250	9,870	130	9,810	190	9,800	200
12-Dec	6,900	3,100	7,650	2,350	6,960	3,040	9,750	250	9,850	150	9,790	210	9,780	220
13-Dec	6,900	3,100	7,620	2,380	6,960	3,040	9,750	250	9,830	170	9,760	240	9,760	240
14-Dec	6,900	3,100	7,610	2,390	6,910	3,090	9,750	250	9,840	160	9,770	230	9,750	250
15-Dec	6,900	3,100	7,610	2,390	6,900	3,100	9,750	250	9,860	140	9,800	200	9,780	220
16-Dec	6,900	3,100	7,600	2,400	6,930	3,070	9,700	300	9,850	150	9,780	220	9,780	220
17-Dec	6,900	3,100	7,570	2,430	6,890	3,110	9,700	300	9,830	170	9,760	240	9,740	260
18-Dec	6,850	3,150	7,590	2,410	6,900	3,100	9,750	250	9,870	130	9,810	190	9,810	190
19-Dec	6,850	3,150	7,550	2,450	6,850	3,150	9,750	250	9,840	160	9,770	230	9,760	240
20-Dec	6,800	3,200	7,540	2,460	6,850	3,150	9,750	250	9,810	190	9,750	250	9,740	260
21-Dec	6,800	3,200	7,520	2,480	6,840	3,160	9,700	300	9,800	200	9,730	270	9,730	270
22-Dec	6,800	3,200	7,540	2,460	6,840	3,160	9,700	300	9,830	170	9,770	230	9,760	240
23-Dec	6,800	3,200	7,520	2,480	6,830	3,170	9,750	250	9,860	140	9,800	200	9,790	210
24-Dec	6,800	3,200	7,510	2,490	6,830	3,170	9,750	250	9,840	160	9,780	220	9,770	230

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.

Results of Water Level Measurement at Sub-drain  
Pits around Central Radioactive Waste Treatment  
Facility (Jan. 1 - Dec 31, 2012)

< Reference >  
August 7, 2013  
Tokyo Electric Power Company

(Unit: mm)

Number	No.112 (Northeast of Process Main Building)		No.125 (West of Incineration Workshop Building)		No.133 (West of On- site Bunker Building)		No.150 (East of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.151 (North of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.152 (West of Miscellaneous Solid Waste Volume Reduction Treatment Building)		No.153 (South of Miscellaneous Solid Waste Volume Reduction Treatment Building)	
	Date- Month	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)	Depth from GL	Water level (OP+)
25-Dec	6,750	3,250	7,510	2,490	6,780	3,220	9,700	300	9,820	180	9,760	240	9,750	250
26-Dec	6,700	3,300	7,490	2,510	6,750	3,250	9,700	300	9,800	200	9,740	260	9,730	270
27-Dec	6,700	3,300	7,470	2,530	6,720	3,280	9,650	350	9,780	220	9,710	290	9,700	300
28-Dec	6,750	3,250	7,460	2,540	6,750	3,250	9,650	350	9,780	220	9,710	290	9,700	300
29-Dec	6,700	3,300	7,520	2,480	6,750	3,250	9,750	250	9,870	130	9,810	190	9,800	200
30-Dec	6,750	3,250	7,570	2,430	6,760	3,240	9,750	250	9,870	130	9,810	190	9,810	190
31-Dec	6,800	3,200	7,900	2,100	6,870	3,130	9,900	100	10,000	0	9,930	70	9,920	80

Note: GL (Ground level) of Central Radioactive Waste Treatment Facility is OP+10m.