

| GM | メンバー |
|----|------|
| | |

瓦礫等収納容器点検結果(線量測定データ)

| 容器番号 | 確認年月日 | コンテナサイズ (m ³) | 測定器No | BG値 (mSv/h) | | 表面線量当量率 (mSv/h) | |
|-----------------|-------------|------------------------------|---------------|-------------|------------------|-----------------|------------------|
| | | | | γ | $\beta + \gamma$ | γ | $\beta + \gamma$ |
| 2019 ZK-02830 ✓ | 2024/5/16 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.005 ✓ | - | 0.014 ✓ | - |
| ZK-00279 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.061 ✓ | - |
| 2019 ZK-03081 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.010 ✓ | - |
| 2019 ZK-03013 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.010 ✓ | - |
| 2019 FU-00091 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.007 ✓ | - |
| ZK-00230 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.11 ✓ | - |
| 2019 ZK-02668 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.067 ✓ | - |
| 2019 ZK-02870 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.007 ✓ | - |
| 2019 FU-00066 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.007 ✓ | - |
| 2019 ZK-02556 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.007 ✓ | - |
| 2020 ZK-03366 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.022 ✓ | - |
| KM-00292 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.025 ✓ | - |
| 2019 ZK-02890 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.005 ✓ | - |
| 2019 ZK-03075 ✓ | 2024/5/17 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.005 ✓ | - |
| 2022 SS-00184 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.088 ✓ | - |
| 2019 SS-00295 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.009 ✓ | - |
| 2019 ZK-02831 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.014 ✓ | - |
| 2019 ZK-02842 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.016 ✓ | - |
| TB-130 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.045 ✓ | - |
| TB-276 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.031 ✓ | - |
| 2019 ZK-02269 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.009 ✓ | - |
| TB-268 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.041 ✓ | - |
| ZK-00292 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.066 ✓ | - |
| ZK-01139 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.050 ✓ | - |
| ZK-01058 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.004 ✓ | - |
| 2018 ZK-01837 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.068 ✓ | - |
| 2019 NS-00036 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.006 ✓ | - |
| 2019 ZK-02387 ✓ | 2024/5/18 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.005 ✓ | - |
| 2019 ZK-02907 ✓ | 2024/5/20 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.008 ✓ | - |
| ZK-00846 ✓ | 2024/5/20 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.009 ✓ | - |
| 2019 FU-00141 ✓ | 2024/5/20 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.007 ✓ | - |
| 2019 FU-00285 ✓ | 2024/5/20 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.007 ✓ | - |
| 2019 FU-00057 ✓ | 2024/5/21 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.004 ✓ | - |
| 2019 ZK-02724 ✓ | 2024/5/21 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.006 ✓ | - |
| 2019 ZK-02559 ✓ | 2024/5/21 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.021 ✓ | - |
| 2019 FU-00019 ✓ | 2024/5/21 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | - | 0.055 ✓ | - |
| ZK-01046 ✓ | 2024/5/22 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.033 ✓ | 0.019 ✓ |

瓦礫等収納容器点検結果(線量測定データ)

| 容器番号 | 確認年月日 | コンテナサイズ (m ³) | 測定器No | BG値 (mSv/h) | | 表面線量当量率 (mSv/h) | |
|----------------|-----------|------------------------------|-------------|-------------|------------------|-----------------|------------------|
| | | | | γ | $\beta + \gamma$ | γ | $\beta + \gamma$ |
| ZK-01090 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.054 | — |
| ZK-01035 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.076 | — |
| KM-00384 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.018 | — |
| ZK-01053 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.15 | — |
| 2019 SS-00391 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.088 | — |
| KM-00251 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.15 | — |
| 2019 NS-00104 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.010 | — |
| 2019 NS-00151 | 2024/5/22 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.005 | — |
| ZK-00834 | 2024/5/22 | 6 | F1-ICW-053 | 0.003 | — | 0.030 | — |
| 2019 FU-00112 | 2024/5/22 | 6 | F1-ICW-053 | 0.003 | — | 0.006 | — |
| ZK-00650 | 2024/5/22 | 6 | F1-ICW-053 | 0.003 | — | 0.004 | — |
| ZK-00450 | 2024/5/22 | 6 | F1-ICW-053 | 0.003 | — | 0.009 | — |
| ZK-00755 | 2024/5/22 | 6 | F1-ICW-053 | 0.003 | — | 0.013 | — |
| 2020 ZK-03778 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.028 | — |
| 2020 ZK-03551 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.020 | — |
| 2020 ZK-03311 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.046 | — |
| 2020 ZK-03334 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.098 | — |
| 2020 ZK-03743 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.060 | — |
| 2020 ZK-03640 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.023 | — |
| 2020 ZK-03573 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.039 | — |
| 2020 ZK-03693 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.043 | — |
| 2020 SS-00354 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.017 | — |
| 2020 ZK-03490 | 2024/5/23 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.009 | — |
| ZK-00618 | 2024/5/23 | 6 | F1-ICW-053 | 0.003 | — | 0.004 | — |
| KM-10089 | 2024/5/23 | 6 | F1-ICW-053 | 0.003 | — | 0.017 | — |
| 2019 FU-00239G | 2024/5/23 | 6 | F1-ICW-053 | 0.003 | — | 0.007 | — |
| 2019 FU-00168G | 2024/5/23 | 6 | F1-ICW-053 | 0.003 | — | 0.068 | — |
| 2020 ZK-03332 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.13 | — |
| 2019 ZK-03201 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.005 | — |
| 2020 ZK-03425 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.053 | — |
| 2019 ZK-03143 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.008 | — |
| 2019 ZK-03197 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.006 | — |
| 2020 ZK-03794 | 2024/5/29 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.017 | — |
| 2019 FU-00240G | 2024/5/29 | 6 | F1-ICW-053 | 0.003 | — | 0.005 | — |
| 2019 ZK-02502 | 2024/5/29 | 6 | F1-ICW-053 | 0.003 | — | 0.018 | — |
| 2019 ZK-02886 | 2024/5/29 | 6 | F1-ICW-053 | 0.003 | — | 0.007 | — |
| 2019 SS-00269 | 2024/5/29 | 6 | F1-ICW-053 | 0.003 | — | 0.006 | — |

瓦礫等収納容器点検結果(線量測定データ)

| 容器番号 | 確認年月日 | コンテナサイズ (m ³) | 測定器No | BG値 (mSv/h) | | 表面線量当量率 (mSv/h) | |
|-----------------|-------------|------------------------------|---------------|-------------|------------------|-----------------|------------------|
| | | | | γ | $\beta + \gamma$ | γ | $\beta + \gamma$ |
| 2019 NS-00039 ✓ | 2024/5/30 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | — | 0.022 ✓ | — |
| 2019 NS-00041 ✓ | 2024/5/30 | 6 | F1-ICW-053 | 0.003 | — | 0.010 ✓ | — |
| 2019 FU-00025 ✓ | 2024/5/30 | 6 | F1-ICW-053 | 0.003 | — | 0.007 ✓ | — |
| 2019 ZK-02768 ✓ | 2024/5/30 | 6 | F1-ICW-053 | 0.003 | — | 0.007 ✓ | — |
| 2019 ZK-02729 ✓ | 2024/5/30 | 6 | F1-ICW-053 | 0.003 | — | 0.021 ✓ | — |
| ZK-01393 ✓ | 2024/5/30 | 6 | F1-ICW-053 | 0.003 | — | 0.004 ✓ | — |
| 2020 ZK-03581 ✓ | 2024/5/30 ✓ | 6 ✓ | F1-ICWBL-56 ✓ | 0.003 ✓ | 0.003 ✓ | 0.014 ✓ | — |
| 2020 ZK-03339 ✓ | 2024/5/30 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.013 ✓ | — |
| 2020 SS-00003 ✓ | 2024/5/30 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.062 ✓ | — |
| 2020 SS-00077 ✓ | 2024/5/30 | 6 | F1-ICWBL-56 | 0.003 | 0.003 | 0.065 ✓ | — |
| 2019 ZK-02654 ✓ | 2024/5/31 ✓ | 6 ✓ | F1-ICW-053 ✓ | 0.003 ✓ | — | 0.015 ✓ | — |
| 2019 FU-00056 ✓ | 2024/5/31 | 6 | F1-ICW-053 | 0.003 | — | 0.012 ✓ | — |
| 2019 FU-00374 ✓ | 2024/5/31 | 6 | F1-ICW-053 | 0.003 | — | 0.009 ✓ | — |
| 2019 ZK-02284 ✓ | 2024/5/31 | 6 | F1-ICW-053 | 0.003 | — | 0.006 ✓ | — |
| 2019 ZK-02580 ✓ | 2024/5/31 | 6 | F1-ICW-053 | 0.003 | — | 0.008 ✓ | — |