

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 NS-00620 ✓	2025/5/1 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2019 NS-00388 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30302 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30378 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30096 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40259 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00167 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00968 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-10351 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.009 ✓	-
2019 NS-00493 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30305 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40136 ✓	2025/5/1	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
NO.10-B-0661 ✓	2025/5/1 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.009 ✓	-
NO.10-B-0833 ✓	2025/5/1	0.6	F1-ICWBL-52	0.007	0.007	0.009 ✓	-
NO.10-B-0884 ✓	2025/5/1	0.6	F1-ICWBL-52	0.007	0.007	0.009 ✓	-
NO.10-B-0774 ✓	2025/5/1	0.6	F1-ICWBL-52	0.007	0.007	0.010 ✓	-
NO.10-B-0766 ✓	2025/5/1	0.6	F1-ICWBL-52	0.007	0.007	0.010 ✓	-
12551 ✓	2025/5/1 ✓	8R ✓	F1-ICWBL-256 ✓	0.009 ✓	0.009 ✓	0.18 ✓	-
11680 ✓	2025/5/1	8R	F1-ICWBL-256	0.009	0.009	0.10 ✓	-
10467 ✓	2025/5/1	8R	F1-ICWBL-256	0.009	0.009	0.092 ✓	-
11080 ✓	2025/5/1	8R	F1-ICWBL-256	0.009	0.009	0.18 ✓	-
2021 ZK-05180 ✓	2025/5/2 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2019 NS-00228 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00462 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 SS-00497 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00455 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00666 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00372 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00507 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00696 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00757 ✓	2025/5/2	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
NO.10-B-0630 ✓	2025/5/2 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.008 ✓	-
NO.10-B-0733 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.008 ✓	-
NO.10-B-0980 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.008 ✓	-
NO.10-B-0788 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.22 ✓	-
NO.10-B-0781 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.008 ✓	-
NO.10-B-0759 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
NO.10-B-0858 ✓	2025/5/2 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.013 ✓	-
NO.10-B-0958 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.16 ✓	-
NO.10-B-0691 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.008 ✓	-
NO.10-B-0420 ✓	2025/5/2	0.6	F1-ICWBL-52	0.007	0.007	0.009 ✓	-
12407 ✓	2025/5/2 ✓	8R ✓	F1-ICWBL-256 ✓	0.009 ✓	0.009 ✓	0.14 ✓	-
10858 ✓	2025/5/2	8R	F1-ICWBL-256	0.009	0.009	0.12 ✓	-
12398 ✓	2025/5/2	8R	F1-ICWBL-256	0.009	0.009	0.18 ✓	-
10054 ✓	2025/5/2	8R	F1-ICWBL-256	0.009	0.009	0.16 ✓	-
10171 ✓	2025/5/2	8R	F1-ICWBL-256	0.009	0.009	0.11 ✓	-
11273 ✓	2025/5/2	8R	F1-ICWBL-256	0.009	0.009	0.10 ✓	-
2019 NS-00495 ✓	2025/5/7 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2019 NS-00956 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00716 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 処理設備-016 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.018 ✓	-
2021 処理設備-006 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.009 ✓	-
2021 SS-40265 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.014 ✓	-
2021 SS-40046 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40294 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.005 ✓	-
2022 SK-00621 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00693 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00559 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 TA-00001 ✓	2025/5/7	6	F1-ICWBL-97	0.004	0.004	0.059 ✓	-
NO.10-B-0792 ✓	2025/5/7 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.007 ✓	-
NO.10-B-0894 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
NO.10-B-0816 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
NO.10-B-0726 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
NO.10-B-0942 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
NO.10-B-0945 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.024 ✓	-
NO.10-B-0760 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.008 ✓	-
NO.10-B-0815 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.06 ✓	-
NO.10-B-0228 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.014 ✓	-
NO.10-B-0814 ✓	2025/5/7	0.6	F1-ICWBL-52	0.007	0.007	0.11 ✓	-
12737 ✓	2025/5/7 ✓	8R ✓	F1-ICWBL-256 ✓	0.009 ✓	0.009 ✓	0.14 ✓	-
12391 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.087 ✓	-
10021 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.18 ✓	-
12507 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.13 ✓	-
10944 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.16 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
10634 ✓	2025/5/7 ✓	8R ✓	F1-ICWBL-256 ✓	0.009 ✓	0.009 ✓	0.098 ✓	-
10235 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.11 ✓	-
11093 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.11 ✓	-
11923 ✓	2025/5/7	8R	F1-ICWBL-256	0.009	0.009	0.12 ✓	-
2020 SS-00312 ✓	2025/5/8 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2021 SS-30091 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.007 ✓	-
2021 SS-40273 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40274 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.012 ✓	-
2021 SS-40151 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 ZK-04603 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30382 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 FU-00187G ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00545 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40141 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SK-00077 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05140 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-04801 ✓	2025/5/8	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
12005 ✓	2025/5/8 ✓	8R ✓	F1-ICWBL-100 ✓	0.009 ✓	0.009 ✓	0.13 ✓	-
10864 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.21 ✓	-
11703 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.12 ✓	-
12420 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.10 ✓	-
12627 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.15 ✓	-
10795 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.12 ✓	-
10669 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.096 ✓	-
10956 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.10 ✓	-
10830 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.22 ✓	-
12847 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
12504 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.12 ✓	-
11864 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
10987 ✓	2025/5/8	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
NO.10-B-0956 ✓	2025/5/8 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.16 ✓	-
NO.10-B-0978 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.024 ✓	-
NO.10-B-0953 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.44 ✓	-
NO.10-B-0437 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.013 ✓	-
NO.10-B-0820 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.020 ✓	-
NO.10-B-0625 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.009 ✓	-
NO.10-B-0748 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.012 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
NO.10-B-0943 ✓	2025/5/8 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.007 ✓	0.007 ✓	0.008 ✓	-
NO.10-B-0723 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.013 ✓	-
NO.10-B-0782 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
NO.10-B-0818 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.011 ✓	-
NO.10-B-0377 ✓	2025/5/8	0.6	F1-ICWBL-52	0.007	0.007	0.007 ✓	-
2021 SS-40290 ✓	2025/5/9 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.006 ✓	-
2021 SS-10341 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.005 ✓	-
2021 SS-40235 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40069 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40135 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SK-00071 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
202 SS-30384 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.008 ✓	-
2021 ZK-05190 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40163 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.008 ✓	-
2021 SS-40148 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05185 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-10583 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05093 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05181 ✓	2025/5/9	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
10345 ✓	2025/5/9 ✓	8R ✓	F1-ICWBL-100 ✓	0.009 ✓	0.009 ✓	0.30 ✓	-
12874 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.24 ✓	-
11580 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.17 ✓	-
10036 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
10172 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.13 ✓	-
10310 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.16 ✓	-
12586 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.098 ✓	-
12115 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.12 ✓	-
10027 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
12760 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.098 ✓	-
10844 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
10107 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
10395 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.21 ✓	-
10801 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.093 ✓	-
11415 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.13 ✓	-
10408 ✓	2025/5/9	8R	F1-ICWBL-100	0.009	0.009	0.17 ✓	-
2021 SK-00080 ✓	2025/5/12 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.012 ✓	-
2021 SS-30303 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 TA-00006 ✓	2025/5/12 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.049 ✓	-
2021 SS-30371 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-10334 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.044 ✓	-
2021 SK-00089 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05182 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40145 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40239 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-00148 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SK-00091 ✓	2025/5/12	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
10536 ✓	2025/5/12 ✓	8R ✓	F1-ICWBL-100 ✓	0.009 ✓	0.009 ✓	0.12 ✓	-
12273 ✓	2025/5/12	8R	F1-ICWBL-100	0.009	0.009	0.17 ✓	-
12899 ✓	2025/5/12	8R	F1-ICWBL-100	0.009	0.009	0.12 ✓	-
12916 ✓	2025/5/12	8R	F1-ICWBL-100	0.009	0.009	0.21 ✓	-
12976 ✓	2025/5/12	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
2019 NS-00706 ✓	2025/5/13 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2020 SS-00429 ✓	2025/5/13	6	F1-ICWBL-97	0.004	0.004	0.005 ✓	-
2020ZK-04553 ✓	2025/5/13	6	F1-ICWBL-97	0.004	0.004	0.006 ✓	-
2021 SS-30377 ✓	2025/5/13	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00675 ✓	2025/5/13	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00315 ✓	2025/5/13	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
12721 ✓	2025/5/13 ✓	8R ✓	F1-ICWBL-100 ✓	0.009 ✓	0.009 ✓	0.095 ✓	-
10406 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.053 ✓	-
10855 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.15 ✓	-
10445 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.22 ✓	-
10775 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.068 ✓	-
11549 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.066 ✓	-
12104 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.20 ✓	-
12819 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.21 ✓	-
12701 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.13 ✓	-
10840 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.14 ✓	-
10302 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.17 ✓	-
12224 ✓	2025/5/13	8R	F1-ICWBL-100	0.009	0.009	0.16 ✓	-
2021 TA-00004 ✓	2025/5/14 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.028 ✓	-
2021 TA-00003 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.055 ✓	-
2021 TA-00002 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.088 ✓	-
2021 SS-40236 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30307 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 TA-00007 ✓	2025/5/14 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.058 ✓	-
2021 SK-00241 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.087 ✓	-
2021 SK-00005 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.18 ✓	-
2021 ZK-05162 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.19 ✓	-
2021 TA-00022 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.31 ✓	-
2021 SS-10537 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.23 ✓	-
2021 SK-0042 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.20 ✓	-
2021 SK-00258 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.34 ✓	-
2021 SK-00279 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.43 ✓	-
2021 SK-00120 ✓	2025/5/14	6	F1-ICWBL-97	0.004	0.004	0.17 ✓	-
10240 ✓	2025/5/14 ✓	8R ✓	F1-ICWBL-100 ✓	0.009 ✓	0.009 ✓	0.095 ✓	-
11653 ✓	2025/5/14	8R	F1-ICWBL-100	0.009	0.009	0.14 ✓	-
12816 ✓	2025/5/14	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
11000 ✓	2025/5/14	8R	F1-ICWBL-100	0.009	0.009	0.16 ✓	-
10138 ✓	2025/5/14	8R	F1-ICWBL-100	0.009	0.009	0.11 ✓	-
12080 ✓	2025/5/14	8R	F1-ICWBL-100	0.009	0.009	0.063 ✓	-
NO.10-B-0896 ✓	2025/5/14 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.006 ✓	0.006 ✓	0.017 ✓	-
NO.10-B-0835 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.013 ✓	-
NO.10-B-0836 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.016 ✓	-
NO.10-B-0976 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.016 ✓	-
NO.10-B-0785 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.009 ✓	-
NO.10-B-0700 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.015 ✓	-
NO.10-B-0951 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.010 ✓	-
NO.10-B-0690 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.007 ✓	-
NO.10-B-0834 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.010 ✓	-
NO.10-B-0631 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.008 ✓	-
NO.10-B-0756 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.007 ✓	-
NO.10-B-0897 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.006 ✓	-
NO.10-B-0226 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.008 ✓	-
NO.10-B-0719 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.008 ✓	-
NO.10-B-0819 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.007 ✓	-
NO.10-B-0837 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.006 ✓	-
NO.10-B-0952 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.013 ✓	-
NO.10-B-0790 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.007 ✓	-
NO.10-B-0808 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.006 ✓	-
NO.10-B-0761 ✓	2025/5/14	0.6	F1-ICWBL-52	0.006	0.006	0.006 ✓	-
2021 SK-00238 ✓	2025/5/15 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.28 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021 SK-00122✓	2025/5/15✓	6✓	F1-ICWBL-97✓	0.004✓	0.004✓	0.23✓	-
2021 SK-00172✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.25✓	-
2021 SK-00228✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.27✓	-
2021 SK-00134✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.26✓	-
2021 SK-00108✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.21✓	-
2021 SK-00232✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.15✓	-
2021 SK-00188✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.25✓	-
2021 SK-00028✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.13✓	-
2021 SK-00190✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.13✓	-
2021 SK-00187✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.19✓	-
2021 SK-00191✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.16✓	-
2021 SK-00129✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.10✓	-
2021 SS-10566✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.17✓	-
2021 SK-00135✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.12✓	-
2021 SK-00229✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.23✓	-
2021 SK-00006✓	2025/5/15	6	F1-ICWBL-97	0.004	0.004	0.25✓	-
D 0007✓	2025/5/15✓	10✓	F1-ICWBL-52✓	0.006✓	0.006✓	0.006✓	-
D 0021✓	2025/5/15	10	F1-ICWBL-52	0.006	0.006	0.008✓	-
OK-0334A✓	2025/5/15	10	F1-ICWBL-52	0.006	0.006	0.008✓	-
OK-0319A✓	2025/5/15	10	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0440✓	2025/5/15✓	0.6✓	F1-ICWBL-14✓	0.006✓	0.006✓	0.006✓	-
NO.10-B-0900✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.007✓	-
NO.10-B-0787✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.007✓	-
NO.10-B-0813✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-
NO.10-B-0715✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-
NO.10-B-0786✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-
NO.10-B-0839✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.011✓	-
NO.10-B-0977✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.019✓	-
NO.10-B-0941✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-
NO.10-B-0947✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.015✓	-
NO.10-B-0708✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-
NO.10-B-0732✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.009✓	-
NO.10-B-0957✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.018✓	-
NO.10-B-0974✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.013✓	-
NO.10-B-0783✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.015✓	-
NO.10-B-0730✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.007✓	-
NO.10-B-0471✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.008✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
NO.10-B-0973✓	2025/5/15✓	0.6✓	F1-ICWBL-14✓	0.006✓	0.006✓	0.010✓	-
NO.10-B-0775✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.011✓	-
NO.10-B-0950✓	2025/5/15	0.6	F1-ICWBL-14	0.006	0.006	0.016✓	-
2021 SK-00186✓	2025/5/16✓	6✓	F1-ICWBL-97✓	0.004✓	0.004✓	0.14✓	-
2022 CT-00582✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.41✓	-
2021 SK-00209✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.12✓	-
2021 SK-00105✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.22✓	-
2021 SK-00236✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.27✓	-
2021 SK-00143✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.15✓	-
2022 CT-00572✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.66✓	-
2021 SK-00138✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.13✓	-
2021 SK-00202✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.18✓	-
2021 KG-005✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.16✓	-
2021 SK-00130✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.26✓	-
2021 SK-00252✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.16✓	-
2021 SS-10300✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.13✓	-
2022 SK-01114✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.10✓	-
2021 SS-10184✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.19✓	-
2021 SK-00268✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.14✓	-
2021 SK-00123✓	2025/5/16	6	F1-ICWBL-97	0.004	0.004	0.14✓	-
D 0013✓	2025/5/16✓	10✓	F1-ICWBL-140✓	0.006✓	0.006✓	0.007✓	-
D 0002✓	2025/5/16	10	F1-ICWBL-140	0.006	0.006	0.007✓	-
C 0046✓	2025/5/16	10	F1-ICWBL-140	0.006	0.006	0.007✓	-
A 0077✓	2025/5/16	10	F1-ICWBL-140	0.006	0.006	0.008✓	-
NO.10-B-0436✓	2025/5/16✓	0.6✓	F1-ICWBL-52✓	0.006✓	0.006✓	0.007✓	-
NO.10-B-0721✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0488✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.009✓	-
NO.10-B-0698✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.014✓	-
NO.10-B-0771✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0439✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0979✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0784✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0946✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.008✓	-
NO.10-B-0736✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0757✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.007✓	-
NO.10-B-0686✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.008✓	-
NO.10-B-0975✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.024✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
NO.10-B-0840 ✓	2025/5/16 ✓	0.6 ✓	F1-ICWBL-52 ✓	0.006 ✓	0.006 ✓	0.007 ✓	-
NO.10-B-0421 ✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.009 ✓	-
NO.10-B-0325 ✓	2025/5/16	0.6	F1-ICWBL-52	0.006	0.006	0.014 ✓	-
2021 SS-30370 ✓	2025/5/19 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.10 ✓	-
2021 SK-00233 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.14 ✓	-
2021 SS-10511 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.12 ✓	-
2020 SS-00140 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.34 ✓	-
2021 SK-00107 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.21 ✓	-
2021 SS-10323 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.35 ✓	-
2021 SK-00199 ✓	2025/5/19	6	F1-ICWBL-97	0.004	0.004	0.17 ✓	-
2021 E1-0782 ✓	2025/5/19 ✓	1.6 ✓	F1-ICWBL-140 ✓	0.008 ✓	0.008 ✓	0.069 ✓	-
2021 E1-0783 ✓	2025/5/19	1.6	F1-ICWBL-140	0.008	0.008	0.053 ✓	-
2021 E1-0784 ✓	2025/5/19	1.6	F1-ICWBL-140	0.008	0.008	0.081 ✓	-
2021 E1-0234 ✓	2025/5/20 ✓	0.5 ✓	F1-ICWBL-140 ✓	0.005 ✓	0.005 ✓	0.006 ✓	-
2021 X-0264 ✓	2025/5/20	8	F1-ICWBL-52	0.006	0.006	0.120 ✓	-
2021 E1-0761 ✓	2025/5/20	8	F1-ICWBL-52	0.006	0.006	0.006 ✓	-
2021 E1-0001 ✓	2025/5/20	8	F1-ICWBL-52	0.006	0.006	0.057 ✓	-
2021 SS-30322 ✓	2025/5/21 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.17 ✓	-
2021 SS-10265 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.21 ✓	-
2021 SK-0038 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.17 ✓	-
2022 CT-00573 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.18 ✓	-
2021 SS-10264 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.094 ✓	-
2021 ZK-05155 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.15 ✓	-
2021 SK-00127 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.19 ✓	-
2021 SK-00184 ✓	2025/5/21	6	F1-ICWBL-97	0.004	0.004	0.11 ✓	-
2021 E1-0762 ✓	2025/5/21 ✓	8 ✓	F1-ICWBL-140 ✓	0.006 ✓	0.006 ✓	0.009 ✓	-
2021 SK-00030 ✓	2025/5/22 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.17 ✓	-
2021 SK-00136 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.11 ✓	-
2021 SK-00195 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.19 ✓	-
2021 KG-007 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.38 ✓	-
2021 SS-10303 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.26 ✓	-
2021 SK-00222 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.17 ✓	-
2021 SK-00176 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.15 ✓	-
2022 KKKG-003 ✓	2025/5/22	6	F1-ICWBL-97	0.004	0.004	0.21 ✓	-
2021-20F-00001 ✓	2025/5/22 ✓	6 ✓	F1-ICWBL-140 ✓	0.006 ✓	0.006 ✓	0.007 ✓	-
2021-20F-00003 ✓	2025/5/22	6	F1-ICWBL-140	0.006	0.006	0.006 ✓	-
2021-20F-00002 ✓	2025/5/22	6	F1-ICWBL-140	0.006	0.006	0.007 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2021-20F-00005 ✓	2025/5/22 ✓	6 ✓	F1-ICWBL-140 ✓	0.006 ✓	0.006 ✓	0.007 ✓	-
2021-20F-00004 ✓	2025/5/22	6	F1-ICWBL-140	0.006	0.006	0.006 ✓	-
2019 SS-00529 ✓	2025/5/23 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.17 ✓	-
2021 TA-00015 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.32 ✓	-
2021 SS-10025 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.20 ✓	-
2021 SS-40358 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.26 ✓	-
2022 CT-00566 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.79 ✓	-
2021 SK-00171 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.14 ✓	-
2021 SS-30280 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.34 ✓	-
2021 ZK-05105 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.10 ✓	-
2021 SK-0037 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.19 ✓	-
2021 SK-00125 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.14 ✓	-
2021 SS-30002 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.41 ✓	-
2021 SK-00027 ✓	2025/5/23	6	F1-ICWBL-97	0.004	0.004	0.09 ✓	-
2021 SK-00133 ✓	2025/5/26 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.11 ✓	-
2021 SS-40359 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.19 ✓	-
2021 SK-00102 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.20 ✓	-
2019 SS-00402 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 CT-00179 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 ZK-04611 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 CT-00191 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 CT-00174 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00446 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 CT-00378 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00442 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00429 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00712 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-10302 ✓	2025/5/26	6	F1-ICWBL-97	0.004	0.004	0.11 ✓	-
2021 SK-00098 ✓	2025/5/27 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.11 ✓	-
2021 SK-00231 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.15 ✓	-
2021 SK-00218 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.11 ✓	-
2022 SK-01151 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 ZK-04134 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00375 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-00439 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 NS-00993 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SK-01196 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2019 NS-00761 ✓	2025/5/27 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2022 SS-00608 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00711 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 SS-00431 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 CT-00142 ✓	2025/5/27	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SK-01109 ✓	2025/5/28 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2021 SK-00230 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.12 ✓	-
2021 SK-00244 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.17 ✓	-
2019 SS-00457 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 SS-00467 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-40398 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05171 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 ZK-04240 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 ZK-05052 ✓	2025/5/28	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2021 SS-30267 ✓	2025/5/29 ✓	6 ✓	F1-ICWBL-97 ✓	0.004 ✓	0.004 ✓	0.004 ✓	-
2021 SS-00137 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-00802 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-00886 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-00509 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 ZK-03118 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-01103 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00430 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
ZK-00867 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2022 SS-00449 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 ZK-04187 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2020 FU-00238 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-
2019 ZK-03263 ✓	2025/5/29	6	F1-ICWBL-97	0.004	0.004	0.004 ✓	-