

Analysis Results of Fish
<Sampled from the Port Area of the Fukushima Daiichi Nuclear Power Station>

(1/4)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item		
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))
Port area (Near shallow draft quay)	Eel (muscle) No.1	2023/6/16	7.9E+00	4.4E+02	4.5E+02
Port area (Near shallow draft quay)	Common Japanese conger (muscle) No.1	2023/6/23	< 3.1E+00	3.3E+01	3.3E+01
Port area (Near shallow draft quay)	Common Japanese conger (muscle) No.2	2023/6/30	< 2.7E+00	3.9E+01	3.9E+01
Port area (Near southern seawall)	Striped mullet (muscle) No.1	2023/6/19	< 3.4E+00	1.5E+02	1.5E+02
Port area (Near northern seawall)	Greenling (muscle) No.1	2023/6/7	< 3.3E+00	3.2E+01	3.2E+01
Port area (Near northern seawall)	Temminck's surfperch (muscle) No.1	2023/6/12	< 2.1E+00	2.1E+00	2.1E+00
Port area (Near northern seawall)	Sea bass (muscle) No.1	2023/6/16	< 2.9E+00	< 2.5E+00	ND
Port area (Near northern seawall)	Jacopever (muscle) No.1	2023/6/23	< 4.2E+00	9.1E+01	9.1E+01
Port area (Near northern seawall)	Striped mullet (muscle) No.1	2023/6/26	< 2.4E+00	6.1E+00	6.1E+00
Port area (Near northern seawall)	Common Japanese conger (muscle) No.1	2023/6/2	< 2.5E+00	4.4E+01	4.4E+01

- Half life of each nuclide: Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10¹" and equals 31.
Similarly, "3.1E+00" means "3.1×10⁰" and equals 3.1, and "3.1E-01" means "3.1×10⁻¹" and equals 0.31.

Analysis Results of Fish

<Sampled from the Port Area of the Fukushima Daiichi Nuclear Power Station>

(2/4)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item		
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))
Port area (Near northern seawall)	Common Japanese conger (muscle) No.2	2023/6/8	< 2.4E+00	7.6E+00	7.6E+00
Port area (Near northern seawall)	Common Japanese conger (muscle) No.3	2023/6/22	< 1.7E+00	1.2E+01	1.2E+01
Port area (Near northern seawall)	Common Japanese conger (muscle) No.4	2023/6/22	< 2.1E+00	1.2E+01	1.2E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.1	2023/6/5	< 3.3E+00	2.4E+01	2.4E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.2	2023/6/7	< 2.0E+00	1.7E+01	1.7E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.3	2023/6/7	< 2.1E+00	1.1E+01	1.1E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.4	2023/6/9	< 2.4E+00	2.1E+01	2.1E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.5	2023/6/9	< 2.4E+00	1.9E+01	1.9E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.6	2023/6/14	< 2.7E+00	2.3E+01	2.3E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.7	2023/6/19	< 2.6E+00	5.6E+00	5.6E+00

- Half life of each nuclide: Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10¹" and equals 31. Similarly, "3.1E+00" means "3.1×10⁰" and equals 3.1, and "3.1E-01" means "3.1×10⁻¹" and equals 0.31.

Analysis Results of Fish

<Sampled from the Port Area of the Fukushima Daiichi Nuclear Power Station>

(3/4)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item		
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))
Port area (Near northern seawall)	Marbled sole (muscle) No.8	2023/6/19	< 2.1E+00	1.8E+01	1.8E+01
Port area (Near northern seawall)	Marbled sole (muscle) No.9	2023/6/21	< 2.3E+00	1.2E+01	1.2E+01
Port area (Near northern seawall)	Spotbelly rockfish (muscle) No.1	2023/6/16	< 2.8E+00	7.6E+01	7.6E+01
Port area (Near port entrance)	Marbled sole (muscle) No.1	2023/6/6	< 2.9E+00	8.7E+00	8.7E+00
Port area (Near port entrance)	Marbled sole (muscle) No.2	2023/6/6	< 3.0E+00	1.7E+01	1.7E+01
Port area (Near port entrance)	Marbled sole (muscle) No.3	2023/6/13	< 2.1E+00	1.4E+01	1.4E+01
Port area (North of eastern wave breaker)	Spotbelly greenling (muscle) No.1	2023/6/23	< 2.9E+00	3.2E+01	3.2E+01
Port area (North of eastern wave breaker)	Black rockfish (muscle) No.1	2023/6/9	< 2.4E+00	1.9E+01	1.9E+01
Port area (North of eastern wave breaker)	Gizzard shad (muscle) No.1	2023/6/14	< 3.0E+00	2.5E+00	2.5E+00
Port area (North of eastern wave breaker)	Sebastes cheni (muscle) No.1	2023/6/7	< 2.8E+00	3.5E+00	3.5E+00

- Half life of each nuclide: Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10¹" and equals 31. Similarly, "3.1E+00" means "3.1×10⁰" and equals 3.1, and "3.1E-01" means "3.1×10⁻¹" and equals 0.31.

Analysis Results of Fish

<Sampled from the Port Area of the Fukushima Daiichi Nuclear Power Station>

(4/4)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item		
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))
Port area (North of eastern wave breaker)	Marbled sole (muscle) No.1	2023/6/19	< 2.8E+00	7.2E+00	7.2E+00
Port area (North of eastern wave breaker)	Marbled sole (muscle) No.2	2023/6/21	< 2.3E+00	1.5E+01	1.5E+01
Port area (North of eastern wave breaker)	Carcharhinus (muscle) No.1	2023/6/28	< 3.0E+00	< 2.9E+00	ND
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—

- Half life of each nuclide: Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10¹" and equals 31. Similarly, "3.1E+00" means "3.1×10⁰" and equals 3.1, and "3.1E-01" means "3.1×10⁻¹" and equals 0.31.