(1/6)

						(1/6)
				Analysis Item		
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory
			(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))	
Around 1km Offshore of Ota River (T-S1)	Flatfish (muscle) No.1	2024/1/20	< 3.8E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Marbled sole (muscle)	2024/1/20	< 3.8E+00	< 4.1E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Common skete (muscle)	2024/1/18	< 3.7E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle) No.1	2024/1/18	< 3.8E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Marbled sole (muscle)	2024/1/18	< 3.3E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Stingray (muscle)	2024/1/18	< 3.9E+00	< 3.4E+00 ND		Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Stone flounder (muscle)	2024/1/18	< 3.4E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Red sea bream (muscle)	2024/1/18	< 2.7E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Lepidotrigla microptena (muscle)	2024/1/12	< 3.8E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Yellow goosefish (whole)	2024/1/12	< 3.2E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.

• Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

• Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

(2/6)

				Analysis Item		(2/0)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory	
			(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 4km Offshore of Kuma River (T-S8)	Common skete (muscle)	2024/1/12	< 3.2E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.	
Around 4km Offshore of Kuma River (T-S8)	Microstomus achne (muscle)	2024/1/12	< 3.4E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.	
Around 4km Offshore of Kuma River (T-S8)	Searobin (muscle)	2024/1/12	< 3.2E+00	< 4.3E+00	ND	Tokyo Power Technology Ltd.	
Around 4km Offshore of Kuma River (T-S8)	Marbled sole (muscle)	2024/1/12	< 3.8E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.	
Around 4km Offshore of Kuma River (T-S8)	Red sea bream (muscle)	2024/1/12	< 3.8E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.	
Around 15km Offshore of Odaka Ward (T-B1)	Lepidotrigla microptena (muscle)	2024/1/30	< 3.6E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.	
Around 15km Offshore of Odaka Ward (T-B1)	Crimson sea bream (muscle)	2024/1/30	< 3.5E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.	
Around 15km Offshore of Odaka Ward (T-B1)	Flatfish (muscle) No.1	2024/1/30	< 3.9E+00	< 3.9E+00	ND	TEPCO	
Around 15km Offshore of Odaka Ward (T-B1)	Red sea bream (muscle)	2024/1/30	< 3.8E+00	< 2.6E+00	ND	Tokyo Power Technology Ltd.	
Around 15km Offshore of Odaka Ward (T-B1)	Roundnose flounder (muscle)	2024/1/30	< 3.7E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.	

 \cdot Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

· Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

(3/6)

				Analysis Item		(3/6)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory	
		(Bq/kg(Raw)) (Bq/kg(Raw)) (Bq/kg(Raw))					
Around 15km Offshore of Odaka Ward (T-B1)	Ridged-eye flounder (muscle)	2024/1/30	< 3.3E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Lepidotrigla microptena (muscle)	2024/1/30	< 4.2E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	White croaker (muscle)	2024/1/30	< 3.5E+00	< 4.1E+00 ND		Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Sea bass (muscle)	2024/1/30	< 3.3E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Flatfish (muscle) No.1	2024/1/30	< 4.2E+00	< 3.6E+00	ND	TEPCO	
Around 18km Offshore of Ukedo River (T-B2)	Flatfish (muscle) No.2	2024/1/30	< 3.8E+00	< 3.3E+00 ND		Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Common Japanese conger (muscle)	2024/1/30	< 2.9E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Roundnose flounder (muscle)	2024/1/30	< 4.0E+00	< 3.3E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Ridged-eye flounder (muscle)	2024/1/30	< 3.2E+00	< 3.3E+00	ND	Tokyo Power Technology Ltd.	
Around 18km Offshore of Ukedo River (T-B2)	Willowy flounder (muscle)	2024/1/30	< 3.7E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.	

• Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

• Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

(4/6)

				Analysis Item		(4/0)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory	
			(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 10km Offshore of 1F Site (T-B3)	Lepidotrigla microptena (muscle)	2024/1/27	< 4.4E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Common skete (muscle)	2024/1/27	< 3.7E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Sea bass (muscle)	2024/1/27	< 4.0E+00	DE+00 < 3.2E+00		Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Crimson sea bream (muscle)	2024/1/27	< 3.5E+00	< 3.2E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Flatfish (muscle) No.1	2024/1/27	< 3.7E+00	< 3.7E+00	ND	TEPCO	
Around 10km Offshore of 1F Site (T-B3)	Flatfish (muscle) No.2	2024/1/27	< 3.4E+00	< 3.4E+00 ND		Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Searobin (muscle)	2024/1/27	< 3.4E+00	< 4.5E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Smooth dogfish (muscle)	2024/1/27	< 2.5E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Red sea bream (muscle)	2024/1/27	< 3.7E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 1F Site (T-B3)	Roundnose flounder (muscle)	2024/1/27	< 4.0E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.	

• Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

- Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.
- Similarly, "3.1E+00" means "3.1x10⁰" and equals 3.1, and "3.1E-01" means "3.1x10⁻¹" and equals 0.31.

(5/6)

				Analysis Item		(3/0)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory	
			(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 10km Offshore of 2F Site (T-B4)	Lepidotrigla microptena (muscle)	2024/1/27	< 3.4E+00	< 4.5E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Common skete (muscle)	2024/1/27	< 3.0E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Takifugu snyderi (muscle)	2024/1/27	< 3.7E+00	00 < 3.3E+00 N		Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Sea bass (muscle)	2024/1/27	< 4.8E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Crimson sea bream (muscle)	2024/1/27	< 3.3E+00	< 3.3E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Flatfish (muscle) No.1	2024/1/27	< 3.9E+00	00 < 3.3E+00 ND		TEPCO	
Around 10km Offshore of 2F Site (T-B4)	Flatfish (muscle) No.2	2024/1/27	< 3.9E+00	< 3.2E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Searobin (muscle)	2024/1/27	< 3.3E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	Red sea bream (muscle)	2024/1/27	< 3.7E+00	< 3.0E+00	ND	Tokyo Power Technology Ltd.	
Around 10km Offshore of 2F Site (T-B4)	John dory (muscle)	2024/1/27	< 3.7E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.	

• Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

· Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

$\label{eq:analysis} \mbox{Results of Fish} $$<$ Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station>(\gamma) $$$

(6/6)

				Analysis Item		(0,0)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137	Cs (Sum)	Analysis Laboratory	
			(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 10km Offshore of 2F Site (T-B4)	Roundnose flounder (muscle)	2024/1/27	< 3.7E+00	< 2.8E+00	ND	Tokyo Power Technology Ltd.	
_	_	_	—			_	
_	—				—	_	
_	—		_	_	—	—	
_	—	_	_	_	—	—	
_	—				—	—	
_	—	—			—	—	
_	_	_			_		
_	_	_	—			_	
_	—	—	—	_	—	—	

 \cdot Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

· Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

(1/1)

				Analysis Item		(1/1)	
Place of Sampling	Name of Sample (Region)	Date of Sampling	Cs-134	Cs-137 Cs (Sum)		Analysis Laboratory	
		1 5	(Bq/kg(Raw))	(Bq/kg(Raw))	(Bq/kg(Raw))		
Around 2km Offshore of Kido River (T-S5)	Yellow goosefish (whole)	2024/2/10	< 3.8E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of Kido River (T-S5)	Black rockfish (muscle)	2024/2/10	< 3.6E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of Kido River (T-S5)	Common skete (muscle)	2024/2/10	< 3.9E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of Kido River (T-S5)	Flatfish (muscle) No.1	2024/2/10	< 3.2E+00	< 2.9E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of Kido River (T-S5)	Marbled sole (muscle)	2024/2/10	< 3.4E+00	3.4E+00	3.4E+00	Tokyo Power Technology Ltd.	
Around 2km Offshore of 2F Site (T-S7)	Common skete (muscle)	2024/2/10	< 3.7E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle) No.1	2024/2/10	< 4.9E+00	< 3.3E+00	ND	TEPCO	
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle) No.2	2024/2/10	< 3.7E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.	
Around 2km Offshore of 2F Site (T-S7)	Searobin (muscle)	2024/2/10	< 3.2E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.	
—	—	—	—	—	—	—	

• Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

• Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31.

				Analys	is Item		Reference				Reference		
Place of Sampling	Name of Sample (Region)	Date of Sampling	H-3(Bq/L)		H-3(Bq/kg(Raw))		Cs (Sum) Analysis Laboratory		Cs (Sum) Analysis Laboratory		Name of Sample	Date of Sampling	H-3
	(Region)		Free Water Tritium	Organically Bound Tritium	Free Water Tritium	Organically Bound Tritium	(Bq/kg(Raw))				(Bq/L)		
Around 1km Offshore of Ota River (T-S1)	Flatfish (muscle)	2023/10/18	7.6E-02	< 2.5E-01	5.8E-02	< 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	< 7.0E-02		
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle)	2023/10/18	1.8E-01	< 2.4E-01	1.4E-01	< 3.8E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	< 7.0E-02		
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle)	2023/10/13	9.6E-02	< 2.4E-01	7.5E-02	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/12	< 7.1E-02		
Around 3km Offshore of 1F Site (T-S4)	Flatfish (muscle)	2023/10/13	1.1E-01	< 2.6E-01	9.0E-02	< 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/12	< 7.0E-02		
Around 2km Offshore of Kido River (T-S5)	Flatfish (muscle)	2023/10/18	7.7E-02	< 2.5E-01	6.0E-02	< 3.5E-02	ND	KAKEN Co., Ltd.	Seawater	2023/10/17	1.1E-01		
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle)	2023/10/18	under analysis	under analysis	under analysis	under analysis	—	_	Seawater	2023/10/17	1.1E-01		
Around 4km Offshore of Kuma River (T-S8)	Flatfish (muscle)	2023/10/13	8.4E-02	< 2.8E-01	6.5E-02	< 4.1E-02	ND	Kyushu Environmental Evaluation Association	Seawater	2023/10/12	6.5E-02		
Around 15km Offshore of Odaka Ward (T-B1)	—	_	—	_	—	_	—	_	Seawater	2023/10/3	1.1E-01		
Around 18km Offshore of Ukedo River (T-B2)	—	_	—	_	—	_	—	_	Seawater	2023/10/3	< 7.7E-02		
Around 10km Offshore of 1F Site (T-B3)	_	_	_	_				_	Seawater	2023/10/24	< 7.2E-02		
Around 10km Offshore of 2F Site (T-B4)	_	_	_	_	_		_	_	Seawater	2023/10/24	< 8.1E-02		
Seawater is sampled from the surface layer.							WHO Guidelines for Drin	king-water Quality ^{*1}	1.0E+04				

· Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

• "-" indicates that the sampling was stopped or samples could not be collected, or the analysis was stopped due to lack of samples.

• Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×101" and equals 31.

Similarly, "3.1E+00" means "3.1x10⁰" and equals 3.1, and "3.1E-01" means "3.1x10⁻¹" and equals 0.31. • Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

• Free Water Tritium means tritium which exists in the tissues of plants and animals as water and is discharged from tissues in the same manner as water.

Organically Bound Tritium means tritium which organically bonds with protein etc. in the tissues of plants and animals and is taken into the tissues, and is discharged from the tissues through cellular metabolism.

• For the evaluation of the analyis results, please refer to the "Status of the Fukushima Daiichi NPS (Daily Report)"(in Japanese only).

https://www.tepco.co.jp/press/report/

*1 Guideline level for H-3 in WHO Guidelines for Drinking-water Quality