

(1/5)

| | | | | Analysis Item | | |
|--|-----------------------------|---------------------|--------------|---------------|--------------|-----------------------------|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory |
| | (3 / | , 3 | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | |
| Around 1km Offshore of Ota River (T-S1) | Stone flounder (muscle) | 2024/10/29 | < 3.4E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. |
| Around 1km Offshore of Ota River (T-S1) | Blue crab (whole) | 2024/10/29 | < 3.8E+00 | < 3.3E+00 | ND | Tokyo Power Technology Ltd. |
| Around 1km Offshore of Ota River (T-S1) | Black sea bream (muscle) | 2024/10/29 | < 4.2E+00 | < 4.1E+00 | ND | Tokyo Power Technology Ltd. |
| Around 1km Offshore of Ota River (T-S1) | Common skete (muscle) | 2024/10/29 | < 3.6E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. |
| Around 1km Offshore of Ota River (T-S1) | Flatfish (muscle) No.1 | 2024/10/29 | < 5.8E+00 | < 5.1E+00 | ND | KAKEN Co., Ltd. |
| Around 1km Offshore of Ota River (T-S1) | Smooth dogfish (muscle) | 2024/10/29 | < 4.0E+00 | < 4.1E+00 | ND | Tokyo Power Technology Ltd. |
| Around 3km Offshore of Odaka Ward (T-S2) | Blue crab (whole) | 2024/10/29 | < 3.9E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. |
| Around 3km Offshore of Odaka Ward (T-S2) | Flatfish (muscle) No.1 | 2024/10/29 | < 5.3E+00 | < 4.9E+00 | ND | KAKEN Co., Ltd. |
| Around 3km Offshore of Odaka Ward (T-S2) | Japanese amberjack (muscle) | 2024/10/29 | < 3.6E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. |
| Around 2km Offshore of Kido River (T-S5) | Common skete (muscle) | 2024/10/17 | < 4.0E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. |

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- $\cdot \ \text{Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg. \\$
- · Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(2/5)

| | | | | Analysis Item | | | |
|--|-------------------------------|---------------------|--------------|---------------|--------------|-----------------------------|--|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory | |
| | (3 , | 3 | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | | |
| Around 2km Offshore of Kido River (T-S5) | White croaker (muscle) | 2024/10/17 | < 3.9E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of Kido River (T-S5) | Searobin (muscle) | 2024/10/17 | < 3.1E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of Kido River (T-S5) | Flathead (muscle) | 2024/10/17 | < 3.6E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of Kido River (T-S5) | Red sea bream (muscle) | 2024/10/17 | < 2.8E+00 | < 3.0E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of 2F Site (T-S7) | Japanese angel shark (muscle) | 2024/10/17 | < 4.0E+00 | < 3.9E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of 2F Site (T-S7) | Common skete (muscle) | 2024/10/17 | < 3.5E+00 | < 4.1E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of 2F Site (T-S7) | White croaker (muscle) | 2024/10/17 | < 3.6E+00 | < 3.4E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 2km Offshore of 2F Site (T-S7) | Flatfish (muscle) No.1 | 2024/10/17 | < 3.6E+00 | < 3.3E+00 | ND | TEPCO | |
| Around 2km Offshore of 2F Site (T-S7) | Red sea bream (muscle) | 2024/10/17 | < 3.2E+00 | < 3.4E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 4km Offshore of Kuma River (T-S8) | White croaker (muscle) | 2024/10/22 | < 3.5E+00 | < 2.7E+00 | ND | Tokyo Power Technology Ltd. | |

[•] Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

[•] Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

(3/5)

| | | _ | | Analysis Item | | |
|---|-----------------------------|---------------------|--------------|---------------|--------------|-----------------------------|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory |
| | | 3 | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | |
| Around 4km Offshore of Kuma River (T-S8) | Japanese eagle ray (muscle) | 2024/10/22 | < 3.7E+00 | < 3.0E+00 | ND | Tokyo Power Technology Ltd. |
| Around 4km Offshore of Kuma River (T-S8) | Flatfish (muscle) No.1 | 2024/10/22 | < 4.0E+00 | < 3.8E+00 | ND | Tokyo Power Technology Ltd. |
| Around 4km Offshore of Kuma River (T-S8) | Flatfish (muscle) No.2 | 2024/10/22 | < 3.0E+00 | < 3.2E+00 | ND | Tokyo Power Technology Ltd. |
| Around 4km Offshore of Kuma River (T-S8) | Japanese amberjack (muscle) | 2024/10/22 | < 3.5E+00 | < 3.5E+00 | ND | Tokyo Power Technology Ltd. |
| Around 4km Offshore of Kuma River (T-S8) | Searobin (muscle) | 2024/10/22 | < 4.5E+00 | < 3.3E+00 | ND | Tokyo Power Technology Ltd. |
| Around 4km Offshore of Kuma River (T-S8) | Smooth dogfish (muscle) | 2024/10/22 | < 4.2E+00 | < 3.4E+00 | ND | Tokyo Power Technology Ltd. |
| Around 15km Offshore of Odaka Ward (T-B1) | Common skete (muscle) | 2024/10/22 | < 3.6E+00 | < 3.2E+00 | ND | Tokyo Power Technology Ltd. |
| Around 15km Offshore of Odaka Ward (T-B1) | Takifugu snyderi (muscle) | 2024/10/22 | < 3.6E+00 | < 3.3E+00 | ND | Tokyo Power Technology Ltd. |
| Around 15km Offshore of Odaka Ward (T-B1) | Crimson sea bream (muscle) | 2024/10/22 | < 3.5E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. |
| Around 15km Offshore of Odaka Ward (T-B1) | Searobin (muscle) | 2024/10/22 | < 4.2E+00 | < 3.8E+00 | ND | Tokyo Power Technology Ltd. |

[•] Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

[•] Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(4/5)

| | | | | Analysis Item | | | |
|--|----------------------------------|---------------------|--------------|---------------|--------------|-----------------------------|--|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory | |
| | ('3' ') | , p | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | | |
| Around 18km Offshore of Ukedo River (T-B2) | Lepidotrigla microptena (muscle) | 2024/10/22 | < 3.3E+00 | < 3.5E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | Common skete (muscle) | 2024/10/22 | < 3.7E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | Takifugu snyderi (muscle) | 2024/10/22 | < 3.7E+00 | < 3.0E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | White croaker (muscle) | 2024/10/22 | < 2.9E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | Crimson sea bream (muscle) | 2024/10/22 | < 3.8E+00 | < 3.4E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | Searobin (muscle) | 2024/10/22 | < 3.1E+00 | < 3.1E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 18km Offshore of Ukedo River (T-B2) | Smooth dogfish (muscle) | 2024/10/22 | < 3.4E+00 | < 4.4E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 1F Site (T-B3) | Takifugu snyderi (muscle) | 2024/10/26 | < 3.4E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 1F Site (T-B3) | Crimson sea bream (muscle) | 2024/10/26 | < 4.3E+00 | < 4.5E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 1F Site (T-B3) | Searobin (muscle) | 2024/10/26 | < 3.9E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. | |

[•] Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

[•] Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(5/5)

| | | _ | | Analysis Item | | (-,-) | |
|--|----------------------------|---------------------|--------------|---------------|--------------|-----------------------------|--|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory | |
| | () | - | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | | |
| Around 10km Offshore of 1F Site (T-B3) | Red sea bream (muscle) | 2024/10/26 | < 3.8E+00 | < 3.2E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 2F Site (T-B4) | Takifugu snyderi (muscle) | 2024/10/26 | < 3.7E+00 | < 3.5E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 2F Site (T-B4) | Crimson sea bream (muscle) | 2024/10/26 | < 4.0E+00 | < 3.4E+00 ND | | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 2F Site (T-B4) | Searobin (muscle) | 2024/10/26 | < 3.5E+00 | < 3.7E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 2F Site (T-B4) | Smooth dogfish (muscle) | 2024/10/26 | < 3.6E+00 | < 3.8E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 10km Offshore of 2F Site (T-B4) | Red sea bream (muscle) | 2024/10/26 | < 3.6E+00 | < 3.5E+00 | ND | Tokyo Power Technology Ltd. | |
| - | _ | _ | _ | _ | _ | _ | |
| _ | _ | | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | — | _ | |
| _ | _ | _ | _ | _ | _ | _ | |

[•] Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).

 $[\]cdot \ \text{Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg. \\$

[·] Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

$\label{eq:analysis} Analysis \ Results \ of \ Fish \\ < Sampled \ within \ a \ 20km \ Radius \ of \ the \ Fukushima \ Daiichi \ Nuclear \ Power \ Station > (\gamma)$

(1/1)

| | | _ | | Analysis Item | | | |
|---|-------------------------------|---------------------------------------|--------------|---------------|--------------|-----------------------------|--|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | Cs-134 | Cs-137 | Cs (Sum) | Analysis Laboratory | |
| | ('3' ') | , , , , , , , , , , , , , , , , , , , | (Bq/kg(Raw)) | (Bq/kg(Raw)) | (Bq/kg(Raw)) | | |
| Around 3km Offshore of Ukedo River (T-S3) | Japanese angel shark (muscle) | 2024/11/7 | < 3.6E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of Ukedo River (T-S3) | Black rockfish (muscle) No.1 | 2024/11/7 | < 3.4E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of Ukedo River (T-S3) | Flatfish (muscle) No.1 | 2024/11/7 | < 4.5E+00 | < 3.8E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of Ukedo River (T-S3) | Flatfish (muscle) No.2 | 2024/11/7 | < 4.9E+00 | < 5.1E+00 | ND | KAKEN Co., Ltd. | |
| Around 3km Offshore of Ukedo River (T-S3) | Searobin (muscle) | 2024/11/7 | < 3.7E+00 | < 3.1E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of 1F Site (T-S4) | Japanese angel shark (muscle) | 2024/11/7 | < 3.4E+00 | < 3.8E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of 1F Site (T-S4) | Cinnamon flounder (muscle) | 2024/11/7 | < 4.2E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of 1F Site (T-S4) | Common skete (muscle) | 2024/11/7 | < 3.3E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of 1F Site (T-S4) | Flatfish (muscle) No.1 | 2024/11/7 | < 3.0E+00 | < 3.6E+00 | ND | Tokyo Power Technology Ltd. | |
| Around 3km Offshore of 1F Site (T-S4) | Searobin (muscle) | 2024/11/7 | < 3.9E+00 | < 4.0E+00 | ND | Tokyo Power Technology Ltd. | |

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- $\cdot \ \text{Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg. \\$
- · Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (H-3)

| | | | | Analys | is Item | | Reference | | | | Reference |
|--|----------------------------|------------------|--------------------|------------------------------|--------------------|------------------------------|--------------|---|----------------|------------------|---------------|
| Place of Sampling | Name of Sample (Region) | Date of Sampling | | | H-3(Bq/l | | Cs (Sum) | Analysis Laboratory | Name of Sample | Date of Sampling | H-3 (Bq/L) |
| | (Region) | | Free Water Tritium | Organically Bound Tritium | Free Water Tritium | Organically Bound Tritium | (Bq/kg(Raw)) | | | | |
| Around 1km Offshore of Ota River (T-S1) | Flatfish (muscle) | 2024/6/18 | < 7.0E-02 | < 2.8E-01 | < 5.5E-02 | < 3.9E-02 | ND | KAKEN Co., Ltd. | Seawater | 2024/6/17 | < 7.0E-02 |
| Around 3km Offshore of Odaka Ward (T-S2) | Flatfish (muscle) | 2024/6/18 | < 7.0E-02 | < 2.8E-01 | < 5.5E-02 | < 3.8E-02 | ND | KAKEN Co., Ltd. | Seawater | 2024/6/17 | < 6.6E-02 |
| Around 3km Offshore of Ukedo River (T-S3) | Flatfish (muscle) | 2024/6/13 | < 6.9E-02 | < 2.8E-01 | < 5.4E-02 | < 4.0E-02 | ND | KAKEN Co., Ltd. | Seawater | 2024/6/12 | < 6.6E-02 |
| Around 3km Offshore of 1F Site (T-S4) | Flatfish (muscle) | 2024/6/13 | < 7.0E-02 | < 2.8E-01 | < 5.5E-02 | < 4.0E-02 | ND | KAKEN Co., Ltd. | Seawater | 2024/6/12 | < 7.0E-02 |
| Around 2km Offshore of Kido River (T-S5) | Flatfish (muscle) | 2024/6/28 | < 6.9E-02 | < 2.8E-01 | < 5.4E-02 | < 3.9E-02 | ND | KAKEN Co., Ltd. | Seawater | 2024/6/27 | < 6.9E-02 |
| Around 2km Offshore of 2F Site (T-S7) | Flatfish (muscle) | 2024/6/28 | 8.9E-02 | < 2.9E-01 | 6.8E-02 | < 3.7E-02 | ND | TEPCO | Seawater | 2024/6/27 | 1.4E-01 |
| Around 4km Offshore of Kuma River (T-S8) | Flatfish (muscle) | 2024/6/18 | 4.1E-02 | < 2.5E-01 | 3.2E-02 | < 3.5E-02 | ND | Kyushu Environmental Evaluation Association | Seawater | 2024/6/17 | 5.9E-02 |
| Around 15km Offshore of Odaka Ward (T-B1) | _ | _ | _ | - | - | _ | _ | _ | Seawater | 2024/6/11 | < 8.2E-02 |
| Around 18km Offshore of Ukedo River (T-B2) | Flatfish (muscle) | 2024/6/11 | < 9.0E-02 | < 2.7E-01 | < 7.0E-02 | < 3.2E-02 | ND | TEPCO | Seawater | 2024/6/11 | < 8.3E-02 |
| Around 10km Offshore of 1F Site (T-B3) | Flatfish (muscle) | 2024/6/8 | < 8.0E-02 | < 2.8E-01 | < 6.3E-02 | < 3.4E-02 | ND | TEPCO | Seawater | 2024/6/8 | 9.3E-02 |
| Around 10km Offshore of 2F Site (T-B4) | Flatfish (muscle) | 2024/6/8 | < 8.1E-02 | < 2.7E-01 | < 6.2E-02 | < 3.5E-02 | ND | TEPCO | Seawater | 2024/6/8 | < 8.5E-02 |
| Seawater is sampled from the surface layer. Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND). | | | | | | | | WHO Guidelines for Drinking-water Quality ^{*1} | | 1.0E+04 | |

Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND)

 $[\]cdot$ "-" indicates that the sampling was stopped or samples could not be collected, or the analysis was stopped due to lack of samples.

[·] Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×101" and equals 31.

Similarly, "3.1E+00" means "3.1x10" and equals 3.1, and "3.1E-01" means "3.1x10-1" and equals 0.31.

Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.

[•] Free Water Tritium means tritium which exists in the tissues of plants and animals as water and is discharged from tissues in the same manner as water.

Organically Bound Tritium means tritium which organically bonds with protein etc. in the tissues of plants and animals and is taken into the tissues, and is discharged from the tissues through cellular metabolism.

[•] For the evaluation of the analyis results, please refer to the "Status of the Fukushima Daiichi NPS (Daily Report)" (in Japanese only). https://www.tepco.co.jp/press/report/

^{*1} Guideline level for H-3 in WHO Guidelines for Drinking-water Quality