

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (Sr)
Samples collected in the second quarter of FY2021

| Place of Sampling | Name of Sample (Region) | Date of Sampling | Analysis Item | | Analysis Laboratory |
|--|-----------------------------------|------------------|-----------------------|---------------------------------------|--|
| | | | Sr-90 (Bq/kg(Raw)) | Reference Cs (Sum) (Bq/kg(Raw)) | |
| Around 3km Offshore of Ukedo River (T-S3) | Common skete (whole) No.1 | 2021/8/6 | 1.8E-02 | 5.2E+00 | KANSO TECHNOS CO., LTD. |
| Around 3km Offshore of Ukedo River (T-S3) | Flathead (whole) No.1 | 2021/8/26 | 4.0E-02 | 6.2E+00 | KANSO TECHNOS CO., LTD. |
| Around 3km Offshore of 1F Site (T-S4) | Common skete (whole) No.1 | 2021/8/26 | 7.0E-02 | 3.3E+01 | KANSO TECHNOS CO., LTD. |
| Around 4km Offshore of Kumagawa (T-S8) | Japanese angel shark (whole) No.1 | 2021/8/27 | 9.1E-03 | 3.6E+00 | Kyushu Environmental Evaluation Association |
| Around 18km Offshore of Ukedo River (T-B2) | Searobin (whole) No.1 | 2021/9/24 | < 1.5E-02 | 4.7E+00 | Kyushu Environmental Evaluation Association |

- Half life of each nuclide: Sr-90 (Approx. 29 years), Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Edible parts (muscles) of fish were used to measure Cs. Whole fish (except for internal organs) including bones were used to measure Sr.
- Values are expressed in exponential notation. For example, "3.1E+01" means " 3.1×10^{1n} " and equals 31. Similarly, "3.1E+00" means " 3.1×10^{0n} " and equals 3.1, and "3.1E-01" means " 3.1×10^{-1n} " and equals 0.31.

Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (H-3) Samples collected in the second quarter of FY2021

| Place of Sampling | Name of Sample (Region) | Date of Sampling | Analysis Item | | | | Reference Cs (Sum) (Bq/kg(Raw)) |
|--|-------------------------|------------------|------------------------------|---------------------------|-------------------------------------|---------------------------|---------------------------------|
| | | | Tritium concentration (Bq/L) | | Tritium concentration (Bq/kg (Raw)) | | |
| | | | Free Water Tritium | Organically Bound Tritium | Free Water Tritium | Organically Bound Tritium | |
| Around 4km Offshore of Kumagawa (T-S8) | Flatfish (muscle) | 2021/8/5 | 7.3E-02 | < 2.2E-01 | 5.5E-02 | < 3.7E-02 | ND |
| | | 2021/9/15 | 7.0E-02 | < 2.2E-01 | 5.5E-02 | < 3.1E-02 | ND |
| | | | | | | | |

| Place of Sampling | Name of Sample | Place of Sampling | H-3 (Bq/L) |
|--|--------------------|-------------------|------------|
| Around 4km Offshore of Kumagawa (T-S8) | Seawater (Surface) | 2021/8/4 | 7.4E-02 |
| | | 2021/8/26 | 7.7E-02 |
| | | 2021/9/14 | 7.6E-02 |

- Half life of each nuclide: H-3 (Approx. 12 years), Cs-134 (Approx. 2 years), Cs-137 (Approx. 30 years)
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Analysis was conducted by Kyushu Environmental Evaluation Association.
- Free Water Tritium means tritium which is contained in the moisture of fish muscles and the values are compared with tritium concentrations in seawater where fish lives. Organically Bound Tritium means tritium which is contained in dried fish muscles and the values show tritium concentrations in the vapor generated when dried fish muscles are burned.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10¹" and equals 31. Similarly, "3.1E+00" means "3.1×10⁰" and equals 3.1, and "3.1E-01" means "3.1×10⁻¹" and equals 0.31.