

Fixed point Monitoring Status by Temporary Monitoring Post at Fukushima Daiichi Nuclear Power Station

Date	Radiation Dose Rate (μ Sv/h) At the Main Buiding	Radiation Dose Rate (μ Sv/h) At the Main Gate	Radiation Dose Rate (μ Sv/h) At the West Gate
2014/1/20 0:00	145	15	5
2014/1/20 0:30	145	15	5
2014/1/20 1:00	145	15	5
2014/1/20 1:30	145	15	5
2014/1/20 2:00	145	15	5
2014/1/20 2:30	146	15	5
2014/1/20 3:00	146	15	5
2014/1/20 3:30	146	15	5
2014/1/20 4:00	146	15	5
2014/1/20 4:30	146	15	5
2014/1/20 5:00	146	15	5
2014/1/20 5:30	146	15	5
2014/1/20 6:00	146	15	5
2014/1/20 6:30	146	15	5
2014/1/20 7:00	146	15	5
2014/1/20 7:30	146	15	5
2014/1/20 8:00	146	15	5
2014/1/20 8:30	146	15	5
2014/1/20 9:00	146	15	5
2014/1/20 9:30	146	15	5
2014/1/20 10:00	146	15	5
2014/1/20 10:30	146	15	5
2014/1/20 11:00	146	15	5
2014/1/20 11:30	146	15	5
2014/1/20 12:00	145	15	5
2014/1/20 12:30	145	15	5
2014/1/20 13:00	145	15	5
2014/1/20 13:30	143	15	5
2014/1/20 14:00	143	15	5
2014/1/20 14:30	142	15	5
2014/1/20 15:00	142	15	5
2014/1/20 15:30	141	15	5
2014/1/20 16:00	141	15	5
2014/1/20 16:30	141	15	5
2014/1/20 17:00	141	15	5
2014/1/20 17:30	141	15	5
2014/1/20 18:00	141	15	5
2014/1/20 18:30	141	15	5
2014/1/20 19:00	141	15	5
2014/1/20 19:30	142	15	5
2014/1/20 20:00	142	15	5
2014/1/20 20:30	142	15	5
2014/1/20 21:00	142	15	5
2014/1/20 21:30	142	15	5
2014/1/20 22:00	142	15	5
2014/1/20 22:30	142	15	5
2014/1/20 23:00	143	15	5
2014/1/20 23:30	143	15	5

Monitoring data by a monitoring car* at Fukushima Daiichi Nuclear Power Station (μ Sv/h)

* The data from monitoring car may deficit as the vehicle may change monitoring point.

*About the direction of the wind and the wind velocity,we are measuring with the weather observation meter of the 10m higher.

*“-”: the wind velocity/“CALM”:the wind direction is below 0.5m/s.

Measuring Point	Measurement Date	γ Ray	Neutron Ray	Weather	Wind Direction	Wind Velocity (m/s)
West Gate	2014/1/20 0:00	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 0:10	3.2	<0.01	Fine	WSW	2.1
West Gate	2014/1/20 0:20	3.2	<0.01	Fine	W	1.9
West Gate	2014/1/20 0:30	3.2	<0.01	Fine	W	2.2
West Gate	2014/1/20 0:40	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 0:50	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 1:00	3.2	<0.01	Fine	WSW	2.0
West Gate	2014/1/20 1:10	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 1:20	3.2	<0.01	Fine	WSW	1.4
West Gate	2014/1/20 1:30	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 1:40	3.2	<0.01	Fine	WSW	1.9
West Gate	2014/1/20 1:50	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 2:00	3.1	<0.01	Fine	WSW	2.0
West Gate	2014/1/20 2:10	3.1	<0.01	Fine	W	2.2
West Gate	2014/1/20 2:20	3.1	<0.01	Fine	W	1.4
West Gate	2014/1/20 2:30	3.2	<0.01	Fine	WNNW	1.1
West Gate	2014/1/20 2:40	3.1	<0.01	Fine	W	1.6
West Gate	2014/1/20 2:50	3.2	<0.01	Fine	W	1.1
West Gate	2014/1/20 3:00	3.2	<0.01	Fine	WSW	1.3
West Gate	2014/1/20 3:10	3.1	<0.01	Fine	WSW	2.1
West Gate	2014/1/20 3:20	3.2	<0.01	Fine	WSW	2.4
West Gate	2014/1/20 3:30	3.2	<0.01	Fine	WSW	2.3
West Gate	2014/1/20 3:40	3.2	<0.01	Fine	WSW	2.1
West Gate	2014/1/20 3:50	3.2	<0.01	Fine	WSW	2.0
West Gate	2014/1/20 4:00	3.1	<0.01	Fine	WSW	1.9
West Gate	2014/1/20 4:10	3.1	<0.01	Fine	SW	1.9
West Gate	2014/1/20 4:20	3.2	<0.01	Fine	SW	1.7
West Gate	2014/1/20 4:30	3.1	<0.01	Fine	W	1.3
West Gate	2014/1/20 4:40	3.2	<0.01	Fine	W	1.6
West Gate	2014/1/20 4:50	3.1	<0.01	Fine	W	1.5
West Gate	2014/1/20 5:00	3.1	<0.01	Fine	W	1.1
West Gate	2014/1/20 5:10	3.2	<0.01	Fine	W	1.5
West Gate	2014/1/20 5:20	3.1	<0.01	Fine	W	1.6
West Gate	2014/1/20 5:30	3.1	<0.01	Fine	WNNW	1.6
West Gate	2014/1/20 5:40	3.1	<0.01	Fine	W	0.8
West Gate	2014/1/20 5:50	3.2	<0.01	Fine	W	1.2
West Gate	2014/1/20 6:00	3.2	<0.01	Fine	W	1.1
West Gate	2014/1/20 6:10	3.1	<0.01	Fine	WSW	1.1
West Gate	2014/1/20 6:20	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 6:30	3.1	<0.01	Fine	WSW	1.9
West Gate	2014/1/20 6:40	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 6:50	3.1	<0.01	Fine	W	1.5
West Gate	2014/1/20 7:00	3.1	<0.01	Fine	WSW	1.6
West Gate	2014/1/20 7:10	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 7:20	3.1	<0.01	Fine	WSW	2.2
West Gate	2014/1/20 7:30	3.2	<0.01	Fine	WSW	1.8
West Gate	2014/1/20 7:40	3.1	<0.01	Fine	WSW	2.0
West Gate	2014/1/20 7:50	3.2	<0.01	Fine	SW	1.7
West Gate	2014/1/20 8:00	3.1	<0.01	Fine	WSW	1.5
West Gate	2014/1/20 8:10	3.1	<0.01	Fine	WSW	1.1
West Gate	2014/1/20 8:20	3.1	<0.01	Fine	SW	1.9
West Gate	2014/1/20 8:30	3.2	<0.01	Fine	SW	2.4
West Gate	2014/1/20 8:40	3.2	<0.01	Fine	SW	2.2
West Gate	2014/1/20 8:50	3.2	<0.01	Fine	SW	2.3
West Gate	2014/1/20 9:00	3.1	<0.01	Fine	SSW	2.5
West Gate	2014/1/20 9:10	3.1	<0.01	Fine	SW	2.3
West Gate	2014/1/20 9:20	3.2	<0.01	Fine	SW	2.9
West Gate	2014/1/20 9:30	3.2	<0.01	Fine	SW	2.9
West Gate	2014/1/20 9:40	3.2	<0.01	Fine	SW	3.0
West Gate	2014/1/20 9:50	3.2	<0.01	Fine	SW	2.8
West Gate	2014/1/20 10:00	3.1	<0.01	Fine	SSW	2.6
West Gate	2014/1/20 10:10	3.2	<0.01	Fine	WSW	2.6
West Gate	2014/1/20 10:20	3.1	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 10:30	3.2	<0.01	Fine	SSE	2.6
West Gate	2014/1/20 10:40	3.2	<0.01	Fine	SSE	3.5
West Gate	2014/1/20 10:50	3.2	<0.01	Fine	SSE	3.2
West Gate	2014/1/20 11:00	3.1	<0.01	Fine	SE	3.1
West Gate	2014/1/20 11:10	3.2	<0.01	Fine	SE	3.0


Measuring Point	Measurement Date	γ Ray	Neutron Ray	Weather	Wind Direction	Wind Velocity (m/s)
West Gate	2014/1/20 11:20	3.2	<0.01	Fine	ESE	3.3
West Gate	2014/1/20 11:30	3.2	<0.01	Fine	ESE	2.8
West Gate	2014/1/20 11:40	3.1	<0.01	Fine	SE	3.1
West Gate	2014/1/20 11:50	3.2	<0.01	Fine	E	2.7
West Gate	2014/1/20 12:00	3.2	<0.01	Fine	ENE	2.8
West Gate	2014/1/20 12:10	3.2	<0.01	Fine	ESE	2.9
West Gate	2014/1/20 12:20	3.2	<0.01	Fine	SSE	2.5
West Gate	2014/1/20 12:30	3.2	<0.01	Fine	SSE	3.6
West Gate	2014/1/20 12:40	3.2	<0.01	Fine	SSE	4.6
West Gate	2014/1/20 12:50	3.2	<0.01	Fine	SSE	4.8
West Gate	2014/1/20 13:00	3.2	<0.01	Fine	SSE	4.0
West Gate	2014/1/20 13:10	3.1	<0.01	Fine	SSE	3.9
West Gate	2014/1/20 13:20	3.2	<0.01	Fine	SSE	4.5
West Gate	2014/1/20 13:30	3.2	<0.01	Fine	SSE	4.5
West Gate	2014/1/20 13:40	3.2	<0.01	Fine	SSE	4.5
West Gate	2014/1/20 13:50	3.1	<0.01	Fine	SSE	4.3
West Gate	2014/1/20 14:00	3.2	<0.01	Fine	SSE	4.7
West Gate	2014/1/20 14:10	3.2	<0.01	Fine	SSE	4.7
West Gate	2014/1/20 14:20	3.2	<0.01	Fine	SSE	3.6
West Gate	2014/1/20 14:30	3.2	<0.01	Fine	SSE	3.8
West Gate	2014/1/20 14:40	3.2	<0.01	Fine	SSE	3.8
West Gate	2014/1/20 14:50	3.2	<0.01	Fine	SSE	3.2
West Gate	2014/1/20 15:00	3.2	<0.01	Fine	S	3.3
West Gate	2014/1/20 15:10	3.2	<0.01	Fine	S	3.7
West Gate	2014/1/20 15:20	3.2	<0.01	Fine	SSE	4.0
West Gate	2014/1/20 15:30	3.2	<0.01	Fine	SSE	3.2
West Gate	2014/1/20 15:40	3.2	<0.01	Fine	S	3.4
West Gate	2014/1/20 15:50	3.2	<0.01	Fine	S	3.3
West Gate	2014/1/20 16:00	3.2	<0.01	Fine	S	3.1
West Gate	2014/1/20 16:10	3.2	<0.01	Fine	S	3.6
West Gate	2014/1/20 16:20	3.2	<0.01	Fine	S	2.9
West Gate	2014/1/20 16:30	3.2	<0.01	Fine	S	2.7
West Gate	2014/1/20 16:40	3.2	<0.01	Fine	S	2.6
West Gate	2014/1/20 16:50	3.2	<0.01	Fine	SSW	2.8
West Gate	2014/1/20 17:00	3.1	<0.01	Fine	SSW	2.9
West Gate	2014/1/20 17:10	3.2	<0.01	Fine	SSW	2.6
West Gate	2014/1/20 17:20	3.2	<0.01	Fine	SSW	2.3
West Gate	2014/1/20 17:30	3.2	<0.01	Fine	SSW	2.1
West Gate	2014/1/20 17:40	3.2	<0.01	Fine	SSW	2.0
West Gate	2014/1/20 17:50	3.2	<0.01	Fine	SW	1.5
West Gate	2014/1/20 18:00	3.2	<0.01	Fine	WSW	1.5
West Gate	2014/1/20 18:10	3.2	<0.01	Fine	WSW	1.3
West Gate	2014/1/20 18:20	3.2	<0.01	Fine	WSW	1.4
West Gate	2014/1/20 18:30	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 18:40	3.2	<0.01	Fine	WSW	2.2
West Gate	2014/1/20 18:50	3.2	<0.01	Fine	WSW	1.6
West Gate	2014/1/20 19:00	3.2	<0.01	Fine	W	1.6
West Gate	2014/1/20 19:10	3.2	<0.01	Fine	W	1.7
West Gate	2014/1/20 19:20	3.2	<0.01	Fine	W	1.4
West Gate	2014/1/20 19:30	3.2	<0.01	Fine	W	1.7
West Gate	2014/1/20 19:40	3.2	<0.01	Fine	WSW	1.2
West Gate	2014/1/20 19:50	3.2	<0.01	Fine	W	1.2
West Gate	2014/1/20 20:00	3.2	<0.01	Fine	WSW	1.4
West Gate	2014/1/20 20:10	3.2	<0.01	Fine	W	1.6
West Gate	2014/1/20 20:20	3.2	<0.01	Fine	W	1.6
West Gate	2014/1/20 20:30	3.2	<0.01	Fine	WSW	1.2
West Gate	2014/1/20 20:40	3.2	<0.01	Fine	SSW	1.2
West Gate	2014/1/20 20:50	3.2	<0.01	Fine	S	0.6
West Gate	2014/1/20 21:00	3.2	<0.01	Fine	SSE	1.2
West Gate	2014/1/20 21:10	3.2	<0.01	Fine	-	CALM
West Gate	2014/1/20 21:20	3.2	<0.01	Fine	SW	0.8
West Gate	2014/1/20 21:30	3.2	<0.01	Fine	SW	0.8
West Gate	2014/1/20 21:40	3.2	<0.01	Fine	S	1.8
West Gate	2014/1/20 21:50	3.2	<0.01	Fine	SSE	2.1
West Gate	2014/1/20 22:00	3.2	<0.01	Fine	SSW	1.4
West Gate	2014/1/20 22:10	3.2	<0.01	Fine	SW	2.0
West Gate	2014/1/20 22:20	3.2	<0.01	Fine	WSW	1.4
West Gate	2014/1/20 22:30	3.2	<0.01	Fine	WNW	0.7
West Gate	2014/1/20 22:40	3.2	<0.01	Fine	WNW	1.1
West Gate	2014/1/20 22:50	3.2	<0.01	Fine	W	0.9
West Gate	2014/1/20 23:00	3.2	<0.01	Fine	WSW	0.6
West Gate	2014/1/20 23:10	3.2	<0.01	Fine	SSW	1.5
West Gate	2014/1/20 23:20	3.2	<0.01	Fine	SW	1.1
West Gate	2014/1/20 23:30	3.2	<0.01	Fine	WSW	1.7
West Gate	2014/1/20 23:40	3.1	<0.01	Fine	WNW	1.9
West Gate	2014/1/20 23:50	3.2	<0.01	Fine	WNW	1.9

Fukushima Daiichi Nuclear Power Plant

2014/1/20
as of 23:50

周辺監視区域 : supervised outside area
敷地境界 : site boundary

 周辺監視区域
 敷地境界



※Reference data indicate the normal fluctuation range of airborne radiation rate.