Reference

Radioactivity Density of Seawater in the port of Fukushima Daiichi NPS <1/3>

(Data summarized on May 10)

Place of Sampling	SI	nallow Dra	ft Quay of 1F		Inside north v	vater intak	e canal of 1F's U	Inits 1-4	Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		②Density limit by the announcement of
Time of Sampling	May 09, 2012 6:50 AM		N/A		May 09, 2012 7:00 AM		May 09, 2012 4:00 PM		May 09, 2012 7:03 AM		May 09, 2012 7:07 AM		Reactor Regulation (Bq/L) (the density limit in the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	water outside of surrounding monitored areas in the section 6 of the appendix 2)						
I-131 (approx. 8 days)	ND	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (approx. 2 years)	ND	-	-	-	14	0.23	9.2	0.15	12	0.20	15	0.25	60
Cs-137 (approx. 30 years)	8.1	0.09	-	-	18	0.20	14	0.16	23	0.26	23	0.26	90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L * Data of other nuclides are under evaluation.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

^{* &}quot;ND" means the sampled data is below measurable limit.

I-131: approx. 2Bq/L, Cs-134: approx. 3Bq/L

Reference

Radioactivity Density of Seawater in the port of Fukushima Daiichi NPS <2/3>

(Data summarized on May 10)

Place of Sampling	Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the
Time of Sampling	May 09, 2012 7:12 AM		May 09, 2012 7:15 AM		May 09, 2012 7:25 AM		May 09, 2012 7:25 AM		May 09, 2012 7:30 AM		May 09, 2012 7:30 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (approx. 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (approx. 2 years)	16	0.27	33	0.55	23	0.38	170	2.8	36	0.60	56	0.93	60
Cs-137 (approx. 30 years)	23	0.26	47	0.52	35	0.39	230	2.6	60	0.67	81	0.90	90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L * Data of other nuclides are under evaluation.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

^{* &}quot;ND" means the sampled data is below measurable limit.

I-131: approx. 12Bq/L

Reference

Radioactivity Density of Seawater in the port of Fukushima Daiichi NPS <3/3>

(Data summarized on May 10)

Place of Sampling	Inside the south of 1F's Units 1-4 Water Intake Canal		Port entrance of Fukushima Daiichi NPS		In front of the water intake canal of 1F's Unit 6								②Density limit by the announcement of
Time of Sampling	May 9, 2012 7:35 AM		N/A		N/A								Reactor Regulation (Bq/L) (the density limit in the
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	water outside of surrounding monitored areas in the section 6 of the appendix 2)
I-131 (approx. 8 days)	ND	-	-	-	-	-							40
Cs-134 (approx. 2 years)	23	0.38	-	-	-	-							60
Cs-137 (approx. 30 years)	32	0.36	-	-	-	-							90

^{*} Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L * Data of other nuclides are under evaluation.


Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

^{*} In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.


^{* &}quot;ND" means the sampled data is below measurable limit.


I-131: approx. 1Bq/L


Radioactivity Density of Seawater infront of Shallow Draft Quay of 1F (Bq/L)




Radioactivity Density of Seawater at the North of Units 1 to 4 Water Intake of Fukushima Daiichi NPS (Bq/L)









Radioactivity Density of Seawater at Screen of 1F's Unit 2 (outside the silt fence) (Bq/L)




Radioactivity Density of Seawater at Screen of 1F's Unit 2 (inside the silt fence) (Bq/L)




Radioactivity Density of Seawater at Screen of 1F's Unit 3 (outside the silt fence) (Bq/L)




Radioactivity Density of Seawater at Screen of 1F's Unit 3 (inside the silt fence) (Bq/L)



Radioactivity Density of Seawater at Screen of 1F's Unit 4 (outside the silt fence) (Bq/L)





Radioactivity Density of Seawater at the South of Units 1-4 Water Intake of Fukushima Daiichi NPS (Bq/ L)

