

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/16 7:00 ~ 12:00		2011/12/16 9:43 ~ 9:53				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. $1E-7Bq/cm^3$, Cs-134: approx. $3E-7Bq/cm^3$, Cs-137: approx. $3E-7Bq/cm^3$

Particulate: I-131: approx. $7E-8Bq/cm^3$, Cs-134: approx. $2E-7Bq/cm^3$, Cs-137: approx. $2E-7Bq/cm^3$

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. $2E-6Bq/cm^3$, Cs-134: approx. $3E-6Bq/cm^3$, Cs-137: approx. $3E-6Bq/cm^3$

Particulate: I-131: approx. $7E-7Bq/cm^3$, Cs-134: approx. $2E-6Bq/cm^3$, Cs-137: approx. $1E-6Bq/cm^3$

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/17 7:00 ~ 12:00		2011/12/17 9:11 ~ 9:21				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follow
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 4E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/18 7:00 ~ 12:00		2011/12/18 8:56 ~ 9:06				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/19 7:00 ~ 12:00		2011/12/19 9:19 ~ 9:29				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/20 7:00 ~ 12:00		2011/12/20 9:33 ~ 9:43				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 4E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/20 9:34 ~ 14:34		2011/12/20 9:56 ~ 14:56		2011/12/20 9:46 ~ 14:46		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3

Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/21 7:00 ~ 12:00		2011/12/21 10:06 ~ 10:16				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 8E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/22 7:00 ~ 12:00		2011/12/22 9:18 ~ 9:28				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations <2/2>

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/22 9:30 ~ 14:30		2011/12/22 9:37 ~ 14:37		2011/12/22 9:41 ~ 14:41		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 5E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside of the sites of Fukushima Nuclear Power Stations

Place of Sampling	Fukushima Daiichi Unit 1 -4 Sea Side						Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/22 9:50 ~ 14:50						
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	3.3E-07	0.00					2E-03
Cs-137 (about 30 years)	2.7E-07	0.00					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3

Particulate: I-131: approx. 1E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/23 7:00 ~ 12:00		2011/12/23 10:02 ~ 10:12				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/24 7:00 ~ 12:00		2011/12/24 9:15 ~ 9:25				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/25 7:00 ~ 12:00		2011/12/25 9:13 ~ 9:23				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/26 7:00 ~ 12:00		2011/12/26 9:45 ~ 9:55				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/27 7:00 ~ 12:00		2011/12/27 10:01 ~ 10:11				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	2.0E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm ³) *
Time of Sampling	2011/12/27 9:18 ~ 14:18		2011/12/27 9:41 ~ 14:41		2011/12/27 9:33 ~ 14:33		
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)	Scaling Factor (/)	density of sample (Bq/cm ³)	Scaling Factor (/)	density of sample (Bq/cm ³)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. 2E-7Bq/cm³, Cs-134: approx. 4E-7Bq/cm³, Cs-137: approx. 5E-7Bq/cm³

Particulate: I-131: approx. 1E-7Bq/cm³, Cs-134: approx. 3E-7Bq/cm³, Cs-137: approx. 3E-7Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/28 7:00 ~ 12:00		2011/12/28 9:33 ~ 9:43				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	4.1E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations <2/2>

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/28 8:55 ~ 13:55		2011/12/28 9:00 ~ 14:00		2011/12/28 9:05 ~ 14:05		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	7.6E-05	0.04	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	9.3E-05	0.03	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 5E-6Bq/cm3

Particulate: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside of the sites of Fukushima Nuclear Power Stations

Place of Sampling	Fukushima Daiichi Unit 1 -4 Sea Side						Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/28 9:10 ~ 14:10						
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	7.8E-07	0.00					2E-03
Cs-137 (about 30 years)	4.1E-07	0.00					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

Volatile: I-131: approx. $2E-7$ Bq/cm³, Cs-137: approx. $5E-7$ Bq/cm³ Particulate: I-131: approx. $1E-7$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/29 7:00 ~ 12:00		2011/12/29 9:30 ~ 9:40				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	3.7E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 7E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/30 7:00 ~ 12:00		2011/12/30 9:51 ~ 10:01				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/16 8:35 AM	2011/12/16 8:20 AM	2011/12/16 8:20 AM	2011/12/16 8:20 AM	2011/12/16 7:55 AM			
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.2	0.04	2.2	0.04	ND	-	ND	-	60
Cs-137 (about 30 years)	2.8	0.03	3.0	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/3>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	N/A		N/A		2011/12/15 (Not sampled)		2011/12/15 (Not sampled)		2011/12/15 (Not sampled)		2011/12/15 (Not sampled)		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/3>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/15 (Not sampled)		2011/12/15 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 3/3>

Place of Sampling	3 km offshore of Souma City Upper Layer		3 km offshore of Souma City Lower Layer		5 km offshore of Souma City Upper Layer		5 km offshore of Souma City Lower Layer		5 km offshore of Kashima Upper Layer		5 km offshore of Kashima Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/15 10:40 AM		2011/12/15 10:40 AM		2011/12/15 10:15 AM		2011/12/15 10:15 AM		2011/12/15 9:55 AM		2011/12/15 9:55 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/17 8:40 AM	2011/12/17 8:20 AM	2011/12/17 8:30 AM	2011/12/17 8:05 AM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.5	0.04	1.3	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	3.1	0.03	1.8	0.02	ND	-	1.3	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 0.96Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/16 (Not sampled)		2011/12/16 (Not sampled)		2011/12/16 (Not sampled)		2011/12/16 (Not sampled)		2011/12/16 8:00 AM		2011/12/16 8:00 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129(approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140(approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.86Bq/L, Cs-137: approx. 0.98Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/16 (Not sampled)		2011/12/16 (Not sampled)		2011/12/16 9:00 AM		2011/12/16 9:00 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-					40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-					60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-					300
Te-129 (approx.70min)	-	-	-	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-					200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-					300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/18 8:30 AM		2011/12/18 8:10 AM		2011/12/18 8:25 AM		2011/12/18 8:05 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	4.0	0.07	2.5	0.04	1.0	0.02	ND	-	60
Cs-137 (about 30 years)	5.9	0.07	2.0	0.02	ND	-	1.1	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.75Bq/L, Cs-134: approx. 0.85Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/19 8:35 AM	2011/12/19 8:15 AM	2011/12/19 8:20 AM	2011/12/19 7:55 AM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.7	0.05	1.1	0.02	0.91	0.02	ND	-	60
Cs-137 (about 30 years)	2.7	0.03	1.7	0.02	1.1	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.86Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/20 8:45 AM	2011/12/20 8:25 AM	2011/12/20 8:25 AM	2011/12/20 8:00 AM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.1	0.05	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	3.7	0.04	1.2	0.01	ND	-	1.1	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 1/4>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2011/12/19 9:10 AM		2011/12/19 9:10 AM		2011/12/19 8:40 AM		2011/12/19 8:40 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 2/4>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Time of Sampling	2011/12/19 11:15 AM		2011/12/19 11:15 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)													
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.63Bq/L, Cs-134: approx. 0.85Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 3/4>

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/19 5:40 AM		2011/12/19 5:40 AM		2011/12/19 6:00 AM		2011/12/19 6:00 AM		2011/12/19 6:20 AM		2011/12/19 6:20 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.92Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 4/4>

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 1.0Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/21 8:45 AM	2011/12/21 8:20 AM	2011/12/21 8:25 AM	2011/12/21 8:00 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.5	0.06	2.5	0.04	ND	-	ND	-	60
Cs-137 (about 30 years)	4.6	0.05	2.5	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/3>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/20 9:10 AM		2011/12/20 9:10 AM		2011/12/20 9:40 AM		2011/12/20 9:40 AM		2011/12/20 7:40 AM		2011/12/20 7:40 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 0.99Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/3>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/20 9:15 AM		2011/12/20 9:15 AM		2011/12/20 8:10 AM		2011/12/20 8:10 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70min)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.63Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 3/3>

Place of Sampling	3 km offshore of Souma City Upper Layer		3 km offshore of Souma City Lower Layer		5 km offshore of Souma City Upper Layer		5 km offshore of Souma City Lower Layer		5 km offshore of Kashima Upper Layer		5 km offshore of Kashima Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/20 6:30 AM		2011/12/20 6:30 AM		2011/12/20 6:45 AM		2011/12/20 6:45 AM		2011/12/20 7:00 AM		2011/12/20 7:00 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.98Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore Unmanned Survey Ship >

Place of Sampling	1 km offshore of Hutaba		2km offshore of Hutaba		1 km offshore of 1F		2 km offshore of 2F		1 km offshore of Kumagawa				② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/20 12:08 PM		2011/12/20 11:59 AM		2011/12/20 12:34 PM		2011/12/20 11:32 AM		2011/12/20 12:58 PM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/22 8:50 AM		2011/12/22 8:30 AM		2011/12/22 8:30 AM		2011/12/22 8:00 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.1	0.05	1.0	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	4.1	0.05	1.9	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.74Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/3>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/21 9:00 AM		2011/12/21 9:00 AM		2011/12/21 8:30 AM		2011/12/21 8:30 AM		2011/12/21 7:55 AM		2011/12/21 7:55 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/3>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/21 8:55 AM		2011/12/21 8:55 AM		2011/12/21 8:20 AM		2011/12/21 8:20 AM		2011/12/21 7:50 AM		2011/12/21 7:50 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 0.99Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 3/3>

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/21 6:45 AM	2011/12/21 6:45 AM										
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.82Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/23 8:50 AM		2011/12/23 8:30 AM		2011/12/23 8:10 AM		2011/12/23 7:45 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.2	0.04	2.3	0.04	ND	-	ND	-	60
Cs-137 (about 30 years)	2.7	0.03	2.9	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.77Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/22 10:05 AM		2011/12/22 10:05 AM		2011/12/22 9:50 AM		2011/12/22 9:50 AM		2011/12/22 7:45 AM		2011/12/22 7:45 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	0.80	0.01	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	1.3	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/22 9:25 AM		2011/12/22 9:25 AM		2011/12/22 8:10 AM		2011/12/22 8:10 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70min)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.90Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/24 8:30 AM		2011/12/24 8:10 AM		2011/12/24 8:10 AM		2011/12/24 7:45 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.9	0.07	1.2	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	5.8	0.06	2.5	0.03	ND	-	1.0	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.84Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 0.99Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	N/A		N/A		2011/12/23 (Not sampled)		2011/12/23 (Not sampled)		2011/12/23 (Not sampled)		2011/12/23 (Not sampled)		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/23 (Not sampled)		2011/12/23 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/25 8:40 AM		2011/12/25 8:20 AM		2011/12/25 8:10 AM		2011/12/25 7:50 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	8.1	0.14	2.3	0.04	ND	-	ND	-	60
Cs-137 (about 30 years)	9.8	0.11	3.8	0.04	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.82Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/24 8:45 AM		2011/12/24 8:45 AM		2011/12/24 9:05 AM		2011/12/24 9:05 AM		2011/12/24 10:15 AM		2011/12/24 10:15 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	2.2	0.02	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/24 8:25 AM	2011/12/24 8:25 AM	2011/12/24 8:25 AM	2011/12/24 9:55 AM	2011/12/24 9:55 AM	2011/12/24 9:55 AM	2011/12/24 9:55 AM					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.75Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/26 8:30 AM		2011/12/26 8:10 AM		2011/12/26 8:25 AM		2011/12/26 8:00 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	5.8	0.10	1.8	0.03	ND	-	ND	-	60
Cs-137 (about 30 years)	6.5	0.07	2.4	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2011/12/25 (Not sampled)		2011/12/25 (Not sampled)		2011/12/25 8:05 AM		2011/12/25 8:05 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Time of Sampling	2011/12/25 7:30 AM		2011/12/25 7:30 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)													
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/27 8:35 AM		2011/12/27 8:10 AM		2011/12/27 8:10 AM		2011/12/27 7:50 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.0	0.05	1.6	0.03	ND	-	ND	-	60
Cs-137 (about 30 years)	3.3	0.04	1.9	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.61Bq/L, Cs-134: approx. 0.97Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 1/4>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129(approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140(approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/4 >

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 (Not sampled)						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-					40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-					60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-					90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-					1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-					40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-					300
Te-129 (approx.70min)	-	-	-	-	-	-	-	-					10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-					200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-					3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-					300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-					300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 3/4>

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
	I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	-	-	-	
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.62Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 4/4>

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/26 (Not sampled)		2011/12/26 (Not sampled)		2011/12/26 6:15 AM		2011/12/26 6:15 AM		2011/12/26 6:30 AM		2011/12/26 6:30 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/28 8:35 AM		2011/12/28 8:15 AM		2011/12/28 8:15 AM		2011/12/28 7:55 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	1.0	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	1.4	0.02	1.6	0.02	1.2	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L, Cs-134: approx. 0.96Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 1/6>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/27 9:25 AM		2011/12/27 9:25 AM		2011/12/27 9:00 AM		2011/12/27 9:00 AM		2011/12/27 8:25 AM		2011/12/27 8:25 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 2/6>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/27 8:00 AM		2011/12/27 8:00 AM		2011/12/27 8:30 AM		2011/12/27 8:30 AM		2011/12/27 7:55 AM		2011/12/27 7:55 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 3/6>

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	N/A		N/A		N/A		N/A		2011/12/27 6:10 AM		2011/12/27 6:10 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 4/6>

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Time of Sampling	2011/12/27 6:20 AM		2011/12/27 6:20 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)													
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.77Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 5/6>

Place of Sampling	3 km offshore of Souma City Upper Layer		3 km offshore of Souma City Lower Layer		5 km offshore of Souma City Upper Layer		5 km offshore of Souma City Lower Layer		5 km offshore of Kashima Upper Layer		5 km offshore of Kashima Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/27 7:40 AM		2011/12/27 7:40 AM		2011/12/27 7:15 AM		2011/12/27 7:15 AM		2011/12/27 6:55 AM		2011/12/27 6:55 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	0.96	0.01	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <offshore 6/6>

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling										
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.1Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)	
	Time of Sampling	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)		Scaling Factor (①/②)
	2011/12/29 8:35 AM			2011/12/29 8:10 AM			2011/12/29 8:20 AM		2011/12/29 7:55 AM	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40	
Cs-134 (about 2 years)	2.8	0.05	1.1	0.02	ND	-	ND	-	60	
Cs-137 (about 30 years)	4.1	0.05	1.1	0.01	ND	-	ND	-	90	
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000	
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000	
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300	
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000	
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200	
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000	
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300	
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300	
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400	

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 0.97Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/28 9:45 AM		2011/12/28 9:45 AM		2011/12/28 9:25 AM		2011/12/28 9:25 AM		2011/12/28 7:35 AM		2011/12/28 7:35 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.90Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/28 9:05 AM		2011/12/28 9:05 AM		2011/12/28 8:00 AM		2011/12/28 8:00 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/30 8:45 AM		2011/12/30 8:25 AM		2011/12/30 7:55 AM		2011/12/30 7:35 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.8	0.05	1.8	0.03	ND	-	ND	-	60
Cs-137 (about 30 years)	3.2	0.04	1.6	0.02	1.1	0.01	0.98	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.95Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2011/12/29 9:00 AM		2011/12/29 9:00 AM		2011/12/29 8:40 AM		2011/12/29 8:40 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.63Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/29 8:10 AM		2011/12/29 8:10 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.61Bq/L, Cs-134: approx. 0.82Bq/L, Cs-137: approx. 0.98Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 16, 2011 Jan 00, 1900		Dec 16, 2011 Jan 00, 1900		Dec 16, 2011 Jan 00, 1900		Dec 16, 2011 Jan 00, 1900		Dec 16, 2011 Jan 00, 1900		Dec 16, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	24	0.40	46	0.77	65	1.1	77	1.3	140	2.3	110	1.8	60
Cs-137 (about 30 years)	ND	-	69	0.77	86	0.96	98	1.1	140	1.6	150	1.7	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900	Dec 16, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	83	1.4	250	4.2	72	1.2	200	3.3	130	2.2			60
Cs-137 (about 30 years)	100	1.1	320	3.6	77	0.86	270	3.0	160	1.8			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 17, 2011 Jan 00, 1900		Dec 17, 2011 Jan 00, 1900		Dec 17, 2011 Jan 00, 1900		Dec 17, 2011 Jan 00, 1900		Dec 17, 2011 Jan 00, 1900		Dec 17, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	24	0.40	120	2.0	91	1.5	200	3.3	98	1.6	160	2.7	60
Cs-137 (about 30 years)	25	0.28	140	1.6	82	0.91	260	2.9	140	1.6	190	2.1	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 17, 2011 Jan 00, 1900	Dec 17, 2011 Jan 00, 1900	Dec 17, 2011 Jan 00, 1900	Dec 17, 2011 Jan 00, 1900	Dec 17, 2011 Jan 00, 1900	Dec 17, 2011 Jan 00, 1900	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	120	2.0	270	4.5	110	1.8	180	3.0	98	1.6			60
Cs-137 (about 30 years)	160	1.8	350	3.9	160	1.8	230	2.6	120	1.3			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 18, 2011 Jan 00, 1900		Dec 18, 2011 Jan 00, 1900		Dec 18, 2011 Jan 00, 1900		Dec 18, 2011 Jan 00, 1900		Dec 18, 2011 Jan 00, 1900		Dec 18, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	40	0.67	87	1.5	94	1.6	85	1.4	130	2.2	60
Cs-137 (about 30 years)	ND	-	58	0.64	110	1.2	130	1.4	120	1.3	170	1.9	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)			
I-131 (about 8 days)	Dec 18, 2011 Jan 00, 1900	ND	-	ND	-	ND	-	ND	-	ND	-		40
Cs-134 (about 2 years)		95	1.6	280	4.7	83	1.4	170	2.8	100	1.7		60
Cs-137 (about 30 years)		110	1.2	370	4.1	140	1.6	250	2.8	130	1.4		90
Mn-54 (approx.310days)		ND	-	ND	-	ND	-	ND	-	ND	-		1,000
Co-60 (approx.5yrs)		ND	-	ND	-	ND	-	ND	-	ND	-		200
Tc-99m (approx.6hrs)		ND	-	ND	-	ND	-	ND	-	ND	-		40,000
Te-129m (approx.34days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
Te-129 (approx.70mins)		ND	-	ND	-	ND	-	ND	-	ND	-		10,000
Cs-136 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
Ba-140 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
La-140 (approx.40hrs)		ND	-	ND	-	ND	-	ND	-	ND	-		400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 19, 2011 Jan 00, 1900		Dec 19, 2011 Jan 00, 1900		Dec 19, 2011 Jan 00, 1900		Dec 19, 2011 Jan 00, 1900		Dec 19, 2011 Jan 00, 1900		Dec 19, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	40	0.67	83	1.4	100	1.7	130	2.2	160	2.7	60
Cs-137 (about 30 years)	ND	-	54	0.60	110	1.2	120	1.3	130	1.4	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)			
I-131 (about 8 days)	Dec 19, 2011 Jan 00, 1900	ND	-	ND	-	ND	-	ND	-	ND	-		40
Cs-134 (about 2 years)		100	1.7	260	4.3	150	2.5	170	2.8	150	2.5		60
Cs-137 (about 30 years)		150	1.7	340	3.8	190	2.1	230	2.6	180	2.0		90
Mn-54 (approx.310days)		ND	-	ND	-	ND	-	ND	-	ND	-		1,000
Co-60 (approx.5yrs)		ND	-	ND	-	ND	-	ND	-	ND	-		200
Tc-99m (approx.6hrs)		ND	-	ND	-	ND	-	ND	-	ND	-		40,000
Te-129m (approx.34days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
Te-129 (approx.70mins)		ND	-	ND	-	ND	-	ND	-	ND	-		10,000
Cs-136 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
Ba-140 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-		300
La-140 (approx.40hrs)		ND	-	ND	-	ND	-	ND	-	ND	-		400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 20, 2011 Jan 00, 1900		Dec 20, 2011 Jan 00, 1900		Dec 20, 2011 Jan 00, 1900		Dec 20, 2011 Jan 00, 1900		Dec 20, 2011 Jan 00, 1900		Dec 20, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	25	0.42	65	1.1	77	1.3	90	1.5	140	2.3	60
Cs-137 (about 30 years)	ND	-	ND	-	80	0.89	100	1.1	120	1.3	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 22Bq/L, Cs-137: approx. 28Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Dec 20, 2011 Jan 00, 1900	Density of Sample (Bq/L)	Scaling Factor (/)			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	100	1.7	280	4.7	140	2.3	210	3.5	140	2.3			60
Cs-137 (about 30 years)	130	1.4	340	3.8	170	1.9	230	2.6	150	1.7			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 21, 2011 Jan 00, 1900		Dec 21, 2011 Jan 00, 1900		Dec 21, 2011 Jan 00, 1900		Dec 21, 2011 Jan 00, 1900		Dec 21, 2011 Jan 00, 1900		Dec 21, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	69	1.2	110	1.8	74	1.2	140	2.3	60
Cs-137 (about 30 years)	ND	-	ND	-	100	1.1	120	1.3	140	1.6	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 12Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 21, 2011 Jan 00, 1900	Dec 21, 2011 Jan 00, 1900	Dec 21, 2011 Jan 00, 1900	Dec 21, 2011 Jan 00, 1900	Dec 21, 2011 Jan 00, 1900	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	120	2.0	310	5.2	130	2.2	170	2.8	170	2.8			60
Cs-137 (about 30 years)	140	1.6	340	3.8	180	2.0	200	2.2	220	2.4			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 22, 2011 Jan 00, 1900		Dec 22, 2011 Jan 00, 1900		Dec 22, 2011 Jan 00, 1900		Dec 22, 2011 Jan 00, 1900		Dec 22, 2011 Jan 00, 1900		Dec 22, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	41	0.68	21	0.35	83	1.4	81	1.4	93	1.6	140	2.3	60
Cs-137 (about 30 years)	56	0.62	49	0.54	100	1.1	100	1.1	120	1.3	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 12Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900	Dec 22, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	210	3.5	320	5.3	160	2.7	200	3.3	150	2.5			60
Cs-137 (about 30 years)	280	3.1	420	4.7	210	2.3	300	3.3	200	2.2			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	30	0.50	48	0.80	73	1.2	120	2.0	150	2.5	60
Cs-137 (about 30 years)	ND	-	46	0.51	52	0.58	130	1.4	130	1.4	200	2.2	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows:

I-131: approx. 14Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900		Dec 23, 2011 Jan 00, 1900				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	82	1.4	250	4.2	140	2.3	220	3.7	78	1.3			60
Cs-137 (about 30 years)	110	1.2	360	4.0	150	1.7	240	2.7	100	1.1			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 24, 2011 Jan 00, 1900		Dec 24, 2011 Jan 00, 1900		Dec 24, 2011 Jan 00, 1900		Dec 24, 2011 Jan 00, 1900		Dec 24, 2011 Jan 00, 1900		Dec 24, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	22	0.37	28	0.47	36	0.60	85	1.4	47	0.78	120	2.0	60
Cs-137 (about 30 years)	38	0.42	67	0.74	52	0.58	95	1.1	76	0.84	170	1.9	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	40	0.67	37	0.62	81	1.4	96	1.6	150	2.5	60
Cs-137 (about 30 years)	38	0.42	53	0.59	59	0.66	100	1.1	110	1.2	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900	Dec 24, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	110	1.8	280	4.7	150	2.5	190	3.2	89	1.5			60
Cs-137 (about 30 years)	130	1.4	380	4.2	210	2.3	240	2.7	160	1.8			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal		/		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		Dec 25, 2011 Jan 00, 1900		/		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	40
Cs-134 (about 2 years)	91	1.5	270	4.5	120	2.0	210	3.5	100	1.7	/	/	60
Cs-137 (about 30 years)	130	1.4	370	4.1	140	1.6	280	3.1	130	1.4	/	/	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 26, 2011 Jan 00, 1900		Dec 26, 2011 Jan 00, 1900		Dec 26, 2011 Jan 00, 1900		Dec 26, 2011 Jan 00, 1900		Dec 26, 2011 Jan 00, 1900		Dec 26, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	32	0.53	54	0.90	66	1.1	72	1.2	86	1.4	110	1.8	60
Cs-137 (about 30 years)	25	0.28	61	0.68	92	1.0	85	0.94	120	1.3	130	1.4	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 12Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900	Dec 26, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	81	1.4	270	4.5	100	1.7	190	3.2	100	1.7			60
Cs-137 (about 30 years)	92	1.0	330	3.7	140	1.6	260	2.9	110	1.2			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 26Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 27, 2011 Jan 00, 1900		Dec 27, 2011 Jan 00, 1900		Dec 27, 2011 Jan 00, 1900		Dec 27, 2011 Jan 00, 1900		Dec 27, 2011 Jan 00, 1900		Dec 27, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	40	0.67	38	0.63	53	0.88	93	1.6	130	2.2	60
Cs-137 (about 30 years)	25	0.28	40	0.44	55	0.61	110	1.2	100	1.1	160	1.8	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900	Dec 27, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	240	4.0	190	3.2	150	2.5	200	3.3	73	1.2			60
Cs-137 (about 30 years)	290	3.2	240	2.7	200	2.2	250	2.8	99	1.1			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 28, 2011 Jan 00, 1900		Dec 28, 2011 Jan 00, 1900		Dec 28, 2011 Jan 00, 1900		Dec 28, 2011 Jan 00, 1900		Dec 28, 2011 Jan 00, 1900		Dec 28, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	29	0.48	41	0.68	64	1.1	76	1.3	110	1.8	150	2.5	60
Cs-137 (about 30 years)	64	0.71	69	0.77	76	0.84	120	1.3	130	1.4	210	2.3	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 28, 2011 Jan 00, 1900	Dec 28, 2011 Jan 00, 1900	Dec 28, 2011 Jan 00, 1900	Dec 28, 2011 Jan 00, 1900	Dec 28, 2011 Jan 00, 1900	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	160	2.7	260	4.3	140	2.3	190	3.2	150	2.5			60
Cs-137 (about 30 years)	190	2.1	320	3.6	200	2.2	240	2.7	200	2.2			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	53	0.88	74	1.2	73	1.2	120	2.0	140	2.3	60
Cs-137 (about 30 years)	38	0.42	72	0.80	69	0.77	85	0.94	120	1.3	140	1.6	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L, Cs-134: approx. 23Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal		/		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		Dec 29, 2011 Jan 00, 1900		/		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	40
Cs-134 (about 2 years)	91	1.5	220	3.7	150	2.5	170	2.8	82	1.4	/	/	60
Cs-137 (about 30 years)	110	1.2	310	3.4	170	1.9	180	2.0	110	1.2	/	/	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	/	/	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Dec 30, 2011 Jan 00, 1900		Dec 30, 2011 Jan 00, 1900		Dec 30, 2011 Jan 00, 1900		Dec 30, 2011 Jan 00, 1900		Dec 30, 2011 Jan 00, 1900		Dec 30, 2011 Jan 00, 1900		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	41	0.68	78	1.3	58	0.97	110	1.8	120	2.0	60
Cs-137 (about 30 years)	35	0.39	70	0.78	100	1.1	100	1.1	160	1.8	180	2.0	90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 2/2 >

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900	Dec 30, 2011 Jan 00, 1900					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	120	2.0	290	4.8	120	2.0	190	3.2	110	1.8			60
Cs-137 (about 30 years)	150	1.7	370	4.1	170	1.9	250	2.8	140	1.6			90
Mn-54 (approx.310days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 16, 2011 9:25 AM	December 16, 2011 9:30 AM	December 16, 2011 9:35 AM	December 16, 2011 9:47 AM	December 16, 2011 9:15 AM	December 16, 2011 9:10 AM	December 16, 2011 8:55 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.9E-01	4.1E-01	3.4E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	7.4E-01	5.4E-01	ND	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 19, 2011 10:29 AM	December 19, 2011 10:34 AM	December 19, 2011 10:38 AM	December 19, 2011 9:47 AM	December 19, 2011 10:22 AM	December 19, 2011 10:00 AM	December 19, 2011 9:20 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.6E-01	1.3E+00	ND	ND	ND	ND	ND
Cs-137 (about 30 years)	6.4E-01	1.7E+00	3.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 21, 2011 9:43 AM	December 21, 2011 9:48 AM	December 21, 2011 9:53 AM	December 21, 2011 10:04 AM	December 21, 2011 9:36 AM	December 21, 2011 9:58 AM	December 21, 2011 9:05 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.1E-01	1.4E+00	4.3E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	6.1E-01	2.0E+00	5.1E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. $3E-2Bq/cm^3$, Cs-134: approx. $2E-2Bq/cm^3$, Cs-137: approx. $3E-2Bq/cm^3$

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 23, 2011 10:00 AM	December 23, 2011 10:04 AM	December 23, 2011 10:10 AM	December 23, 2011 9:59 AM	December 23, 2011 9:27 AM	December 23, 2011 9:50 AM	December 23, 2011 9:10 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.2E-01	1.0E+00	3.0E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	6.0E-01	1.5E+00	4.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 26, 2011 9:35 AM	December 26, 2011 9:40 AM	December 26, 2011 9:45 AM	December 26, 2011 9:48 AM	December 26, 2011 9:30 AM	December 26, 2011 9:25 AM	December 26, 2011 9:15 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.0E-01	9.7E-01	6.7E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.9E-01	1.3E+00	8.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 28, 2011 9:20 AM	December 28, 2011 9:25 AM	December 28, 2011 9:30 AM	December 28, 2011 9:19 AM	December 28, 2011 9:10 AM	December 28, 2011 9:40 AM	December 28, 2011 8:50 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.0E-01	9.4E-01	5.8E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.5E-01	1.3E+00	7.0E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	December 30, 2011 9:40 AM	December 30, 2011 9:50 AM	December 30, 2011 9:55 AM	December 30, 2011 9:17 AM	December 30, 2011 9:30 AM	December 30, 2011 9:25 AM	December 30, 2011 9:05 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.1E-01	7.9E-01	2.8E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	6.0E-01	1.1E+00	5.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 16, 2011 09:47 am	Dec 16, 2011 09:52 am	Dec 16, 2011 09:56 am	Dec 16, 2011 10:08 am	N/A	Dec 16, 2011 10:04 am	Dec 16, 2011 10:12 am	Dec 16, 2011 10:00 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.3E-02	-	1.8E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	2.1E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 17, 2011 09:34 am	Dec 17, 2011 09:40 am	Dec 17, 2011 09:44 am	Dec 17, 2011 09:58 am	N/A	Dec 17, 2011 09:54 am	Dec 17, 2011 10:03 am	Dec 17, 2011 09:50 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	8.3E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.0E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 18, 2011 09:20 am	Dec 18, 2011 09:24 am	Dec 18, 2011 09:28 am	Dec 18, 2011 09:39 am	N/A	Dec 18, 2011 09:36 am	Dec 18, 2011 09:45 am	Dec 18, 2011 09:32 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.6E-02	-	1.3E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	2.8E-02	-	1.6E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 19, 2011 09:47 am	Dec 19, 2011 09:54 am	Dec 19, 2011 09:58 am	Dec 19, 2011 10:17 am	Dec 19, 2011 10:08 am	Dec 19, 2011 10:13 am	Dec 19, 2011 10:21 am	Dec 19, 2011 10:04 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.8E-02	ND	2.2E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	ND	3.1E-01	3.0E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/L, Cs-134: approx. 3E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 20, 2011 09:54 am	Dec 20, 2011 09:58 am	Dec 20, 2011 10:01 am	Dec 20, 2011 10:12 am	N/A	Dec 20, 2011 10:10 am	Dec 20, 2011 10:17 am	Dec 20, 2011 10:06 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.2E-02	-	9.0E-02	3.2E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	2.6E-02	-	1.4E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 21, 2011 10:04 am	Dec 21, 2011 10:10 am	Dec 21, 2011 10:17 am	Dec 21, 2011 10:29 am	N/A	Dec 21, 2011 10:26 am	Dec 21, 2011 10:33 am	Dec 21, 2011 10:21 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	8.8E-02	2.3E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	3.4E-02	-	9.0E-02	2.5E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 22, 2011 09:50 am	Dec 22, 2011 09:54 am	Dec 22, 2011 09:58 am	Dec 22, 2011 10:09 am	N/A	Dec 22, 2011 10:06 am	Dec 22, 2011 10:13 am	Dec 22, 2011 10:02 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.6E-02	-	1.7E-01	3.0E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	3.5E-02	-	2.2E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 23, 2011 09:59 am	Dec 23, 2011 10:03 am	Dec 23, 2011 10:10 am	Dec 23, 2011 10:24 am	N/A	Dec 23, 2011 10:18 am	Dec 23, 2011 10:29 am	Dec 23, 2011 10:14 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.6E-02	-	5.7E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	8.0E-02	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 24, 2011 09:25 am	Dec 24, 2011 09:30 am	Dec 24, 2011 09:35 am	Dec 24, 2011 09:49 am	N/A	Dec 24, 2011 09:45 am	Dec 24, 2011 09:54 am	Dec 24, 2011 09:40 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	2.2E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	3.0E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 25, 2011 09:11 am	Dec 25, 2011 09:16 am	Dec 25, 2011 09:19 am	Dec 25, 2011 09:30 am	N/A	Dec 25, 2011 09:27 am	Dec 25, 2011 09:35 am	Dec 25, 2011 09:23 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.4E-02	-	1.6E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	2.0E-01	3.3E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 26, 2011 09:48 am	Dec 26, 2011 09:52 am	Dec 26, 2011 09:56 am	Dec 26, 2011 10:11 am	Dec 26, 2011 12:03 pm	Dec 26, 2011 10:09 am	Dec 26, 2011 10:16 am	Dec 26, 2011 10:00 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	ND	1.1E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	3.2E-02	ND	1.6E-01	2.7E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 27, 2011 09:36 am	Dec 27, 2011 09:40 am	Dec 27, 2011 09:43 am	Dec 27, 2011 09:53 am	N/A	Dec 27, 2011 09:51 am	Dec 27, 2011 09:57 am	Dec 27, 2011 09:47 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.7E-02	-	7.6E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	9.4E-02	3.9E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 28, 2011 09:19 am	Dec 28, 2011 09:23 am	Dec 28, 2011 09:27 am	Dec 28, 2011 09:37 am	N/A	Dec 28, 2011 09:35 am	Dec 28, 2011 09:43 am	Dec 28, 2011 09:31 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	1.9E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	2.6E-02	-	2.4E-01	2.5E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 29, 2011 09:19 am	Dec 29, 2011 09:23 am	Dec 29, 2011 09:30 am	Dec 29, 2011 09:42 am	N/A	Dec 29, 2011 09:39 am	Dec 29, 2011 09:48 am	Dec 29, 2011 09:35 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.2E-02	-	6.2E-02	3.3E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	3.8E-02	-	8.7E-02	4.6E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Dec 30, 2011 09:17 am	Dec 30, 2011 09:22 am	Dec 30, 2011 09:26 am	Dec 30, 2011 09:39 am	N/A	Dec 30, 2011 09:35 am	Dec 30, 2011 09:43 am	Dec 30, 2011 09:31 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	7.2E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	2.8E-02	-	7.2E-02	3.8E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.O×1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/L, Cs-134: approx. 2E-2Bq/L, Cs-137: approx. 3E-2Bq/L.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater<Offshore of Ibaraki Prefecture 1/2>

Place of Sampling	3 km offshore of Takadokobama shore Upper Layer		3 km offshore of Takadokobama shore Lower Layer		3 km offshore of Kujihama shore Upper Layer		3 km offshore of Kujihama shore Lower Layer		3 km offshore of Oarai shore Upper Layer		3 km offshore of Oarai shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	December 14, 2011 8:38 AM		December 14, 2011 8:40 AM		December 14, 2011 7:33 AM		December 14, 2011 7:30 AM		December 14, 2011 1:40 PM		December 14, 2011 1:38 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.94Bq/L, Cs-134: approx. 1.5Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore of Ibaraki Prefecture 2/2 >

Place of Sampling	3 km offshore of Hirai shore Upper Layer		3 km offshore of Hirai shore Lower Layer		3 km offshore of Hasaki shore Upper Layer		3 km offshore of Hasaki shore Lower Layer						② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	December 13, 2011 2:38 PM		December 13, 2011 2:36 PM		December 13, 2011 1:32 PM		December 13, 2011 1:30 PM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.2Bq/L, Cs-134: approx. 1.4Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater<Offshore of Ibaraki Prefecture 1/2>

Place of Sampling	3 km offshore of Takadokobama shore Upper Layer		3 km offshore of Takadokobama shore Lower Layer		3 km offshore of Kujihama shore Upper Layer		3 km offshore of Kujihama shore Lower Layer		3 km offshore of Oarai shore Upper Layer		3 km offshore of Oarai shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	December 21, 2011 8:18 AM		December 21, 2011 8:17 AM		December 21, 2011 7:33 AM		December 21, 2011 7:30 AM		December 21, 2011 1:27 PM		December 21, 2011 1:25 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.1Bq/L, Cs-134: approx. 1.5Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore of Ibaraki Prefecture 2/2 >

Place of Sampling	3 km offshore of Hirai shore Upper Layer		3 km offshore of Hirai shore Lower Layer		3 km offshore of Hasaki shore Upper Layer		3 km offshore of Hasaki shore Lower Layer						② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	December 20, 2011 1:54 PM		December 20, 2011 1:55 PM		December 20, 2011 1:45 PM		December 20, 2011 1:43 PM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.0Bq/L, Cs-134: approx. 1.4Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Miyagi Prefecture offshore 1/3 >

Place of Sampling	Ishinomaki bayUpper Layer		Ishinomaki bayMiddle Layer		Ishinomaki bayLower Layer		Offshore of East side of Kinkasan Upper Layer		Offshore of East side of Kinkasan Middle Layer		Offshore of East side of Kinkasan Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/19 10:54		2011/12/19 10:50		2011/12/19 10:43		2011/12/19 8:38		2011/12/19 8:30		2011/12/19 8:20		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.94Bq/L, Cs-134: approx. 1.2Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Miyagi Prefecture offshore 2/3 >

Place of Sampling	Offshore of South side of Kinkasan Upper Layer		Offshore of South side of Kinkasan Middle Layer		Offshore of South side of Kinkasan Lower Layer		Offshore of Shichigahama Upper Layer		Offshore of Shichigahama Middle Layer		Offshore of Shichigahama Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/19 9:30		2011/12/19 9:25		2011/12/19 9:16		2011/12/19 9:10		2011/12/19 9:20		2011/12/19 9:15		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.0Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.2Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Miyagi Prefecture offshore 3/3 >

Place of Sampling	Central area of Sendai bay Upper Layer		Central area of Sendai bay Middle Layer		Central area of Sendai bay Lower Layer		Offshore of Abukumagawa Upper Layer		Offshore of Abukumagawa Middle Layer		Offshore of Abukumagawa Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2011/12/19 7:10		2011/12/19 7:18		2011/12/19 7:12		2011/12/19 8:13		2011/12/19 8:20		2011/12/19 8:15		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.93Bq/L, Cs-134: approx. 1.2Bq/L, Cs-137: approx. 1.2Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)	Around South Discharge Channel of 1F (1-4u Discharge Channel)	Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)	Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)	
Time of Sampling	Dec 15, 2011 8:50	Dec 15, 2011 9:10	Dec 15, 2011 10:55	Dec 15, 2011 9:50	
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	ND	ND	ND	ND	
Cs-134 (about 2 years)	1,100	990	130	460	
Cs-137 (about 30 years)	1,300	1,300	170	570	
Mn-54 (approx.310days)	ND	ND	ND	ND	
Co-60 (approx.5yrs)	ND	ND	ND	ND	
Tc-99m (approx.6hrs)	ND	ND	ND	ND	
Ag-110m (approx.250days)	ND	ND	ND	ND	
Sb-125 (approx.3yrs)	ND	ND	ND	ND	
Te-129 (approx.70mins)	ND	ND	ND	ND	
Te-129m (approx.34days)	ND	ND	ND	ND	
Cs-136 (approx.13days)	ND	ND	ND	ND	
Ba-140 (approx.13days)	ND	ND	ND	ND	
La-140 (approx.40hrs)	ND	ND	ND	ND	

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 12Bq/kg· moist soil,

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	Iwasawa offshore 3km	8km offshore of Iwasawa shore			
Time of Sampling	Dec 16, 2011 8:00	Dec 16, 2011 9:00			
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	ND	ND			
Cs-134 (about 2 years)	150	290			
Cs-137 (about 30 years)	200	370			
Mn-54 (approx.310days)	ND	ND			
Co-60 (approx.5yrs)	ND	ND			
Tc-99m (approx.6hrs)	ND	ND			
Ag-110m (approx.250days)	ND	ND			
Sb-125 (approx.3yrs)	ND	ND			
Te-129 (approx.70mins)	ND	ND			
Te-129m (approx.34days)	ND	ND			
Cs-136 (approx.13days)	ND	ND			
Ba-140 (approx.13days)	ND	ND			
La-140 (approx.40hrs)	ND	ND			

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 6Bq/kg· moist soil,
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis of the fallouts inside and outside of Fukushima Daiichi NPP site < 1/3 >

Place of Sampling	Environment management building, F1	Environment management building (roof), F1	about 5 km north	about 5 km north west	about 5 km west	about 5 km south west
Time of Sampling	2011/11/1 11:00 ~ 11:10 Dec 01 2011	2011/11/1 11:10 ~ 11:15 Dec 01 2011	2011/10/21 10:37 ~ 2011/11/22 11:35	2011/10/21 9:26 ~ 2011/11/22 10:25	2011/10/21 9:07 ~ 2011/11/22 11:08	2011/11/1 10:50 ~ 2011/12/1 10:50
Detected Nuclides (Half-life)	Radioactivity density (Bq/m2)					
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	8,900	8,000	70	310	1,100	160
Cs-137 (about 30 years)	11,000	10,000	93	380	1,400	210
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND
Tc-99m (approx.6hrs)	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	140	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	620	ND	ND	ND	ND	ND
Te-129(approx.70mins)	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND
I-132(approx.2hrs)	ND	ND	ND	ND	ND	ND
Te-132 (approx.78hrs)	ND	ND	ND	ND	ND	ND
I-133(approx.21hrs)	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	ND	ND
La-140 (approx.40hrs)	ND	ND	ND	ND	ND	ND

* Bq/m2 = MBq/km2

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 110Bq/m2.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis of the fallouts inside and outside of Fukushima Daiichi NPP site < 2/3 >

Place of Sampling	about 5 km south	about 10 km north	about 10 km north west	about 10 km west	about 10 km south west	about 10 km south
Time of Sampling	2011/10/21 9:30 ~ 2011/11/18 10:15 (Not sampled)	2011/10/21 10:18 ~ 2011/11/22 11:05	2011/10/21 9:53 ~ 2011/11/21 14:10 (Not sampled)	2011/11/1 10:30 ~ 2011/12/1 10:30	2011/10/21 10:05 ~ 2011/11/22 10:40	2011/10/21 8:55 ~ 2011/11/22 10:10
Detected Nuclides (Half-life)	Radioactivity density (Bq/m ²)					
I-131 (about 8 days)	-	ND	-	ND	ND	ND
Cs-134 (about 2 years)	-	91	-	490	140	110
Cs-137 (about 30 years)	-	170	-	610	150	130
Nb-95 (approx.35days)	-	ND	-	ND	ND	ND
Tc-99m (approx.6hrs)	-	ND	-	ND	ND	ND
Ag-110m (approx.250days)	-	ND	-	ND	ND	ND
Sb-125 (approx.3yrs)	-	ND	-	ND	ND	ND
Te-129(approx.70mins)	-	ND	-	ND	ND	ND
Te-129m (approx.34days)	-	ND	-	ND	ND	ND
I-132(approx.2hrs)	-	ND	-	ND	ND	ND
Te-132 (approx.78hrs)	-	ND	-	ND	ND	ND
I-133(approx.21hrs)	-	ND	-	ND	ND	ND
Cs-136 (approx.13days)	-	ND	-	ND	ND	ND
Ba-140 (approx.13days)	-	ND	-	ND	ND	ND
La-140 (approx.40hrs)	-	ND	-	ND	ND	ND

* Bq/m² = MBq/km²

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 54Bq/m².

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis of the fallouts inside and outside of Fukushima Daiichi NPP site < 3/3 >

Place of Sampling	about 10 km south (roof)	main office building, F2	main office building(roof), F2			
Time of Sampling	2011/10/21 9:00 ~ 2011/11/22 10:16	2011/11/1 11:00 ~ 2011/12/1 11:25	2011/11/1 14:00 ~ 2011/12/1 10:55			
Detected Nuclides (Half-life)	Radioactivity density (Bq/m2)					
I-131 (about 8 days)	ND	ND	ND			
Cs-134 (about 2 years)	94	120	48			
Cs-137 (about 30 years)	110	140	39			
Nb-95 (approx.35days)	ND	ND	ND			
Tc-99m (approx.6hrs)	ND	ND	ND			
Ag-110m (approx.250days)	ND	ND	ND			
Sb-125 (approx.3yrs)	ND	ND	ND			
Te-129(approx.70mins)	ND	ND	ND			
Te-129m (approx.34days)	ND	ND	ND			
I-132(approx.2hrs)	ND	ND	ND			
Te-132 (approx.78hrs)	ND	ND	ND			
I-133(approx.21hrs)	ND	ND	ND			
Cs-136 (approx.13days)	ND	ND	ND			
Ba-140 (approx.13days)	ND	ND	ND			
La-140 (approx.40hrs)	ND	ND	ND			

* Bq/m2 = MBq/km2

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 48Bq/m2.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.