

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2011/12/31 7:00~12:00		2011/12/31 9:18~9:28				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/1 7:00~12:00		2012/1/1 9:07~9:17				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/2 7:00~12:00		2012/1/2 9:12~9:22				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	3.6E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 7E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/3 7:00~12:00		2012/1/3 9:17~9:27				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/4 7:00~12:00		2012/1/4 9:28~9:38				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <1/2>**

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/5 7:00~12:00		2012/1/5 9:38~9:48				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <2/2>**

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/5 9:49~14:49		2012/1/5 9:18~14:18		2012/1/5 9:31~14:31分		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	2.6E-07	0.00	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3 Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations <1/2>

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/6 7:00~12:00		2012/1/6 9:36~9:46				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limit approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <2/2>

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/6 9:38~14:38		2012/1/6 9:22~14:22		2012/1/6 9:26~14:26		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	2.5E-06	0.00	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	2.9E-06	0.00	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 2E-6Bq/cm³, Cs-134: approx. 4E-6Bq/cm³, Cs-137: approx. 5E-6Bq/cm³ Particulate: I-131: approx. 9E-7Bq/cm³, Cs-134: approx. 3E-6Bq/cm³, Cs-137: approx. 3E-6Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside of the sites of Fukushima Nuclear Power Stations

Place of Sampling	Fukushima Daiichi Unit 1 -4 Sea Side						②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/6 9:34~14:34						
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	ND	-					2E-03
Cs-137 (about 30 years)	ND	-					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. $2E-7Bq/cm^3$, Cs-134: approx. $4E-7Bq/cm^3$, Cs-137: approx. $5E-7Bq/cm^3$ Particulate: I-131: approx. $9E-8Bq/cm^3$, Cs-134: approx. $2E-7Bq/cm^3$, Cs-137: approx. $3E-7Bq/cm^3$

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/7 7:00~12:00		2012/1/7 8:55~9:05				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/8 7:00~12:00		2012/1/8 9:14~9:24				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/9 7:00~12:00		2012/1/9 9:10~9:20				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <1/2>**

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/10 7:00~12:00		2012/1/10 9:35~9:45				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	3.8E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	2.6E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 9E-8Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <2/2>

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/10 9:17~14:17		2012/1/10 9:39~14:39		2012/1/10 9:29~14:29		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	2.4E-07	0.00	3.8E-07	0.00	ND	-	2E-03
Cs-137 (about 30 years)	2.9E-07	0.00	4.0E-07	0.00	3.5E-07	0.00	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3 Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 2E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/11 7:00~12:00		2012/1/11 9:46~9:56				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	5.2E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	2.1E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3 The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations <1/2>

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/12 7:00~12:00		2012/1/12 9:26~9:36				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	6.5E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3

The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Sites of Fukushima Nuclear Power Stations <2/2>**

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/12 10:04~15:04		2012/1/12 9:44~14:44		2012/1/12 9:47~14:47		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	2.4E-06	0.00	2E-03
Cs-137 (about 30 years)	7.6E-06	0.00	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 5E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside of the sites of Fukushima Nuclear Power Stations

Place of Sampling	Fukushima Daiichi Unit 1 -4 Sea Side						②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/12 9:58~14:58						
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	4.7E-07	0.00					2E-03
Cs-137 (about 30 years)	6.6E-07	0.00					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. $1E-7Bq/cm^3$, Cs-134: approx. $4E-7Bq/cm^3$, Cs-137: approx. $5E-7Bq/cm^3$ Particulate: I-131: approx. $1E-7Bq/cm^3$

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/13 7:00~12:00		2012/1/13 9:58~10:08				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	5.0E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable". The detection limits of major three nuclide that are not detected at west gate of Fukushima Daiichi NPP are as follows: Volatile: I-131: approx. 1E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 7E-8Bq/cm3, Cs-137: approx. 2E-7Bq/cm3
The detection limits of three major nuclide that are not detected at MP-1 of Fukushima Daini NPP are as follows: Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 7E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/14 7:00 ~ 12:00		2012/1/14 9:16 ~ 9:26				
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	2.0E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	2.3E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-			6E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

Detection limits of 3 nuclides on the West Gate of Fukushima Daiichi are as follows:

 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3 Particulate: I-131: approx. 6E-8Bq/cm3

Detection limits of 3 nuclides on MP-1 of Fukushima Daini are as follows:

 Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3 Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/31 8:45 AM	2011/12/31 8:25 AM	2011/12/31 8:15 AM	2011/12/31 7:55 AM	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.1	0.04	1.3	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	2.8	0.03	2.3	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 1.0Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/30 8:55 AM		2011/12/30 8:55 AM		2011/12/30 9:10 AM		2011/12/30 9:10 AM		2011/12/30 10:05 AM		2011/12/30 10:05 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/30 8:25 AM		2011/12/30 8:25 AM		2011/12/30 7:30 AM		2011/12/30 7:30 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/1 (Not sampled)		2012/1/1 8:20 AM		2012/1/1 8:15 AM		2012/1/1 8:00 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	2.3	0.04	1.4	0.02	1.3	0.02	60
Cs-137 (about 30 years)	-	-	2.8	0.03	1.4	0.02	1.3	0.01	90
Mo-99 (approx. 66hrs)	-	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.62Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2011/12/31 9:00 AM		2011/12/31 9:00 AM		2011/12/31 8:20 AM		2011/12/31 8:20 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.89Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
Time of Sampling	2011/12/31 7時50分		2011/12/31 7時50分		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/2 (Not sampled)		2012/1/2 8:20 AM		2012/1/2 8:20 AM		2012/1/2 7:50 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	ND	-	1.1	0.02	ND	-	60
Cs-137 (about 30 years)	-	-	ND	-	1.2	0.01	ND	-	90
Mo-99 (approx. 66hrs)	-	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/1 8:40 AM		2012/1/1 8:40 AM		2012/1/1 9:10 AM		2012/1/1 9:10 AM		2012/1/1 6:55 AM		2012/1/1 6:55 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.96Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/1 8:15 AM		2012/1/1 8:15 AM		2012/1/1 7:20 AM		2012/1/1 7:20 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.1Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/3 8:35 AM		2012/1/3 8:15 AM		2012/1/3 8:10 AM		2012/1/3 7:50 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	1.1	0.02	1.9	0.03	1.3	0.02	0.98	0.02	60
Cs-137 (about 30 years)	1.7	0.02	3.6	0.04	1.7	0.02	1.2	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2012/1/2 (Not sampled)		2012/1/2 (Not sampled)		2012/1/2 8:40 AM		2012/1/2 8:40 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/2 7:50 AM		2012/1/2 7:50 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.82Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/4 8:40 AM		2012/1/4 8:20 AM		2012/1/4 (Not sampled)		2012/1/4 7:45 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	ND	-	40
Cs-134 (about 2 years)	4.0	0.07	ND	-	-	-	1.3	0.02	60
Cs-137 (about 30 years)	5.1	0.06	1.1	0.01	-	-	1.5	0.02	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.87Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/3 9:30 AM		2012/1/3 9:30 AM		2012/1/3 9:15 AM		2012/1/3 9:15 AM		2012/1/3 7:35 AM		2012/1/3 7:35 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.96Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/3 8:50 AM		2012/1/3 8:50 AM		2012/1/3 8:00 AM		2012/1/3 8:00 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore remeasurement 1/2 >

Place of Sampling	15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daini Upper Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/19 8:40 AM		2011/12/19 11:15 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	40
Cs-134 (about 2 years)	0.33	0.01	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	90
Mn-54 (approx.310days)	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	200
Ce-144 (約280日)	ND	-	ND	-	200
Mo-99 (approx. 66hrs)	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

検出されていない代表3核種及びMn-54、Co-60、Ce-144のThe followings show the detection limits. I-131: approx. 0.15Bq/L, Cs-134: approx. 0.28Bq/L, Cs-137: approx. 0.31Bq/L, Mn-54が約0.12Bq/L, Co-60が約0.16Bq/L, Ce-144が約1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore remeasurement 2/2 >

Place of Sampling	15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daini Upper Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/27 8:25 AM		2011/12/27 8:00 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	90
Mn-54 (approx.310days)	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	200
Ce-144 (約280日)	ND	-	ND	-	200
Mo-99 (approx. 66hrs)	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

検出されていない代表3核種及びMn-54、Co-60、Ce-144のThe followings show the detection limits. I-131: approx. 0.17Bq/L, Cs-134: approx. 0.26Bq/L, Cs-137: approx. 0.31Bq/L, Mn-54が約0.12Bq/L, Co-60が約0.12Bq/L, Ce-144が約0.90Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/5 (Not sampled)		2012/1/5 8:20 AM		2012/1/5 (Not sampled)		2012/1/5 7:40 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	ND	-	-	-	ND	-	40
Cs-134 (about 2 years)	-	-	2.4	0.04	-	-	ND	-	60
Cs-137 (about 30 years)	-	-	3.0	0.03	-	-	1.4	0.02	90
Mo-99 (approx. 66hrs)	-	-	ND	-	-	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	ND	-	-	-	ND	-	40,000
Te-129m (approx.34days)	-	-	ND	-	-	-	ND	-	300
Te-129 (approx.70mins)	-	-	ND	-	-	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	ND	-	-	-	ND	-	200
I-132 (approx.2hrs)	-	-	ND	-	-	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	ND	-	-	-	ND	-	300
Ba-140 (approx.13days)	-	-	ND	-	-	-	ND	-	300
La-140 (approx. 40hrs)	-	-	ND	-	-	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.87Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/4 >

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2012/1/4 10:00 AM		2012/1/4 10:00 AM		2012/1/4 9:25 AM		2012/1/4 9:25 AM		2012/1/4 8:30 AM		2012/1/4 8:30 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx. 6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx. 34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx. 78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx. 2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx. 13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx. 13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.63Bq/L, Cs-134: approx. 0.97Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/4 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/4 7:40 AM		2012/1/4 7:40 AM		2012/1/4 8:10 AM		2012/1/4 8:10 AM		2012/1/4 7:45 AM		2012/1/4 7:45 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/4 >

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		N/A		N/A		2012/1/4 6:15 AM		2012/1/4 6:15 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/4 >

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/4 6:30 AM		2012/1/4 6:30 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/6 8:40 AM		2012/1/6 8:20 AM		2012/1/6 (Not sampled)		2012/1/6 8:05 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	ND	-	40
Cs-134 (about 2 years)	2.9	0.05	1.7	0.03	-	-	1.0	0.02	60
Cs-137 (about 30 years)	3.7	0.04	1.8	0.02	-	-	1.7	0.02	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/5 9:30 AM		2012/1/5 9:30 AM		2012/1/5 10:00 AM		2012/1/5 10:00 AM		2012/1/5 7:30 AM		2012/1/5 7:30 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/5 9:10 AM		2012/1/5 9:10 AM		2012/1/5 8:00 AM		2012/1/5 8:00 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/7 8:35 AM		2012/1/7 8:15 AM		2012/1/7 8:25 AM		2012/1/7 8:00 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	4.1	0.07	2.7	0.05	ND	-	ND	-	60
Cs-137 (about 30 years)	5.0	0.06	3.5	0.04	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.77Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/3>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2012/1/6 9:30 AM		2012/1/6 9:30 AM		2012/1/6 9:00 AM		2012/1/6 9:00 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/3>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/6 8:35 AM		2012/1/6 8:35 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.2Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 3/3>

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling										
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/8 8:25 AM		2012/1/8 8:10 AM		2012/1/8 8:05 AM		2012/1/8 7:45 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.5	0.06	1.4	0.02	1.2	0.02	ND	-	60
Cs-137 (about 30 years)	3.6	0.04	2.2	0.02	1.6	0.02	1.7	0.02	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.74Bq/L, Cs-134: approx. 0.87Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/7 11:15 AM		2012/1/7 11:15 AM		2012/1/7 9:20 AM		2012/1/7 9:20 AM		2012/1/7 7:20 AM		2012/1/7 7:20 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/7 12:35 PM		2012/1/7 12:35 PM		2012/1/7 7:40 AM		2012/1/7 7:40 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.73Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/9 8:50 AM		2012/1/9 8:25 AM		2012/1/9 8:20 AM		2012/1/9 8:00 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	1.3	0.02	1.7	0.03	1.1	0.02	ND	-	60
Cs-137 (about 30 years)	2.0	0.02	1.3	0.01	1.8	0.02	1.1	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.98Bq/L, Cs-134: approx. 0.92Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2012/1/8 9:15 AM		2012/1/8 9:15 AM		2012/1/8 8:40 AM		2012/1/8 8:40 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	1.1	0.01	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.72Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/8 8:05 AM		2012/1/8 8:05 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.60Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/10 8:45 AM	2012/1/10 8:25 AM	2012/1/10 8:20 AM	2012/1/10 8:00 AM	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.7	0.05	0.89	0.01	1.4	0.02	ND	-	60
Cs-137 (about 30 years)	4.3	0.05	1.4	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.84Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/9 9:35 AM		2012/1/9 9:35 AM		2012/1/9 9:50 AM		2012/1/9 9:50 AM		2012/1/9 7:50 AM		2012/1/9 7:50 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/9 9:10 AM		2012/1/9 9:10 AM		2012/1/9 8:10 AM		2012/1/9 8:10 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/11 8:45 AM		2012/1/11 8:25 AM		2012/1/11 8:35 AM		2012/1/11 8:10 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2.0	0.03	3.7	0.06	ND	-	ND	-	60
Cs-137 (about 30 years)	1.6	0.02	4.9	0.05	1.3	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.90Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/4 >

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	N/A		N/A		2012/1/10 9:55 AM		2012/1/10 9:55 AM		2012/1/10 9:25 AM		2012/1/10 9:25 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/4 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
	I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/4 >

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
	I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	-	-	-	
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.62Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/4 >

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	N/A		N/A		2012/1/10 6:45 AM		2012/1/10 6:45 AM		2012/1/10 6:30 AM		2012/1/10 6:30 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/12 8:35 AM		2012/1/12 8:20 AM		2012/1/12 8:25 AM		2012/1/12 8:00 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	1.3	0.02	0.95	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	1.9	0.02	1.8	0.02	1.1	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/6 >

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/6 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/6 >

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 8:00 AM		2012/1/11 8:00 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.64Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/6 >

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)		2012/1/11 (Not sampled)						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-					40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-					60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-					90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-					1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-					40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-					300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-					10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-					200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-					3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-					300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-					300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 5/6 >

Place of Sampling	3 km offshore of Souma City Upper Layer		3 km offshore of Souma City Lower Layer		5 km offshore of Souma City Upper Layer		5 km offshore of Souma City Lower Layer		5 km offshore of Kashima Upper Layer		5 km offshore of Kashima Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/11 6時40分		2012/1/11 6時40分		2012/1/11 7時00分		2012/1/11 7時00分		2012/1/11 7:25 AM		2012/1/11 7:25 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.96Bq/L, Cs-137: approx. 1.0Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 6/6 >

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2012/1/11 7時00分		2012/1/11 7時00分										
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.86Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/13 8:50 AM		2012/1/13 8:30 AM		2012/1/13 8:35 AM		2012/1/13 8:10 AM	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	4.6	0.08	1.5	0.03	0.96	0.02	ND	-	60
Cs-137 (about 30 years)	6.6	0.07	1.4	0.02	1.3	0.01	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.82Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 0.97Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/14 8:45 AM	2012/1/14 8:20 AM	2012/1/14 8:05 AM	2012/1/14 7:45 AM	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	1.9	0.03	1.2	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	2.7	0.03	1.5	0.02	1.5	0.02	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.76Bq/L, Cs-134: approx. 0.86Bq/L, Cs-137: approx. 0.98Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/6 >

Place of Sampling	15 km offshore of Minami-Souma City Upper Layer		15 km offshore of Minami-Souma City Lower Layer		15 km offshore of Ukedo-gawa Upper Layer		15 km offshore of Ukedo-gawa Lower Layer		15 km offshore of Fukushima Daiichi Upper Layer		15 km offshore of Fukushima Daiichi Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/13 9:45 AM		2012/1/13 9:45 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/6 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper Layer		15 km offshore of Iwasawa Shore Lower Layer		15 km offshore of Hirono-town Upper Layer		15 km offshore of Hirono-town Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		2012/1/13 10:20 AM		2012/1/13 10:20 AM		2012/1/13 9:35 AM		2012/1/13 9:35 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.74Bq/L, Cs-134: approx. 0.85Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/6 >

Place of Sampling	3 km offshore of Haramachi Ward Upper Layer		3 km offshore of Haramachi Ward Lower Layer		3 km offshore of Odaka Ward Upper Layer		3 km offshore of Odaka Ward Lower Layer		3 km offshore of Iwasawa shore Upper Layer		3 km offshore of Iwasawa shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/13 10:30 AM		2012/1/13 10:30 AM		2012/1/13 10:40 AM		2012/1/13 10:40 AM		2012/1/13 11:20 AM		2012/1/13 11:20 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/6 >

Place of Sampling	8 km offshore of Odaka Ward Upper Layer		8 km offshore of Odaka Ward Lower Layer		8 km offshore of Iwasawa shore Upper Layer		8 km offshore of Iwasawa shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/13 8:40 AM		2012/1/13 8:40 AM		2012/1/13 10:55 AM		2012/1/13 10:55 AM						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 0.99Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 5/6 >

Place of Sampling	3 km offshore of North of Iwaki Upper Layer		3 km offshore of North of Iwaki Lower Layer		3 km offshore of Natsui river Upper Layer		3 km offshore of Natsui river Lower Layer		3 km offshore of Onahama port Upper Layer		3 km offshore of Onahama port Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		N/A		N/A		2012/1/13 6:25 AM		2012/1/13 6:25 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.60Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 6/6 >

Place of Sampling	3 km offshore of Ena Upper Layer		3 km offshore of Ena Lower Layer		3 km offshore of Numanouchi Upper Layer		3 km offshore of Numanouchi Lower Layer		3 km offshore of Toyoma Upper Layer		3 km offshore of Toyoma Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/13 7:30 AM		2012/1/13 7:30 AM		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/31 Jan 00, 1900	Time of Sampling	2011/12/31 7:33 AM	Time of Sampling	2011/12/31 7:36 AM	Time of Sampling	2011/12/31 7:38 AM	Time of Sampling	2011/12/31 7:40 AM	Time of Sampling	2011/12/31 7:42 AM	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	26	0.43	59	0.98	48	0.80	63	1.1	64	1.1	87	1.5	60
Cs-137 (about 30 years)	ND	-	71	0.79	70	0.78	90	1.0	99	1.1	140	1.6	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-137: approx. 23Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2011/12/31 Jan 00, 1900		2011/12/31 7:47 AM		2011/12/31 7:50 AM		2011/12/31 7:52 AM		2011/12/31 7:55 AM			
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	85	1.4	250	4.2	110	1.8	190	3.2	71	1.2			60
Cs-137 (about 30 years)	90	1.0	310	3.4	110	1.2	220	2.4	91	1.0			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/1 Jan 00, 1900	2012/1/1 6:48 AM	2012/1/1 6:52 AM	2012/1/1 6:54 AM	2012/1/1 6:57 AM	2012/1/1 7:00 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	39	0.65	33	0.55	60	1.0	53	0.88	140	2.3	60
Cs-137 (about 30 years)	36	0.40	53	0.59	33	0.37	51	0.57	82	0.91	150	1.7	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 12Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)			
Time of Sampling	2012/1/1 Jan 00, 1900		2012/1/1 7:06 AM		2012/1/1 7:03 AM		2012/1/1 7:06 AM		2012/1/1 7:12 AM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	81	1.4	230	3.8	120	2.0	220	3.7	61	1.0			60
Cs-137 (about 30 years)	130	1.4	320	3.6	150	1.7	290	3.2	74	0.82			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/2 Jan 00, 1900	2012/1/2 6:52 AM	2012/1/2 6:55 AM	2012/1/2 6:58 AM	2012/1/2 7:01 AM	2012/1/2 7:03 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	42	0.70	70	1.2	58	0.97	72	1.2	99	1.7	60
Cs-137 (about 30 years)	ND	-	38	0.42	81	0.90	72	0.80	96	1.1	130	1.4	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/2 Jan 00, 1900	2012/1/2 7:08 AM	2012/1/2 7:07 AM	2012/1/2 7:09 AM	2012/1/2 7:13 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	51	0.85	240	4.0	120	2.0	300	5.0	60	1.0			60
Cs-137 (about 30 years)	69	0.77	310	3.4	150	1.7	370	4.1	84	0.93			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/3 Jan 00, 1900	2012/1/3 6:50 AM	2012/1/3 6:57 AM	2012/1/3 6:56 AM	2012/1/3 7:02 AM	2012/1/3 7:04 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	62	1.0	79	1.3	67	1.1	64	1.1	100	1.7	60
Cs-137 (about 30 years)	ND	-	76	0.84	110	1.2	110	1.2	70	0.78	140	1.6	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/3 Jan 00, 1900	2012/1/3 7:13 AM	2012/1/3 7:12 AM	2012/1/3 7:14 AM	2012/1/3 7:19 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	55	0.92	200	3.3	160	2.7	220	3.7	47	0.78			60
Cs-137 (about 30 years)	73	0.81	240	2.7	220	2.4	250	2.8	60	0.67			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/4 Jan 00, 1900	2012/1/4 6:48 AM	2012/1/4 6:55 AM	2012/1/4 6:55 AM	2012/1/4 7:02 AM	2012/1/4 7:05 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	34	0.57	53	0.88	95	1.6	68	1.1	130	2.2	60
Cs-137 (about 30 years)	ND	-	46	0.51	65	0.72	140	1.6	110	1.2	160	1.8	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/4 Jan 00, 1900	2012/1/4 7:12 AM	2012/1/4 7:18 AM	2012/1/4 7:18 AM	2012/1/4 7:23 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	69	1.2	200	3.3	100	1.7	170	2.8	31	0.52			60
Cs-137 (about 30 years)	57	0.63	270	3.0	140	1.6	230	2.6	47	0.52			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/5 Jan 00, 1900	2012/1/5 6:35 AM	2012/1/5 6:42 AM	2012/1/5 6:42 AM	2012/1/5 6:48 AM	2012/1/5 6:52 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	39	0.65	76	1.3	62	1.0	73	1.2	120	2.0	60
Cs-137 (about 30 years)	39	0.43	61	0.68	78	0.87	84	0.93	80	0.89	150	1.7	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/5 Jan 00, 1900	2012/1/5 11:48 AM	2012/1/5 7:04 AM	2012/1/5 7:04 AM	2012/1/5 7:10 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	69	1.2	760	13	110	1.8	140	2.3	34	0.57			60
Cs-137 (about 30 years)	75	0.83	960	11	130	1.4	210	2.3	34	0.38			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 22Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/6 Jan 00, 1900	2012/1/6 6:55 AM	2012/1/6 6:57 AM	2012/1/6 7:00 AM	2012/1/6 7:05 AM	2012/1/6 7:07 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	33	0.55	60	1.0	61	1.0	61	1.0	76	1.3	120	2.0	60
Cs-137 (about 30 years)	45	0.50	66	0.73	80	0.89	91	1.0	95	1.1	160	1.8	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/6 Jan 00, 1900	2012/1/6 7:11 AM	2012/1/6 7:15 AM	2012/1/6 7:18 AM	2012/1/6 7:22 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	95	1.6	320	5.3	87	1.5	160	2.7	75	1.3			60
Cs-137 (about 30 years)	120	1.3	380	4.2	120	1.3	200	2.2	89	0.99			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/7 Jan 00, 1900	2012/1/7 7:04 AM	2012/1/7 7:08 AM	2012/1/7 7:10 AM	2012/1/7 7:14 AM	2012/1/7 7:16 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	48	0.80	71	1.2	55	0.92	75	1.3	83	1.4	150	2.5	60
Cs-137 (about 30 years)	54	0.60	100	1.1	100	1.1	110	1.2	130	1.4	160	1.8	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/7 Jan 00, 1900	2012/1/7 7:20 AM	2012/1/7 7:22 AM	2012/1/7 7:24 AM	2012/1/7 7:28 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	76	1.3	240	4.0	170	2.8	160	2.7	64	1.1			60
Cs-137 (about 30 years)	76	0.84	320	3.6	210	2.3	220	2.4	83	0.92			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/8 Jan 00, 1900	2012/1/8 7:17 AM	2012/1/8 10:55 AM	2012/1/8 10:58 AM	2012/1/8 7:28 AM	2012/1/8 7:30 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	56	0.93	43	0.72	52	0.87	87	1.5	110	1.8	130	2.2	60
Cs-137 (about 30 years)	71	0.79	71	0.79	63	0.70	83	0.92	140	1.6	170	1.9	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/8 Jan 00, 1900	2012/1/8 7:39 AM	2012/1/8 7:37 AM	2012/1/8 7:39 AM	2012/1/8 7:43 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	58	0.97	200	3.3	180	3.0	180	3.0	47	0.78			60
Cs-137 (about 30 years)	75	0.83	260	2.9	250	2.8	200	2.2	58	0.64			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/9 Jan 00, 1900	2012/1/9 7:15 AM	2012/1/9 7:28 AM	2012/1/9 7:28 AM	2012/1/9 7:36 AM	2012/1/9 7:36 AM	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	37	0.62	53	0.88	94	1.6	43	0.72	90	1.5	60
Cs-137 (about 30 years)	37	0.41	51	0.57	56	0.62	110	1.2	61	0.68	93	1.0	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/9 Jan 00, 1900	2012/1/9 7:47 AM	2012/1/9 7:53 AM	2012/1/9 7:53 AM	2012/1/9 7:59 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	58	0.97	160	2.7	92	1.5	160	2.7	63	1.1			60
Cs-137 (about 30 years)	65	0.72	240	2.7	98	1.1	200	2.2	70	0.78			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/10 Jan 00, 1900	2012/1/10 7:15 AM	2012/1/10 7:22 AM	2012/1/10 7:22 AM	2012/1/10 7:34 AM	2012/1/10 7:34 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	55	0.92	46	0.77	61	1.0	68	1.1	92	1.5	95	1.6	60
Cs-137 (about 30 years)	50	0.56	64	0.71	100	1.1	87	0.97	100	1.1	120	1.3	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/10 Jan 00, 1900	2012/1/10 7:42 AM	2012/1/10 7:48 AM	2012/1/10 7:48 AM	2012/1/10 7:54 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	65	1.1	150	2.5	100	1.7	130	2.2	69	1.2			60
Cs-137 (about 30 years)	71	0.79	200	2.2	120	1.3	170	1.9	61	0.68			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)				
	Time of Sampling	2012/1/11 Jan 00, 1900	2012/1/11 7:09 AM	2012/1/11 7:12 AM	2012/1/11 7:14 AM	2012/1/11 7:27 AM	2012/1/11 7:29 AM	Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)		①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40				
Cs-134 (about 2 years)	22	0.37	54	0.90	54	0.90	80	1.3	120	2.0	130	2.2	60				
Cs-137 (about 30 years)	27	0.30	45	0.50	62	0.69	120	1.3	160	1.8	170	1.9	90				
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000				
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200				
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000				
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300				
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000				
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300				
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300				
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400				

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)			
Time of Sampling	2012/1/11 Jan 00, 1900		2012/1/11 7:19 AM		2012/1/11 7:17 AM		2012/1/11 7:19 AM		2012/1/11 7:23 AM				
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	55	0.92	220	3.7	71	1.2	140	2.3	60	1.0			60
Cs-137 (about 30 years)	120	1.3	230	2.6	120	1.3	190	2.1	85	0.94			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/12 Jan 00, 1900	2012/1/12 7:13 AM	2012/1/12 7:17 AM	2012/1/12 7:19 AM	2012/1/12 7:22 AM	2012/1/12 7:24 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	23	0.38	43	0.72	67	1.1	64	1.1	100	1.7	110	1.8	60
Cs-137 (about 30 years)	ND	-	64	0.71	84	0.93	71	0.79	92	1.0	150	1.7	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/12 Jan 00, 1900	2012/1/12 7:30 AM	2012/1/12 7:28 AM	2012/1/12 7:30 AM	2012/1/12 7:33 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	71	1.2	140	2.3	69	1.2	110	1.8	67	1.1			60
Cs-137 (about 30 years)	65	0.72	190	2.1	85	0.94	170	1.9	57	0.63			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <1/3>
Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4

Place of Sampling	Shallow Draft Quay of 1F				Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2012/1/13 Jan 00, 1900		2012/1/13 2:40 PM		2012/1/13 7:07 AM		2012/1/13 7:12 AM		2012/1/13 7:10 AM		2012/1/13 7:15 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	32	0.53	ND	-	31	0.52	39	0.65	74	1.2	72	1.2	60
Cs-137 (about 30 years)	ND	-	ND	-	52	0.58	67	0.74	91	1.0	87	0.97	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 13Bq/L, Cs-134: approx. 24Bq/L, Cs-137: approx. 27Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <2/3>

Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4

Place of Sampling	Screen of 1F's Unit 2 (inside the silt fence)		Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)	
	Time of Sampling	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)		Scaling Factor (①/②)
I-131 (about 8 days)	2012/1/13 Jan 00, 1900	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	2012/1/13 7:20 AM	110	1.8	44	0.73	180	3.0	60	1.0	160	2.7	ND	-	60
Cs-137 (about 30 years)	2012/1/13 7:24 AM	130	1.4	63	0.70	230	2.6	98	1.1	180	2.0	60	0.67	90
Mn-54 (approx.310 days)	2012/1/13 7:20 AM	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	2012/1/13 7:24 AM	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)		ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L, Cs-134: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <3/3>
Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4

Place of Sampling	福島第一 港湾口				/		/		/		/		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	2012/1/13 Jan 00, 1900		2012/1/13 3:00 PM		/		/		/		/		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	/	/	/	/	/	/	/	/	40
Cs-134 (about 2 years)	7.8	0.13	5.1	0.09	/	/	/	/	/	/	/	/	60
Cs-137 (about 30 years)	9.6	0.11	ND	-	/	/	/	/	/	/	/	/	90
Mn-54 (approx.310 days)	ND	-	ND	-	/	/	/	/	/	/	/	/	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	/	/	/	/	/	/	/	/	200
Tc-99m (approx.6hrs)	ND	-	ND	-	/	/	/	/	/	/	/	/	40,000
Te-129m (approx.34days)	ND	-	ND	-	/	/	/	/	/	/	/	/	300
Te-129 (approx.70mins)	ND	-	ND	-	/	/	/	/	/	/	/	/	10,000
Cs-136 (approx.13days)	ND	-	ND	-	/	/	/	/	/	/	/	/	300
Ba-140 (approx.13days)	ND	-	ND	-	/	/	/	/	/	/	/	/	300
La-140 (approx.40hrs)	ND	-	ND	-	/	/	/	/	/	/	/	/	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2Bq/L, Cs-137: approx. 5Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<1/2>

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/14 Jan 00, 1900	2012/1/14 7:05 AM	2012/1/14 7:10 AM	2012/1/14 7:10 AM	2012/1/14 7:16 AM	2012/1/14 7:16 AM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	32	0.53	62	1.0	74	1.2	82	1.4	99	1.7	120	2.0	60
Cs-137 (about 30 years)	33	0.37	60	0.67	91	1.0	110	1.2	130	1.4	180	2.0	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4
Nuclide Analysis Results of Radioactive Materials in Seawater<2/2>

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				②Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	2012/1/14 Jan 00, 1900	2012/1/14 7:25 AM	2012/1/14 7:21 AM	2012/1/14 7:25 AM	2012/1/14 7:29 AM							
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	87	1.5	180	3.0	150	2.5	130	2.2	110	1.8			60
Cs-137 (about 30 years)	120	1.3	250	2.8	140	1.6	200	2.2	150	1.7			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/2 9:38 AM	2012/1/2 9:45 AM	2012/1/2 9:50 AM	2012/1/2 9:47 AM	2012/1/2 9:30 AM	2012/1/2 9:23 AM	2012/1/2 8:55 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm ³)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	4.4E-01	9.3E-01	3.8E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	6.2E-01	1.3E+00	5.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE—O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/4 9:45 AM	2012/1/4 9:50 AM	2012/1/4 9:55 AM	2012/1/4 9:18 AM	2012/1/4 9:40 AM	2012/1/4 9:35 AM	2012/1/4 8:50 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm ³)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	3.8E-01	1.0E+00	3.1E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.6E-01	1.4E+00	4.5E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE—O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/6 9:25 AM	2012/1/6 9:30 AM	2012/1/6 9:35 AM	2012/1/6 9:37 AM	2012/1/6 9:20 AM	2012/1/6 9:15 AM	2012/1/6 9:00 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm ³)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	3.5E-01	1.0E+00	4.7E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.1E-01	1.5E+00	6.6E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE—O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/9 10:30 AM	2012/1/9 10:33 AM	2012/1/9 10:35 AM	2012/1/9 9:10 AM	2012/1/9 10:20 AM	2012/1/9 10:15 AM	2012/1/9 9:10 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm ³)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	3.5E-01	9.7E-01	4.1E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.3E-01	1.4E+00	5.0E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE—O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/11 9:50 AM	2012/1/11 9:55 AM	2012/1/11 10:00 AM	2012/1/11 10:01 AM	2012/1/11 (Not sampled)	2012/1/11 9:40 AM	2012/1/11 9:05 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND
Cs-134 (about 2 years)	4.8E-01	9.3E-01	7.8E-02	ND	-	ND	ND
Cs-137 (about 30 years)	6.8E-01	1.3E+00	1.1E-01	ND	-	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	-	ND	ND
Ru-106 (approx.370days)	ND	ND	5.3E-02	ND	-	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	-	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	-	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	-	ND	ND

* O.OE—O means O.O x 10-O

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 3E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	2012/1/13 9:45 AM	2012/1/13 9:55 AM	2012/1/13 10:05 AM	2012/1/13 9:57 AM	2012/1/13 9:35 AM	2012/1/13 9:20 AM	2012/1/13 9:10 AM
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	3.8E-01	7.7E-01	4.6E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	5.9E-01	1.1E+00	4.5E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Ru-106 (approx.370days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40hrs)	ND	ND	ND	ND	ND	ND	ND

* O.OE—O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. $2E-2Bq/cm^3$, Cs-134: approx. $2E-2Bq/cm^3$, Cs-137: approx. $3E-2Bq/cm^3$

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2011/12/31 09:17 am	2011/12/31 09:21 am	2011/12/31 09:25 am	2011/12/31 09:37 am	N/A	2011/12/31 09:34 am	2011/12/31 09:41 am	2011/12/31 09:29 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	2.2E-02	ND	ND	ND	-	8.3E-02	ND	ND
Cs-137 (about 30 years)	3.9E-02	ND	ND	ND	-	1.1E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/1 09:52 am	2012/1/1 09:57 am	2012/1/1 10:00 am	2012/1/1 10:13 am	N/A	2012/1/1 10:10 am	2012/1/1 10:18 am	2012/1/1 10:04 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	1.7E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	2.0E-01	2.8E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/2 09:47 am	2012/1/2 09:52 am	2012/1/2 09:56 am	2012/1/2 10:14 am	2012/1/2 10:06 am	2012/1/2 10:11 am	2012/1/2 10:19 am	2012/1/2 10:00 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	ND	1.1E-01	2.5E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	2.8E-02	ND	1.3E-01	2.6E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/3 09:49 am	2012/1/3 09:55 am	2012/1/3 09:58 am	2012/1/3 10:09 am	N/A	2012/1/3 10:06 am	2012/1/3 10:13 am	2012/1/3 10:02 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	9.1E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.1E-01	2.6E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/4 09:18 am	2012/1/4 09:22 am	2012/1/4 09:27 am	2012/1/4 09:40 am	N/A	2012/1/4 09:37 am	2012/1/4 09:44 am	2012/1/4 09:32 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	8.9E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.2E-01	3.8E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/5 09:29 am	2012/1/5 09:33 am	2012/1/5 09:37 am	2012/1/5 09:47 am	N/A	2012/1/5 09:45 am	2012/1/5 09:52 am	2012/1/5 09:41 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	6.5E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	9.7E-02	3.6E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 3E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/6 09:37 am	2012/1/6 09:42 am	2012/1/6 09:46 am	2012/1/6 09:58 am	N/A	2012/1/6 09:55 am	2012/1/6 10:05 am	2012/1/6 09:50 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	7.7E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.3E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/7 09:26 am	2012/1/7 09:31 am	2012/1/7 09:35 am	2012/1/7 09:46 am	N/A	2012/1/7 09:43 am	2012/1/7 09:50 am	2012/1/7 09:39 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	9.6E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.3E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/8 09:06 am	2012/1/8 09:11 am	2012/1/8 09:15 am	2012/1/8 09:28 am	N/A	2012/1/8 09:25 am	2012/1/8 09:33 am	2012/1/8 09:20 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	6.0E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.1E-01	2.7E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/9 09:10 am	2012/1/9 09:14 am	2012/1/9 09:18 am	2012/1/9 09:33 am	2012/1/9 09:26 am	2012/1/9 09:30 am	2012/1/9 09:38 am	2012/1/9 09:22 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	ND	1.5E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	ND	1.9E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/10 09:47 am	2012/1/10 09:52 am	2012/1/10 09:56 am	2012/1/10 10:11 am	N/A	2012/1/10 10:08 am	2012/1/10 10:16 am	2012/1/10 10:01 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.1E-02	-	1.2E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.6E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/11 10:01 am	2012/1/11 10:06 am	2012/1/11 10:15 am	2012/1/11 10:28 am	N/A	2012/1/11 10:25 am	2012/1/11 10:33 am	2012/1/11 10:19 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	1.1E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.3E-01	2.6E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/12 09:49 am	2012/1/12 09:55 am	2012/1/12 09:59 am	2012/1/12 10:11 am	N/A	2012/1/12 10:08 am	2012/1/12 10:18 am	2012/1/12 10:04 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	6.3E-02	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	8.3E-02	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/13 09:57 am	2012/1/13 10:01 am	2012/1/13 10:04 am	2012/1/13 10:14 am	N/A	2012/1/13 10:11 am	2012/1/13 10:18 am	2012/1/13 10:26 am
Detected Nuclides (Half-life)	density of sample (Bq/cm ³)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	8.9E-02	2.4E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	1.1E-01	3.2E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1E-2Bq/cm³, Cs-134: approx. 2E-2Bq/cm³, Cs-137: approx. 3E-2Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building fukushima Daiichi NPS	South East of process main building fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	2012/1/14 09:33 am	2012/1/14 09:38 am	2012/1/14 09:41 am	2012/1/14 09:55 am	N/A	2012/1/14 09:52 am	2012/1/14 10:00 am	2012/1/14 09:48 am
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	1.6E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	2.0E-01	2.4E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 2E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore of Ibaraki Prefecture 1/2 >

Place of Sampling	3 km offshore of Takadokobama shore Upper Layer		3 km offshore of Takadokobama shore Lower Layer		3 km offshore of Kujihama shore Upper Layer		3 km offshore of Kujihama shore Lower Layer		3 km offshore of Oarai shore Upper Layer		3 km offshore of Oarai shore Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/27 8:45 AM		2011/12/27 8:44 AM		2011/12/27 8:41 AM		2011/12/27 8:39 AM		2011/12/27 1:40 PM		2011/12/27 1:39 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.94Bq/L, Cs-134: approx. 1.3Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater <Offshore of Ibaraki Prefecture 2/2 >

Place of Sampling	3 km offshore of Hirai shore Upper Layer		3 km offshore of Hirai shore Lower Layer		3 km offshore of Hasaki shore Upper Layer		3 km offshore of Hasaki shore Lower Layer						② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2011/12/26 1:36 PM		2011/12/26 1:35 PM		2011/12/26 2:14 PM		2011/12/26 2:11 PM						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.0Bq/L, Cs-134: approx. 1.3Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Miyagi offshore 1/3 >

Place of Sampling	Ishinomaki bayUpper Layer		Ishinomaki bayMiddle Layer		Ishinomaki bayLower Layer		Offshore of East side of Kinkasan Upper Layer		Offshore of East side of Kinkasan Middle Layer		Offshore of East side of Kinkasan Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/4 10:37 AM		2012/1/4 10:48 AM		2012/1/4 10:40 AM		2012/1/4 8:28 AM		2012/1/4 8:43 AM		2012/1/4 8:38 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.0Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Miyagi offshore 2/3 >

Place of Sampling	Offshore of South side of Kinkasan Upper Layer		Offshore of South side of Kinkasan Middle Layer		Offshore of South side of Kinkasan Lower Layer		Offshore of Shichigahama Upper Layer		Offshore of Shichigahama Middle Layer		Offshore of Shichigahama Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/4 9:18 AM		2012/1/4 9:29 AM		2012/1/4 9:23 AM		2012/1/4 9:30 AM		2012/1/4 9:33 AM		2012/1/4 9:27 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.1Bq/L, Cs-134: approx. 1.0Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Miyagi offshore 3/3 >

Place of Sampling	Central area of Sendai bay Upper Layer		Central area of Sendai bay Middle Layer		Central area of Sendai bay Lower Layer		Offshore of Abukumagawa Upper Layer		Offshore of Abukumagawa Middle Layer		Offshore of Abukumagawa Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	2012/1/4 7:10 AM		2012/1/4 7:16 AM		2012/1/4 7:08 AM		2012/1/4 8:26 AM		2012/1/4 8:23 AM		2012/1/4 8:18 AM		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.96Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	3km offshore of Haramachi-ku	3km offshore of Odaka-ku	Iwasawa offshore 3km		
Time of Sampling	2012/1/5 (Not sampled)	2012/1/5 (Not sampled)	2012/1/5 7:30 AM		
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	-	-	ND		
Cs-134 (about 2 years)	-	-	1,800		
Cs-137 (about 30 years)	-	-	2,300		
Mn-54 (approx.310d ays)	-	-	ND		
Co-60 (approx.5yrs)	-	-	ND		
Tc-99m (approx.6hrs)	-	-	ND		
Ag-110m (approx.250d ays)	-	-	ND		
Sb-125 (approx.3yrs)	-	-	ND		
Te-129 (approx.70min s)	-	-	ND		
Te-129m (approx.34day s)	-	-	ND		
Cs-136 (approx.13day s)	-	-	ND		
Ba-140 (approx.13day s)	-	-	ND		
La-140 (approx.40hrs)	-	-	ND		

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/kg·moist soil.
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	3km offshore of Haramachi-ku	3km offshore of Odaka-ku	8km offshore of Odaka-ku	8km offshore of Iwasawa shore	
Time of Sampling	2012/1/7 11:15 AM	2012/1/7 9:20 AM	2012/1/7 (Not sampled)	2012/1/7 7:40 AM	
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	ND	ND	-	ND	
Cs-134 (about 2 years)	29	41	-	410	
Cs-137 (about 30 years)	32	54	-	550	
Mn-54 (approx.310days)	ND	ND	-	ND	
Co-60 (approx.5yrs)	ND	ND	-	ND	
Tc-99m (approx.6hrs)	ND	ND	-	ND	
Ag-110m (approx.250days)	ND	ND	-	ND	
Sb-125 (approx.3yrs)	ND	ND	-	ND	
Te-129 (approx.70mins)	ND	ND	-	ND	
Te-129m (approx.34days)	ND	ND	-	ND	
Cs-136 (approx.13days)	ND	ND	-	ND	
Ba-140 (approx.13days)	ND	ND	-	ND	
La-140 (approx.40hrs)	ND	ND	-	ND	

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 8Bq/kg·moist soil.
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	15 km offshore of Ukedogawa	15 km offshore of Fukushima Daiichi	15 km offshore of Fukushima Daini		
Time of Sampling	2012/1/10 9:55 AM	2012/1/10 9:25 AM	2012/1/10 8:00 AM		
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	ND	ND	ND		
Cs-134 (about 2 years)	11	23	120		
Cs-137 (about 30 years)	17	28	150		
Mn-54 (approx.310days)	ND	ND	ND		
Co-60 (approx.5yrs)	ND	ND	ND		
Tc-99m (approx.6hrs)	ND	ND	ND		
Ag-110m (approx.250days)	ND	ND	ND		
Sb-125 (approx.3yrs)	ND	ND	ND		
Te-129 (approx.70mins)	ND	ND	ND		
Te-129m (approx.34days)	ND	ND	ND		
Cs-136 (approx.13days)	ND	ND	ND		
Ba-140 (approx.13days)	ND	ND	ND		
La-140 (approx.40hrs)	ND	ND	ND		

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/kg·moist soil.
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	8km offshore of Odaka-ku	5 km offshore of Numanouchi			
Time of Sampling	2012/1/11 (Not sampled)	2012/1/11 (Not sampled)			
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	-	-			
Cs-134 (about 2 years)	-	-			
Cs-137 (about 30 years)	-	-			
Mn-54 (approx.310d ays)	-	-			
Co-60 (approx.5yrs)	-	-			
Tc-99m (approx.6hrs)	-	-			
Ag-110m (approx.250d ays)	-	-			
Sb-125 (approx.3yrs)	-	-			
Te-129 (approx.70min s)	-	-			
Te-129m (approx.34day s)	-	-			
Cs-136 (approx.13day s)	-	-			
Ba-140 (approx.13day s)	-	-			
La-140 (approx.40hrs)	-	-			

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	8km offshore of Odaka-ku	3 km offshore of Ena Port	3 km offshore of Onahama Port	5 km offshore of Numanouchi	
Time of Sampling	2012/1/13 8:40 AM	2012/1/13 2:40 PM	2012/1/13 3:10 PM	2012/1/13 2:00 PM	
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg · moist soil)				
I-131 (about 8 days)	ND	ND	ND	ND	
Cs-134 (about 2 years)	17	100	160	520	
Cs-137 (about 30 years)	27	140	210	660	
Mn-54 (approx.310days)	ND	ND	ND	ND	
Co-60 (approx.5yrs)	ND	ND	ND	ND	
Tc-99m (approx.6hrs)	ND	ND	ND	ND	
Ag-110m (approx.250days)	ND	ND	ND	ND	
Sb-125 (approx.3yrs)	ND	ND	ND	ND	
Te-129 (approx.70mins)	ND	ND	ND	ND	
Te-129m (approx.34days)	ND	ND	ND	ND	
Cs-136 (approx.13days)	ND	ND	ND	ND	
Ba-140 (approx.13days)	ND	ND	ND	ND	
La-140 (approx.40hrs)	ND	ND	ND	ND	

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 9Bq/kg·moist soil.
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (1/3)**

Place of Sampling	Upper part of reactor buildin of Unit 1 ① (Filter inlet of cover exhaust gas system)		Upper part of reactor buildin of Unit 1② (Filter inlet of cover exhaust gas system)		Upper part of reactor buildin of Unit 1③ (Northwest corner of the cover)		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/3 1:15~2:15		2012/1/3 7:42~8:42		2012/1/3 5:20~6:20		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	8.4E-06	0.00	ND	-	9.8E-06	0.00	2E-03
Cs-137 (about 30 years)	1.3E-05	0.00	ND	-	1.3E-05	0.00	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples. This survey shows results of the nuclide analysis of particulate radioactive materials in the air.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (2/3)**

Place of Sampling	Upper part of reactor buildin of Unit 1④ (Northeast corner of the cover)		Upper part of reactor buildin of Unit 1⑤ (Southwest corner of the cover)		Upper part of reactor buildin of Unit 1⑥ (Opening at the side of the operation floor)		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
	2012/1/3 1:15~2:15		2012/1/3 7:42~8:42		2012/1/3 5:20~6:20		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	8.7E-06	0.00	4.0E-06	0.00	6.6E-06	0.00	2E-03
Cs-137 (about 30 years)	1.4E-05	0.00	6.1E-06	0.00	9.9E-06	0.00	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 8E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples. This survey shows results of the nuclide analysis of particulate radioactive materials in the air.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (3/3)**

Place of Sampling	Upper part of reactor buildin of Unit 1⑦ (Ceiling of the spent fuel pool)						②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/3 2:16~3:16						
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	1.1E-05	0.01					2E-03
Cs-137 (about 30 years)	1.5E-05	0.01					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 8E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples. This survey shows results of the nuclide analysis of particulate radioactive materials in the air.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (1/3)**

Place of Sampling	Upper part of reactor buildin of Unit 3 ① (northeast side in upper part of reactor (downward))		Upper part of reactor buildin of Unit 3 ② (northeast side in upper part of reactor (horizontal direction))		Upper part of reactor buildin of Unit 3 ③ (northeast side in upper part of reactor (downward))		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
Time of Sampling	2012/1/6 9:15~9:45		2012/1/6 9:15~9:45		2012/1/6 10:10~10:40		
Detected Nuclides (Half-life)							
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	2.9E-03	1.5	3.1E-03	1.6	3.5E-03	1.8	2E-03
Cs-137 (about 30 years)	3.7E-03	1.2	4.0E-03	1.3	4.4E-03	1.5	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	3.1E-05	0.01	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 1E-5Bq/cm3
Particulate: I-131: approx. 9E-5Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (2/3)**

Place of Sampling	Upper part of reactor buildin of Unit 3④ (northeast side in upper part of reactor (horizontal direction))		Upper part of reactor buildin of Unit 3⑤ (Near 3rd floor of the opening of the equipment hatch)		Upper part of reactor buildin of Unit 3⑥ (Near 3rd floor of the opening of the equipment hatch)		②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
	2012/1/6 10:10~10:40		2012/1/6 11:05~11:35		2012/1/6 12:00~12:30		
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	2.6E-03	1.3	2.9E-03	1.5	1.7E-03	0.85	2E-03
Cs-137 (about 30 years)	3.2E-03	1.1	3.6E-03	1.2	2.2E-03	0.73	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Sb-125 (approx.3yrs)	ND	-	ND	-	ND	-	6E-03
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133 (approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density
* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 2E-5Bq/cm3
Particulate: I-131: approx. 2E-5Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

**【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air
at the Upper Part of the Reactor Building of Unit 1, Fukushima Daiichi (3/3)**

Place of Sampling	Upper part of reactor building of Unit 3⑦ (1st floor of the opening of the equipment hatch)						②Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	2012/1/6 11:05~12:35						
Detected Nuclides (Half-life)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	①density of sample (Bq/cm3)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-					1E-03
Cs-134 (about 2 years)	1.0E-03	0.50					2E-03
Cs-137 (about 30 years)	1.3E-03	0.43					3E-03
Nb-95 (approx.35days)	ND	-					2E-02
Tc-99m (approx.6hrs)	ND	-					7E-01
Ag-110m (approx.250days)	ND	-					3E-03
Sb-125 (approx.3yrs)	ND	-					6E-03
Te-129 (approx.70mins)	ND	-					4E-01
Te-129m (approx.34days)	ND	-					4E-03
I-132 (approx.2hrs)	ND	-					7E-02
Te-132 (approx.78hrs)	ND	-					4E-03
I-133 (approx.21hrs)	ND	-					5E-03
Cs-136 (approx.13days)	ND	-					1E-02
Ba-140 (approx.13days)	ND	-					1E-02
La-140 (approx.40hrs)	ND	-					1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE—O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: Volatile: I-131: approx. 8E-6Bq/cm3
Particulate: I-131: approx. 1E-5Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the fallout in the site of Fukushima Daiichi Nuclear Power Station

Place of Sampling	Fukushima Daiichi NPS Environment Management Building	Fukushima Daini NPS Administration Office Building				
Time of Sampling	2011/12/1 11:10 AM 2012/1/5 11:20 AM	2011/12/1 11:25 AM 2012/1/5 10:30 AM				
Detected Nuclides (Half-life)	Radioactivity density (Bq/m2)					
I-131 (about 8 days)	ND	ND				
Cs-134 (about 2 years)	17,000	80				
Cs-137 (about 30 years)	22,000	100				
Co-60 (approx.5yrs)	ND	ND				
Nb-95 (approx.35days)	ND	ND				
Tc-99m (approx.6hrs)	ND	ND				
Ag-110m (approx.250days)	ND	ND				
Te-129 (approx.70mins)	ND	ND				
Te-129m (approx.34days)	ND	ND				
I-132 (approx.2hrs)	ND	ND				
Te-132 (approx.78hrs)	ND	ND				
I-133 (approx.21hrs)	ND	ND				
Cs-136 (approx.13days)	ND	ND				
Ba-140 (approx.13days)	ND	ND				
La-140 (approx.40hrs)	ND	ND				

* Bq/m2 = MBq/km2

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 180Bq/m2.

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.