

Nuclide analysis results of ocean soil < 1/2 >

Reference

(Data summarized on April 8)

Place of Sampling	3km offshore of Odaka-ku	3km offshore of Ukedo-gawa	3km offshore of Fukushima Daiichi	1km offshore of Murakami, Odaka-ku	2km offshore of Murakami, Odaka-ku
Time of Sampling	Apr 06, 2012 10:10	Apr 06, 2012 9:25	Apr 06, 2012 8:30	Apr 06, 2012 10:50	Apr 06, 2012 10:10
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg· moist soil)				
I-131 (approx. 8 days)	ND	ND	ND	ND	ND
Cs-134 (approx. 2 years)	46	110	59	47	28
Cs-137 (approx. 30 years)	63	160	86	61	41

* Data of other nuclides are under evaluation.

* "ND" means the sampled data is below measurable limit.

I-131: approx. 5Bq/kg· moist soil)

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Nuclide analysis results of ocean soil < 2/2 >

Reference

(Data summarized on April 8)

Place of Sampling	1km offshore of Ukedo, Namie-cho	2km offshore of Ukedo, Namie-cho	3km offshore of Ukedo, Namie-cho		
Time of Sampling	Apr 06, 2012 8:50	Apr 06, 2012 9:20	Apr 06, 2012 9:40		
Detected Nuclides (Half-life)	Radioactivity density (Bq/kg· moist soil)				
I-131 (approx. 8 days)	ND	ND	ND		
Cs-134 (approx. 2 years)	400	59	77		
Cs-137 (approx. 30 years)	550	82	100		

* Data of other nuclides are under evaluation.

* "ND" means the sampled data is below measurable limit.

I-131: approx. 7Bq/kg· moist soil)

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Radioactivity Density of Ocean Soil around approx. 3km offshore of Odaka Ward (Bq/kg (moist soil))

