

Nuclides Analysis Result of Marine Soil

(Data summarized on June 16)


Place of Sampling (Place No.)	3km Offshore of Ukedo River (T-D1)	Around 15km Offshore of Odaka Ward (T-B1)	Around 18km Offshore of Ukedo River (T-B2)		
Time of Sampling	Jun 14, 2012 8:15 AM	Jun 14, 2012 9:40 AM	Jun 14, 2012 10:20 AM		
Detected Nuclides (Half-life)	Radioactivity Density ( Bq/kg· Moist Soil)				
I-131 (Approx. 8 days)	ND	ND	ND		
Cs-134 (Approx. 2 years)	16	11	24		
Cs-137 (Approx. 30 years)	22	16	38		

\* Data of other nuclides is under evaluation.


\* "ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 2Bq/kg· Moist Soil ) As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

Radioactivity Density of the Marine Soil at 3km Offshore of Ukedo River (T-D1) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil Around 15km Offshore of Odaka Ward (T-B1) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil Around 18km Offshore of Ukedo River (T-B2) (Bq/kg, Moist Soil)

