

Reference

Nuclides Analysis Result of Marine Soil < 1/2 >

(Data summarized on June 21)

| Place of Sampling (Place No.) | 3km Offshore of 1F (T-D5) | 15km Offshore of 1F (T-5) | 10km Offshore of Kumagawa, Okuma Town (T-) | 15km Offshore of Kumagawa, Okuma Town (T-) | 20km Offshore of Kumagawa, Okuma Town (T-) |
|----------------------------------|--|---------------------------|---|---|---|
| Time of Sampling | Jun 19, 2012 8:10 AM | Jun 19, 2012 10:00 AM | Jun 19, 2012 8:10 AM | Jun 19, 2012 8:00 AM | Jun 19, 2012 7:30 AM |
| Detected Nuclides (Half-life) | Radioactivity Density (Bq/kg· Moist Soil) | | | | |
| I-131 (Approx. 8 days) | ND | ND | ND | ND | ND |
| Cs-134 (Approx. 2 years) | 41 | 38 | 61 | 80 | 47 |
| Cs-137 (Approx. 30 years) | 58 | 60 | 91 | 130 | 67 |

* Data of other nuclides is under evaluation.

* "ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 4Bq/kg· Moist Soil) As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

Nuclides Analysis Result of Marine Soil < 2/2 >

(Data summarized on June 21)


| | | | | | |
|----------------------------------|---|--|--|--|--|
| Place of Sampling (Place No.) | 1km Offshore of Yamadahama, Naraha Town (T-) | | | | |
| Time of Sampling | Jun 19, 2012 9:40 AM | | | | |
| Detected Nuclides (Half-life) | Radioactivity Density (Bq/kg· Moist Soil) | | | | |
| I-131 (Approx. 8 days) | ND | | | | |
| Cs-134 (Approx. 2 years) | 140 | | | | |
| Cs-137 (Approx. 30 years) | 210 | | | | |

* Data of other nuclides is under evaluation.


* "ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 4Bq/kg· Moist Soil) As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.


Radioactivity Density of the Marine Soil at 3km Offshore of Fukushima Daiichi NPS (T-D5) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil at 15km Offshore of Fukushima Daiichi NPS (T-5) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil Around 10km Offshore of Kumagawa, Okuma Town (T-) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil Around 15km Offshore of Kumagawa, Okuma Town (T-) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil Around 20km Offshore of Kumagawa, Okuma Town (T-) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil Around 1km Offshore of Yamadahama, Naraha Town (T-) (Bq/kg, Moist Soil)

