

Nuclides Analysis Result of Marine Soil

(Data summarized on June 28)


Place of Sampling (Place No.)	Around 3km Offshore of Ukedo River (T-S3)	Around 3km Offshore of Fukushima Daiichi NPS (T- S4)			
Time of Sampling	Jun 26, 2012 6:30 AM	Jun 26, 2012 6:55 AM			
Detected Nuclides (Half-life)	Radioactivity Density ( Bq/kg· Moist Soil)				
I-131 (Approx. 8 days)	ND	ND			
Cs-134 (Approx. 2 years)	23	20			
Cs-137 (Approx. 30 years)	35	29			

\* Data of other nuclides is under evaluation.


\* "ND" indicates that the measurement result is below the detection limit.

I-131: Approx. 3Bq/kg· Moist Soil ) As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.


Radioactivity Density of the Marine Soil at 1km Offshore of Murakami, Odaka Ward (T- ) (Bq/kg, moist soil)




Radioactivity Density of the Marine Soil at 2km Offshore of Murakami, Odaka Ward (T- ) (Bq/kg, moist soil)




Radioactivity Density of the Marine Soil at 1km Offshore of Ukedo, Namie Town (T- ) (Bq/kg, moist soil)




Radioactivity Density of the Marine Soil at 2km Offshore of Ukedo, Namie Town (T- ) (Bq/kg, moist soil)




Radioactivity Density of the Marine Soil at 3km Offshore of Ukedo, Namie Town (T- ) (Bq/kg, moist soil)



Radioactivity Density of the Marine Soil Around 1km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil Around 2km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)







Radioactivity Density of the Marine Soil Around 3km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil Around 5km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil at 10km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)




Radioactivity Density of the Marine Soil at 15km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil at 20km Offshore of Kumagawa, Okuma Town (T- ) (Bq/kg, Moist Soil)



Radioactivity Density of the Marine Soil at around 3km Offshore of Ukedo River (T-S3) (Bq/kg, moist soil)



Radioactivity Density of the Marine Soil at around 3km Offshore of Fukushima Daiichi NPS (T-S4) (Bq/kg, moist soil)

