Reference

Nuclides Analysis Result of the Radioactive Materials in the Seawater < Coast, Fukushima Daiichi Nuclear Power Station >

(Data summarized on November 9)

Place of Sampling	North of Unit 5-6 Discharge C Daiichi NF (Approx. 30m North of U Channel	PS nit 5-6 Discharge	Around South Discharge Ch Daiichi NF (Appox. 330m South of U Channel	Density Limit Specified by the Reactor Regulation (Bq/L)		
Time of Sampling	Nov 8, 20 8:30 AM		Nov 8, 20 8:10 AM	(The density limit in the water outside the surrounding monitored areas is provided		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	in section 6 of Appendix 2.)	
I-131 (Approx. 8 days)	ND	-	ND	-	40	
Cs-134 (Approx. 2 years)	ND	-	ND	-	60	
Cs-137 (Approx. 30 years)	ND	-	ND	-	90	

^{*} The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

I-131: Approx. 0.49Bq/L, Cs-134: Approx.1.1Bq/L, Cs-137: Approx.1.4Bq/L

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

^{*} Data of other nuclides is under evaluation.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

 $^{^{\}star}$ "ND" indicates that the measurement result is below the detection limit.

Nuclides Analysis Result of Radioactive Materials in the Seawater < Offshore >

(Data summarized on November 9)

Place of Sampling (Place No.)			kedo River (T-[3km Offshore of Ukedo River (T-D1)				3km Offshore of Fukushima Daiichi NPS (T-D5)				Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored
	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Oct 13, 2012 Oct 13, 20 9:50 AM 9:50 AM		-	Oct 16, 2012 9:05 AM		Oct 16, 2012 9:05 AM		Oct 13, 2012 8:30 AM		Oct 13, 2012 8:30 AM			
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor	areas is provided in section 6 of Appendix 2.)
Cs-134 (Approx. 2 years)	0.020	0.00	0.017	0.00	0.050	0.00	0.021	0.00	0.036	0.00	0.030	0.00	60
Cs-137 (Approx. 30 years)	0.036	0.00	0.032	0.00	0.087	0.00	0.036	0.00	0.059	0.00	0.046	0.00	90


Place of Sampling (Place No.)		km Offshore of Fukushima Daiichi NPS (T-D5)				3km Offshore of Fukushima Daini NPS (T-D9)				e of Fukus	Density Limit Specified by the Reactor		
	Upper La	ayer	Lower La	ayer	Upper La	ayer	Lower La	ayer	Upper Layer Lower Lay		ayer	Regulation (Bq/L)	
Time of Sampling	Oct 16, 2 9:40 A		Oct 16, 2 9:40 A		Oct 14, 2012 10:10 AM		Oct 14, 2012 10:10 AM		Oct 17, 2012 9:50 AM		Oct 17, 2012 9:50 AM		(The density limit in the water outside the surrounding monitored
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	Density of Sample (Bq/L)	Scaling Factor	aroos is provided in
Cs-134 (Approx. 2 years)	0.028	0.00	0.026	0.00	0.024	0.00	0.016	0.00	0.044	0.00	0.0095	0.00	60
Cs-137 (Approx. 30 years)	0.050	0.00	0.041	0.00	0.036	0.00	0.030	0.00	0.068	0.00	0.020	0.00	90

^{*} The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.


^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.


^{*} Analyzed by : Tokyo Electric Power Environmental Engineering Co., Inc.

Radioactivity Density of the Seawater at the North of 1F Unit 5-6 Discharge Channel (Bq/L)



Radioactivity Density of the Seawater at 1F South Discharge Channel (Bq/L)





Radioactivity Density of the Seawater at 3km Offshore of Ukedo River (T-D1) Lower Layer (Bq/L)

