Reference

Nuclides Analysis Result of the Radioactive Materials in the Air at the Upper Part of Unit 3 Reactor Building < 1/2 >

(Data summarized on January 18)

Place of Sampling	Upper Part of Unit 3 Reactor Building ① (Above the Reactor (Northeast Side)(Downward direction))		Upper Part of Unit 3 Reactor Building ② (Above the Reactor (Northeast Side)(Cross direction))		Upper Part of Unit 3 Reactor Building ③ (Above the Reactor (Northeast Side)(Downward direction))		Density Limit Specified by the Reactor Regulation (Bq/cm³) (Density limit in the air which radiation workers breathe in
Time of Sampling	Jan 11, 2013 9:15 AM - 9:45 AM		Jan 11, 2013 9:15 AM - 9:45 AM		Jan 11, 2013 10:15 AM - 10:45 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	①Density of Sample (Bq/cm³)	Scaling Factor (1)/2)	is specified in section 4 of Appendix 2)
I-131 (Approx. 8 days)	ND	1	ND	-	ND	-	1E-03
Cs-134 (Approx. 2 years)	2.2E-04	0.11	4.5E-05	0.02	8.3E-05	0.04	2E-03
Cs-137 (Approx. 30 years)	3.8E-04	0.13	7.7E-05	0.03	1.3E-04	0.04	3E-03

^{*} The radioactivity density is the sum of the volatile nuclides density and the particulate nuclides density.

O.OE -O is the same as O.O x 10 $^{-}$ O

Data of other nuclides is under examination.

The detection limits are as follows. Volatile: I-131: Approx. 7E-6Bq/cm3, Cs-134: Approx.2E-5Bq/cm3, Cs-137: Approx.2E-5Bq/cm3

Particulate: I-131: Approx. 6E-6Bq/cm3 As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.

Reference

Nuclides Analysis Result of the Radioactive Materials in the Air at the Upper Part of Unit 3 Reactor Building < 2/2 >

(Data summarized on January 18)

Place of Sampling	Upper Part of Unit 3 Reactor Building ④ (Above the Reactor (Northeast Side)(Cross direction))		Upper Part of Unit 3 Reactor Building ⑤ (Around the Machine Hatch Opening on the 3rd Floor)		Upper Part of Unit 3 Reactor Building ⑥ (Around the Machine Hatch Opening on the 3rd Floor)		② Density Limit Specified by the Reactor Regulation (Bq/cm³) (Density limit in the air which radiation workers breathe in
Time of Sampling	Jan 11, 2013 10:15 AM - 10:45 AM		Jan 11, 2013 11:10 AM - 11:40 AM		Jan 11, 2013 12:05 PM - 12:35 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/cm³)	Scaling Factor (1)/2)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	①Density of Sample (Bq/cm³)	Scaling Factor (①/②)	is specified in section 4 of Appendix 2)
I-131 (Approx. 8 days)	ND	-	ND	1	ND	1	1E-03
Cs-134 (Approx. 2 years)	5.1E-05	0.03	ND	1	ND	1	2E-03
Cs-137 (Approx. 30 years)	1.0E-04	0.03	ND	-	ND	-	3E-03

^{*} The radioactivity density is the sum of the volatile nuclides density and the particulate nuclides density.

O.OE-O is the same as $O.O \times 10^{-O}$

Data of other nuclides is under examination.

The detection limits are as follows. Volatile: I-131: Approx. 7E-6Bq/cm3, Cs-134: Approx.2E-5Bq/cm3, Cs-137: Approx.2E-5Bq/cm3
Particulate: I-131: Approx. 5E-6Bq/cm3, Cs-134: Approx.1E-5Bq/cm3, Cs-137: Approx.1E-5Bq/cm3
As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

^{*} In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

^{* &}quot;ND" indicates that the measurement result is below the detection limit.