<Reference>
January 15, 2014
Tokyo Electric Power Company

Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (Sampling Locations of Underground Water Obtained at Bank Protection)

○ Sampling locations of underground water obtained at bank

East seawall break



—— : Location where ground improvement construction was completed, or being implemented (as of December 27)

Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (1/4)

Unit: Bq/L (exclude chloride)

		Underground water observation hole No.0-1	Underground water observation hole No.0-1-1	Underground water observation hole No.0-1-2	Underground water observation hole No.0-2	Underground water observation hole No.0-3-1	Underground water observation hole No.0-3-2	Underground water observation hole No.0-4	Underground water observation hole No.1	Underground water observation hole No.1-8	Underground water observation hole No.1-9	Underground water observation hole No.1-11	Underground water observation hole No.1-12	Underground water observation hole No.1-14	Underground water observation hole No.1-16
Date of sampling							Jan 08, 2014				Jan 12, 2014				
Time of sampling							12:00 PM				6:57 AM				
Chloride (unit: ppm)							–				330				
Cs-134 (Approx. 2 years)							ND(0.42)				12				
Cs-137 (Approx.30 years)							ND(0.50)				29				
The other γ	Mn-54 (Approx. 310 days)						0.35				ND				
Gross β							ND(18)				87				
H-3 (Approx. 12 years)							68,000				490				
Sr-90（Approx. 29 years）							–				–				

		Underground water observation hole No.1-17	Groundwater pumped up from the well point (between Unit 1 and 2)	Underground water observation hole No.2	Underground water observation hole No.2-2	Underground water observation hole No.2-3	Underground water observation hole No.2-5	Underground water observation hole No.2-6	Underground water observation hole No.2-7	Groundwater pumped up from the well point (between Unit 2 and 3)	Underground water observation hole No.3*	Underground water observation hole No.3-4	Underground water observation hole No.3-5
Date of sampling													
Time of sampling													
Chloride (unit: ppm)													
Cs-134 (Approx. 2 years)													
Cs-137 (Approx.30 years)													
The other γ	Mn-54 (Approx. 310 days)												
Gross β													
H-3 (Approx. 12 years)													
Sr-90（Approx. 29 years）													

* Data announced this time is provided in a thick-frame. The other data was announced on January 9, 13

* "ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

* "-" indicates that the measurement was out of range.

Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (2/4) Underground Water Obtained at Bank Protection

Unit: Bq/L (exclude chloride)

		Underground water observation hole No.0-1	Underground water observation hole No.0-1-1	Underground water observation hole No.0-1-2	Underground water observation hole No.0-2	Underground water observation hole No.0-3-1	Underground water observation hole No.0-3-2	Underground water observation hole No.0-4	Underground water observation hole No.1	Underground water observation hole No.1-8	Underground water observation hole No.1-9	Underground water observation hole No.1-11	Underground water observation hole No.1-12	Underground water observation hole No.1-14	Underground water observation hole No.1-16
Date of sampling							Jan 14, 2014				Jan 14, 2014				
Time of sampling							12:00 PM				7:00 AM				
Chloride (unit: ppm)							–				340				
Cs-134 (Approx. 2 years)							0.82				11				
Cs-137 (Approx.30 years)							2.1				28				
The other γ	Mn-54 (Approx. 310 days)						0.36				ND				
Gross β							ND(15)				140				
H-3 (Approx. 12 years)							Under analysis				Under analysis				
Sr-90（Approx. 29 years）							–				–				

		Underground water observation hole No.1-17	Groundwater pumped up from the well point (between Unit 1 and 2)	Underground water observation hole No.2	Underground water observation hole No.2-2	Underground water observation hole No.2-3	Underground water observation hole No.2-5	Underground water observation hole No.2-6	Underground water observation hole No.2-7	Groundwater pumped up from the well point (between Unit 2 and 3)	Underground water observation hole No.3*	Underground water observation hole No.3-4	Underground water observation hole No.3-5
Date of sampling								Jan 14, 2014					
Time of sampling								9:06 AM					
Chloride (unit: ppm)								–					
Cs-134 (Approx. 2 years)								ND(0.34)					
Cs-137 (Approx.30 years)								ND(0.52)					
The other γ	Mn-54 (Approx. 310 days)							ND					
Gross β								2,200					
H-3 (Approx. 12 years)								Under analysis					
Sr-90（Approx. 29 years）								–					

* "ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

* "-" indicates that the measurement was out of range.

Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (Sampling Locations of Seawater)



Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (3/4)
Seawater

Unit: Bq/L

	1F, North side of Unit 5,6 discharge channel	1F, In front of Unit 6 water intake channel	1F, In front of shallow draft quay	1F, North side of Unit 1-4 water intake channel	1F, North side of Unit 1-4 water intake channel (north side of East Seawall Break)	1F, Unit 1 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 1 and Unit 2 (surface layer)	1F, Between the water intake channel of Unit 1 and Unit 2 (lower layer)	1F, Unit 2 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 2 and Unit 3	1F, Unit 3 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 3 and Unit 4	Density Limit Specified by the Reactor Regulation *	WHO Guidelines for drinking-water quality
Date of Sampling				Jan 12, 2014			Jan 12, 2014	Jan 12, 2014						
Time of sampling				6:47 AM			6:53 AM	6:53 AM						
Cs-134(Approx. 2 years)				23			17	12					60	10
Cs-137(Approx.30 years)				50			46	31					90	10
Gross β				450			410	160						
H-3 (Approx. 12 years)				1,300			1,100	430					60,000	10,000
Sr-90（Approx. 29 years）				–			–	–					30	10

Unit: Bq/L

	1F, Unit 4 Screen (Inside the Silt Fence)	1F, Around the south discharge channel	1F, Port entrance	1F, East side in the port	1F, West side in the port	1F, North side in the port	1F, South side in the port	North side of the north breakwater	Northeast side of the port entrance	East side of the port entrance	Southeast side of the port entrance	South side of the south breakwater	Density Limit Specified by the Reactor Regulation *	WHO Guidelines for drinking-water quality
Date of Sampling			Jan 05, 2014	Jan 05, 2014	Jan 05, 2014	Jan 05, 2014	Jan 05, 2014	Jan 07, 2014	Jan 07, 2014	Jan 07, 2014	Jan 07, 2014	Jan 07, 2014		
Time of sampling			9:05 AM	9:15 AM	9:18 AM	9:21 AM	9:11 AM	9:29 AM	9:35 AM	9:41 AM	9:54 AM	9:48 AM		
Cs-134(Approx. 2 years)			ND(1.3)	ND(1.3)	ND(1.5)	2.2	ND(1.4)	ND(0.64)	ND(0.84)	ND(0.80)	ND(0.77)	ND(0.72)	60	10
Cs-137(Approx.30 years)			ND(1.1)	1.9	2.8	3.7	ND(1.2)	ND(0.59)	ND(0.73)	ND(0.64)	ND(0.64)	ND(0.59)	90	10
Gross β			ND(17)	ND(17)	ND(17)	ND(17)	ND(17)	ND(17)	ND(17)	ND(17)	ND(17)	ND(17)		
H-3 (Approx. 12 years)			ND(1.6)	3.7	11	11	2.2	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	ND(1.7)	60,000	10,000
Sr-90（Approx. 29 years）			–	–	–	–	–	–	–	–	–	–	30	10

* Data announced this time is provided in a thick-frame. The other data was announced on January 10.

* "ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

* "-" indicates that the measurement was out of range.

* Density Limit Specified by the Rule for the Installation, Operation, etc. of Commercial Nuclear Power Reactors (the density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2 [the amount is converted from Bq/㎥to Bq/L]).

Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection (4/4)

Unit: Bq/L

	1F, North side of Unit 5,6 discharge channel	1F, In front of Unit 6 water intake channel	1F, In front of shallow draft quay	1F, North side of Unit 1-4 water intake channel	1F, North side of Unit 1-4 water intake channel (north side of East Seawall Break)	1F, Unit 1 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 1 and Unit 2 (surface layer)	1F, Between the water intake channel of Unit 1 and Unit 2 (lower layer)	1F, Unit 2 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 2 and Unit 3	1F, Unit 3 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 3 and Unit 4	※ Density Limit Specified by the Reactor Regulation *	WHO Guidelines for drinking-water quality
Date of Sampling				Jan 14, 2014			Jan 14, 2014	Jan 14, 2014						
Time of sampling				6:51 AM			6:56 AM	6:56 AM						
Cs-134(Approx. 2 years)				21			17	15					60	10
Cs-137(Approx.30 years)				50			45	36					90	10
Gross β				270			300	140						
H-3 (Approx. 12 years)				Under analysis			Under analysis	Under analysis					60,000	10,000
Sr-90（Approx. 29 years）				—			—	—					30	10

Unit: Bq/L

	1F, North side of Unit 5,6 discharge channel	1F, In front of Unit 6 water intake channel	1F, In front of shallow draft quay	1F, North side of Unit 1-4 water intake channel	1F, North side of Unit 1-4 water intake channel (north side of East Seawall Break)	1F, Unit 1 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 1 and Unit 2 (surface layer)	1F, Between the water intake channel of Unit 1 and Unit 2 (lower layer)	1F, Unit 2 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 2 and Unit 3	1F, Unit 3 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 3 and Unit 4	Density Limit Specified by the Reactor Regulation *	WHO Guidelines for drinking-water quality
Date of Sampling			Jan 14, 2014	Jan 14, 2014	Jan 14, 2014	Jan 14, 2014	Jan 14, 2014							
Time of sampling			9:43 AM	9:50 AM	9:54 AM	9:57 AM	9:45 AM							
Cs-134(Approx. 2 years)			ND(0.90)	ND(2.1)	ND(1.4)	ND(1.5)	ND(1.1)						60	10
Cs-137(Approx.30 years)			ND(1.1)	3.7	5.7	3.3	2.2						90	10
Gross β			ND(16)	18	ND(16)	ND(16)	ND(16)							
H-3 (Approx. 12 years)			Under analysis	Under analysis	Under analysis	Under analysis	Under analysis						60,000	10,000
Sr-90（Approx. 29 years）			—	—	—	—	—						30	10

* "ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

* "-" indicates that the measurement was out of range.

* Density Limit Specified by the Rule for the Installation, Operation, etc. of Commercial Nuclear Power Reactors (the density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2 [the amount is converted from Bq/cm^3 to Bq/L]).

<Reference> The Highest Dose Until the Previous Measurement (Groundwater Obtained at Bank Protection)

Unit: Bq/L

		Groundwater observation hole No.0-1	Groundwater observation hole No.0-1-1	Groundwater observation hole No.0-1-2	Groundwater observation hole No.0-2	Groundwater observation hole No.0-3-1	Groundwater observation hole No.0-3-2	Groundwater observation hole No.0-4	Groundwater observation hole No.1	Groundwater observation hole No.1-1*	Groundwater observation hole No.1-2*	Groundwater observation hole No.1-3*	Groundwater observation hole No.1-4*	Groundwater observation hole No.1-5*
Cs-134 (Approx. 2 years)		7.6 〔12/15〕	ND	ND	0.61 〔10/13〕	0.44 〔11/24〕	0.41 〔12/26〕	ND	13 〔8/29〕	1.9 〔7/8〕	11,000 〔7/9〕	10 〔9/2〕	1.5 〔7/8〕	310 〔8/5〕
Cs-137 (Approx.30 years)		17 〔12/15〕〔12/29〕	0.58 〔12/7〕	0.51 〔11/17〕	2.2 <1/12>	0.86 〔11/20〕	0.91 〔12/26〕	1.4 <1/12>	31 〔8/29〕	3.6 〔7/8〕	22,000 〔7/9〕	24 〔9/2〕	3.6 〔7/8〕	650 〔8/5〕
The other γ	Ru-106 (Approx. 370 days)	ND	ND	ND	ND	ND	ND	ND	26 〔5/24〕	7.9 〔7/8〕	160 〔8/15〕	17 〔7/22〕〔8/8〕	3.1 〔8/8〕	ND
	Mn-54 (Approx. 310 days)	ND	ND	ND	ND	ND	0.40 <1/5>	ND	ND	1.0 〔7/5〕	62 〔7/5〕	ND	ND	ND
	Co-60 (Approx. 5 years)	ND	ND	ND	ND	ND	ND	ND	0.50 〔7/19〕	ND	3.1 〔7/8〕	ND	ND	ND
	Sb-125 (Approx. 3 years)	ND	ND	ND	ND	ND	ND	ND	1.7 〔7/11〕	ND	250 〔7/15〕	1.4 〔7/12〕〔8/26〕	ND	12 〔8/8〕
Gross β		300 〔8/22〕	21 〔12/7〕	21 〔11/10〕	87 〔10/13〕	ND	67*2 〔12/11〕	29 〔12/29〕	1,900 〔5/24〕	4,400 〔7/8〕	900,000 〔7/5〕〔7/9〕	160,000 〔8/12〕〔8/15〕	380 〔8/19〕	56,000 〔8/5〕
H-3 (Approx. 12 years)		45,000 〔8/29〕	18,000 〔12/7〕	74,000 〔12/15〕	3,900 <1/5>	ND	70,000 〔12/29〕	36,000 <1/5>	500,000 〔5/24〕〔6/7〕	630,000 〔7/8〕	430,000 〔9/16〕	290,000 〔7/12〕	98,000 〔7/11〕	72,000 〔8/15〕
Sr-90(Approx. 29 years)		Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	1,200 〔6/7〕	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis

Unit: Bq/L

		Groundwater observation hole No.1-8	Groundwater observation hole No.1-9	Groundwater observation hole No.1-11	Groundwater observation hole No.1-12	Groundwater observation hole No.1-14	Groundwater observation hole No.1-16	Groundwater observation hole No.1-17	Groundwater pumped up from the well point (between Unit 1 and 2)
Cs-134 (Approx. 2 years)		47 〔11/25〕	170 〔9/3〕	1.1 <1/13>	74 〔10/21〕	1.2 〔11/14〕	3.1*2 〔12/13〕	1.2 〔12/5〕	110 〔9/23〕
Cs-137 (Approx.30 years)		110 〔11/25〕	380 〔9/3〕	2.8 <1/13>	170 〔10/21〕	2.3 〔11/21〕	3.4 〔10/10〕	0.66 〔12/12〕	250 〔9/23〕
The other γ	Ru-106 (Approx. 370 days)	ND	ND	ND	5.4 〔10/28〕	ND	9.2 〔10/28〕	4.1 〔12/12〕	25 〔9/2〕
	Mn-54 (Approx. 310 days)	9.7 〔12/16〕	ND	ND	ND	ND	ND	ND	0.83 〔12/30〕
	Co-60 (Approx. 5 years)	0.63 〔12/23〕	ND	ND	0.51 〔10/24〕	ND	0.9 〔11/7〕	0.61 〔11/25〕	ND
	Sb-125 (Approx. 3 years)	ND	ND	ND	61 〔10/21〕	ND	11 〔12/5〕	2.1 〔11/25〕	ND
Gross β		39,000 <1/6>	2,100 〔11/17〕	2,300 〔12/26〕	730 〔10/21〕	360 <1/13>	2,400,000 <1/13>	130 〔12/2〕〔12/23〕	700,000 〔9/23〕
H-3 (Approx. 12 years)		12,000 <1/6>	860 〔11/14〕	85,000 〔9/13〕	440,000 〔10/31〕	11,000 〔11/25〕	43,000 〔9/26〕	30,000 <1/9>	460,000 〔8/19〕
Sr-90(Approx. 29 years)		Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	—

Unit: Bq/L

		Groundwater observation hole No.2	Groundwater observation hole No.2-1*	Groundwater observation hole No.2-2	Groundwater observation hole No.2-3	Groundwater observation hole No.2-5*1	Groundwater observation hole No.2-6	Groundwater observation hole No.2-7	Groundwater pumped up from the well point (between Unit 2 and 3)	Groundwater observation hole No.3	Groundwater observation hole No.3-1*	Groundwater observation hole No.3-4	Groundwater observation hole No.3-5
Cs-134 (Approx. 2 years)		0.50 〔7/9〕	0.66 〔9/1〕	12 <1/12>	0.84 <1/5>	13 <1/8>	0.56 〔10/30〕	1.5 <1/12>	1.1 〔12/12〕	3.5 〔7/25〕	1.2 〔7/25〕〔8/8〕	1.9 <1/8>	29 〔12/18〕
Cs-137 (Approx.30 years)		1.2 〔7/11〕〔8/1〕	1.1 〔8/29〕〔9/1〕	28 <1/1> <1/12>	2.6 <1/5>	30 <1/8>	0.61 〔10/13〕	3.6 <1/12>	2.4 〔12/7〕	5.9 〔8/8〕	2.6 〔8/1〕	4.3 〔11/27〕	74 〔12/18〕
The other γ	Ru-106 (Approx. 370 days)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
	Mn-54 (Approx. 310 days)	ND	ND	ND	0.29 〔12/6〕	0.94 <1/8>	ND	ND	ND	ND	ND	0.54 〔10/30〕	-
	Co-60 (Approx. 5 years)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-
	Sb-125 (Approx. 3 years)	ND	ND	ND	ND	26 〔9/29〕	ND	ND	ND	1.6 <1/1>	ND	ND	-
Gross β		1,700 〔7/8〕	380 〔7/29〕	530 〔12/29〕	1,500 〔12/6〕	46,000 〔9/29〕	3,200 〔12/5〕	270 〔12/20〕	240,000 〔12/12〕	1,400 〔7/11〕	180 〔8/1〕	ND	43 〔12/18〕
H-3 (Approx. 12 years)		870 〔12/8〕	440 〔8/26〕	660 <1/8>	1,700 〔12/6〕	6,300 〔12/4〕	1,200 〔11/24〕〔11/27〕	1,000 〔11/21〕〔12/4〕	5,100 〔12/6〕	3,200 〔H24. 12/12〕	460 〔8/1〕	170 〔9/18〕	170 <1/8>
Sr-90(Approx. 29 years)		54 〔5/31〕	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	-	8.3 〔H24. 12/12〕	Under analysis	Under analysis	-

*1 The analysis result of No.2-5 obtained on September 29 is the reference value, since we could not sample groundwater by a regular procedure.

*2 Analysis result of pumped water.

* "ND" indicates that the measurement result is below the detection limit.

* Date of sampling is provided in parentheses〔mm/dd〕for FY2013 and <mm/dd> for FY2014.

* "*" is provided next to the name of the holes where the sampling could not be performed due to the chemical injection of ground improvement.

<Reference> The Highest Dose Until the Previous Measurement* (Seawater)

Unit: Bq/L

	1F, North side of Unit 5,6 discharge channel	1F, In front of Unit 6 water intake channel	1F, In front of shallow draft quay	1F, North side of Unit 1-4 water intake channel	1F, North side of Unit 1-4 water intake channel (north side of East Seawall Break)	1F, Unit 1 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 1 and Unit 2 (surface layer)	1F, Between the water intake channel of Unit 1 and Unit 2 (lower layer)	1F, Unit 2 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 2 and Unit 3	1F, Unit 3 Screen (Inside the Silt Fence)	1F, Between the water intake channel of Unit 3 and Unit 4
Cs-134(Approx. 2 years)	1.8 〔6/21〕	2.8 〔12/2〕	5.3 〔8/5〕	89 〔10/10〕	32 〔10/11〕	73 〔10/10〕	87 〔10/10〕	93 〔10/10〕	370 〔10/9〕	52 〔12/21〕	350 〔7/15〕	28 〔9/16〕
Cs-137(Approx.30 years)	3.3 〔6/26〕	5.8 〔12/2〕	8.6 〔8/5〕	190 〔10/10〕	73 〔10/11〕	170 〔10/10〕	200 〔10/10〕	200 〔10/10〕	830 〔10/9〕	110 〔10/11〕 〔12/21〕	770 〔7/15〕	53 〔12/16〕
Gross β	17 <1/6>	46 〔8/19〕	40 〔7/3〕	1,400 〔11/7〕	320 〔8/12〕	740 〔10/28〕	1,200 〔12/8〕	450 〔7/16〕	1,700 〔10/9〕	480 〔10/7〕	1,000 〔7/15〕	390 〔8/12〕
H-3 (Approx. 12 years)	8.6 〔6/26〕	24 〔8/19〕	340 〔6/26〕	4,800 〔11/7〕	510 〔9/2〕	2,800 〔10/28〕	2,800 〔12/8〕	1,600 〔9/1〕	2,100 〔10/28〕	1,200 〔10/7〕	410 〔9/2〕	650 〔8/12〕
Sr-90（Approx. 29 years）	5.8 〔6/26〕	—	7.4 〔6/26〕	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis	Under analysis

Unit: Bq/L

	1F, Unit 4 Screen (Inside the Silt Fence)	1F, Around the south discharge channel	1F, Port entrance	1F, East side in the port	1F, West side in the port	1F, North side in the port	1F, South side in the port	North side of the north breakwater	Northeast side of the port entrance	East side of the south breakwater	Southeast side of the north breakwater	South side of the south breakwater
Cs-134(Approx. 2 years)	62 〔9/16〕	ND	3.3 〔12/24〕	3.3 〔10/17〕	4.4 〔12/24〕	5.0 〔12/2〕	3.5 〔10/17〕	ND	ND	ND	ND	ND
Cs-137(Approx.30 years)	140 〔9/16〕	3.0 〔7/15〕	7.3 〔10/11〕	9.0 〔10/17〕	10 〔12/24〕	8.4 〔12/2〕	7.8 〔10/17〕	ND	ND	1.6 〔10/18〕	ND	ND
Gross β	360 〔10/7〕	15 <1/13>	69 〔8/19〕	74 〔8/19〕	60 〔7/4〕	69 〔8/19〕	79 〔8/19〕	ND	ND	ND	ND	ND
H-3 (Approx. 12 years)	400 〔8/12〕 〔10/7〕	1.9 〔11/25〕	68 〔8/19〕	67 〔8/19〕	59 〔8/19〕	52 〔8/19〕	60 〔8/19〕	4.7 〔8/14〕	ND	6.4 〔10/8〕	ND	ND
Sr-90（Approx. 29 years）	Under analysis	0.36 〔6/26〕	3.5 〔6/20〕	Under analysis	Under analysis	—	—	—	—	—	—	—

* The highest result announced in "Detailed Analysis Results in the Port of Fukushima Daiichi NPS, around Discharge Channel and Bank Protection" or the other handouts is provided.
As for "1F, North side of Unit 1-4 water intake channel", the data is obtained since January 14, 2013. For the other locations, the data is obtained since June 14.

* "ND" indicates that the measurement result is below the detection limit.

* Date of sampling is provided in parentheses; 〔mm/dd〕 for FY2013 and <mm/dd> for FY2014.

* "-" indicates that the measurement was out of range.

Unit: Bq/L

[Reference] Standard values

	Cs-134	Cs-137	H-3	Sr-90
Density Limit Specified by the Rule for the Installation, Operation, etc. of Commercial Nuclear Power Reactors (the density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2)	60	90	60,000	30
WHO Guidelines for drinking-water quality	10	10	10,000	10