Reference

Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 1/3 >

(Data summarized on February 10)

| | | | | | | | | | | | (| | nanzea en reeraalj re |
|----------------------------------|----------------------------------|----------------------------|--------------------------------|------------------------------|---|------------------------------|--|------------------------------|---|------------------------------|--|--|---|
| Place of Sampling | SI | hallow Dra | ft Quay at 1F | | Inside Unit 1-4 Water Intake Canal (North) at 1F | | Inside Unit 1-4 Water Intake Canal (North) at 1F (North side of the East Seawall Break) | | Seawater Obtained at Unit 1 Screen in 1F | | 1F Unit 2 Screen (Outside the Silt Fence) | | Density Limit Specified by the Reactor Regulation |
| Time of Sampling | Feb 9, 2014 N/A (Not sampled) | | | Feb 9, 2014 (Not sampled) | | Feb 9, 2014 (Not sampled) | | Feb 9, 2014 (Not sampled) | | Feb 9, 2014 (Not sampled) | | (Bq/L) (The density limit in the water outside the | |
| Detected Nuclides (Half-life) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | surrounding monitored |
| l-131 (Approx. 8 days) | - | - | - | - | - | - | - | - | - | - | - | - | 40 |
| Cs-134 (Approx. 2 years) | - | - | - | - | - | - | - | - | - | - | - | - | 60 |
| Cs-137 (Approx. 30 years) | - | - | - | - | - | - | - | - | - | - | - | - | 90 |

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.
* Data of other nuclides is under evaluation.
* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

No sampling due to the

Reference

Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 2/3 >

(Data summarized on February 10)

| Place of Sampling | 1F Unit 2 S (Inside the Sil | | | 1F Unit 3 Screen (Inside the Silt Fence) | | 1F Unit 4 Screen (Outside the Silt Fence) | | 1F Unit 4 Screen (Inside the Silt Fence) | | Inside Unit 1-4 Water Intake Canal (South) at 1F | | Density Limit Specified by the Reactor Regulation | |
|----------------------------------|--------------------------------|----------------------------|--------------------------------|---|--------------------------------|--|--------------------------------|---|--------------------------------|--|--------------------------------|---|--|
| Time of Sampling | Feb 9, 20 (Not samp | | Feb 9, 20 (Not samp | | Feb 9, 20 (Not samp | | | | Feb 9, 2014 (Not sampled) | | Feb 9, 2014 (Not sampled) | | (Bq/L) (The density limit in the water outside the |
| Detected Nuclides (Half-life) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | surrounding monitored |
| I-131 (Approx. 8 days) | - | - | - | - | - | - | - | - | - | - | - | - | 40 |
| Cs-134 (Approx. 2 years) | - | - | - | - | - | - | - | - | - | - | - | - | 60 |
| Cs-137 (Approx. 30 years) | - | - | - | - | - | - | - | - | - | - | - | - | 90 |

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.
* Data of other nuclides is under evaluation.
* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.

No sampling due to the

Reference

Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 3/3 >

| | | | | | | | | | | | | Data summ | narized on February 10) |
|----------------------------------|---|----------------------------|---|----------------------------|--------------------------------|----------------------------|--------------------------------|----------------------------|--------------------------------|----------------------------|--------------------------------|----------------------------|---|
| Place of Sampling | Port Entrance of Fukushima Daiichi NPS | | In Front of Unit 6 Wa Intake Canal at 1F | | | | | | | | | | Density Limit Specified by the Reactor Regulation |
| Time of Sampling | N/A | _ | N/A | | | | | | | | | | (Bq/L) (The density limit in the water outside the |
| Detected Nuclides (Half-life) | Density of Sample (Bq/L) | Scaling Factor (/) | Sample | Scaling Factor (/) | Density of Sample (Bq/L) | Scaling Factor (/) | surrounding monitored areas is provided in section 6 of Appendix 2.) |
| l-131 (Approx. 8 days) | - | - | - | - | | | | | | | | | 40 |
| Cs-134 (Approx. 2 years) | - | - | - | - | | | | | | | | | 60 |
| Cs-137 (Approx. 30 years) | - | - | - | - | | | | | | | | | 90 |

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.
* Data of other nuclides is under evaluation.
* In the case of more than 2 nuclides, the sum of scaling factors to density limits is compared to 1.