Reference

#### Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS < 1/2 >

(Data summarized on October 7)

Place of Sampling	Shallow Draft	Fukushima Daiich	Inside Unit 1-4 Water Intake Canal (North) at Fukushima Daiichi NPS (North side of the East Seawall Break)		Unit 1 Water Intake Canal at Fukushima Daiichi NPS (In front of Impermeable Wall)		Unit 2 Water Intake Canal at Fukushima Daiichi NPS (In front of Impermeable Wall)		Seawater at Unit 4 Screen		② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the		
Time of Sampling	Oct 6, 2014 *1 (Not sampled)		N/A		Oct 6, 2014 *1 (Not sampled)		Oct 6, 2014 *1 (Not sampled)		Oct 6, 2014 *1 (Not sampled)			Oct 6, 2014 *1 (Not sampled)	
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	-surrounding monitored areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (Approx. 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (Approx. 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90

<sup>\*</sup> The density specified by the Reactor Regulation is converted from Bq/cm^3 to Bq/L.

\* Data of other nuclides is under evaluation.

\* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

<sup>\*</sup> The sampling will be performed after opening and closing of the silt fence.
\*1 Not sampled because of bad weather.

Reference

#### Radioactivity Density of the Seawater in the Port of Fukushima Daiichi NPS<2/2>

(Data summarized on October 7)

Place of Sampling	Inside Unit 1-4 Water Intake Canal (South) at Fukushima Daiichi NPS (in front of Impermeable Wall)			ushima Daiichi N	In Front of Unit 6* Water Intake Canal at Fukushima Daiichi NPS						② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored		
Time of Sampling	12:00 AM *1 (Not sampled)		N/A		N/A		N/A						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	①Density of Sample (Bq/L)	Scaling Factor (1)/2)	areas is provided in section 6 of Appendix 2.)
I-131 (Approx. 8 days)	-	-	-	-	-	-	-	-					40
Cs-134 (Approx. 2 years)	-	-	-	-	-	-	-	-					60
Cs-137 (Approx. 30 years)	-	-	-	-	-	-	-	-					90

 $<sup>^{\</sup>star}$  The density specified by the Reactor Regulation is converted from Bq/cm^3 to Bq/L.


<sup>\*</sup> Data of other nuclides is under evaluation.

<sup>\*</sup> In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.


\* At these points, sampling is carried out once a week. (As for the port entrance, also sampled on the day the silt fence was opened/shut or covering work was carried out in the port.)

<sup>\*1</sup> Not sampled because of bad weather.


### Radioactivity Density of the Seawater in Front of the Shallow Draft Quay at 1F (Bq/L)




# Radioactivity Density of the Seawater at the North of Unit 1-4 Water Intake (North of East Seawater Break of Fukushima Daiichi NPS (Bq/ L)




Radioactivity Density of the Seawater of Unit 1 Water Intake Canal at Fukushima Daiichi NPS (In front of Impermeable Wall) (Bq/L)



# Radioactivity Density of the Seawater of Unit 2 Water Intake Canal at Fukushima Daiichi NPS (In front of Impermeable Wall) (Bq/L)



### Radioactivity Density of the Seawater at Unit 4 Screen at Fukushima Daiichi NPS (Bq/L)



Radioactivity Density of the Seawater at the South of Unit 1-4 Water Intake (in front of Impermeable Wall) at Fukushima Daiichi NPS (Bq/L)

