

Nuclides Analysis Result of the Radioactive Materials in the Seawater < Coast, Fukushima Daiichi Nuclear Power Station >

(Data summarized on October 16, 2014)

Place of Sampling	North of Unit 5-6 Discharge Channel at Fukushima Daiichi NPS (Approx. 30m North of Unit 5-6 Discharge Channel)		Around South Discharge Channel of Fukushima Daiichi NPS (Approx. 1.3km South of Unit 1-4 Discharge Channel)		② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (Approx. 8 days)	-	-	-	-	40
Cs-134 (Approx. 2 years)	-	-	-	-	60
Cs-137 (Approx. 30 years)	-	-	-	-	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* Data of other nuclides is under evaluation.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

* "ND" indicates that the measurement result is below the detection limit, which is provided in parentheses.

*1 Not sampled because of bad weather.

Nuclides Analysis Result of the Radioactive Materials in the Seawater
< Coast, Fukushima Daiichi Nuclear Power Station, Remeasurement >

(Data Summarized on October 16, 2014)

Place of Sampling	North of Unit 5-6 Discharge Channel at Fukushima Daiichi NPS (Approx. 30m North of Unit 5-6 Discharge Channel)						Around South Discharge Channel of Fukushima Daiichi NPS (Approx. 1.3km South of Unit 1-4 Discharge Channel)						② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Aug 25, 2014 6:55 AM		Sep 1, 2014 6:20 AM		Sep 8, 2014 7:00 AM		Aug 25, 2014 5:40 AM		Sep 1, 2014 5:30 AM		Sep 8, 2014 5:30 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.17	0.00	0.044	0.00	0.24	0.00	0.085	0.00	0.21	0.00	1.1	0.02	60
Cs-137 (Approx. 30 years)	0.52	0.01	0.15	0.00	0.71	0.01	0.23	0.00	0.64	0.01	3.2	0.04	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

* "ND" indicates that the measurement result is below the detection limit, and the detection limit of each nuclide is provided in parentheses.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted.

* Analyzed by: Tokyo Power Tecnology Ltd.

Nuclides Analysis Result of the Radioactive Materials in the Seawater
< Coast, Fukushima Daini Nuclear Power Station >

(Data Summarized on October 16, 2014)

Place of Sampling	2F Around the North Discharge Channel (Around Unit 3-4 Discharge Channel) (Approx. 10km from 1F)						Around the Iwasawa Shore (Approx. 7km South of Unit 1 & 2 Discharge Channel) (Approx. 16km from 1F)						② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Aug 26, 2014 10:20 AM		Sep 2, 2014 10:10 AM		Sep 9, 2014 9:50 AM		Aug 26, 2014 4:20 PM		Sep 2, 2014 4:10 PM		Sep 9, 2014 4:10 PM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.045	0.00	0.027	0.00	0.040	0.00	0.051	0.00	0.034	0.00	0.027	0.00	60
Cs-137 (Approx. 30 years)	0.11	0.00	0.11	0.00	0.13	0.00	0.16	0.00	0.10	0.00	0.091	0.00	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* Data of other nuclides is under evaluation.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted.
Analyzed by Tokyo Power Technology Ltd.

Nuclides Analysis Result of the Radioactive Materials in the Seawater
< Coast, Fukushima Daiichi Nuclear Power Station, Within 20km Radius >

(Data Summarized on October 16, 2014)

Place of Sampling	South side of the Ukedo Port (Approx. 5.5km north of Unit 5-6 Discharge Channel)						② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Aug 26, 2014 8:55 AM		Sep 2, 2014 8:05 AM		Sep 9, 2014 8:30 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.010	0.00	0.020	0.00	0.026	0.00	
Cs-137 (Approx. 30 years)	0.032	0.00	0.055	0.00	0.078	0.00	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted.

* Analysis performed by Tokyo Power Technology Ltd.

Nuclides Analysis Result of Radioactive Materials in the Seawater <Offshore 1/4>

(Data Summarized on October 16, 2014)

Place of Sampling (Place No.)	*1				*1				*2				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	3km Offshore of Odaka Ward (T-14)		3km Offshore of Odaka Ward (T-14)		3km Offshore of Odaka Ward (T-14)		3km Offshore of Odaka Ward (T-14)		3km Offshore of Ukedo River (T-D1)		3km Offshore of Ukedo River (T-D1)		
Time of Sampling	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Aug 26, 2014 9:51 AM		Aug 26, 2014 9:51 AM		Sep 1, 2014 9:05 AM		Sep 1, 2014 9:05 AM		Aug 26, 2014 10:29 AM		Aug 26, 2014 10:29 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.0018	0.00	0.0016	0.00	0.0022	0.00	0.0095	0.00	0.0030	0.00	0.0040	0.00	60
Cs-137 (Approx. 30 years)	0.0063	0.00	0.0097	0.00	0.0075	0.00	0.035	0.00	0.0065	0.00	0.013	0.00	90

Place of Sampling (Place No.)	*2				*2				*2				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	3km Offshore of Ukedo River (T-D1)		3km Offshore of Ukedo River (T-D1)		3km Offshore of Ukedo River (T-D1)		3km Offshore of Ukedo River (T-D1)		3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		
Time of Sampling	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Sep 1, 2014 9:43 AM		Sep 1, 2014 9:43 AM		Sep 9, 2014 8:56 AM		Sep 9, 2014 8:56 AM		Aug 26, 2014 10:59 AM		Aug 26, 2014 10:59 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.0031	0.00	0.0098	0.00	0.0054	0.00	0.0063	0.00	ND	-	0.0027	0.00	60
Cs-137 (Approx. 30 years)	0.0099	0.00	0.028	0.00	0.016	0.00	0.020	0.00	0.0045	0.00	0.0090	0.00	90

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

"ND" indicates that the measurement result is below the detection limit (Cs-134: 0.0017Bq/L).

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted(Announced on May 14, 2012).

* Analyzed by: *1 THE GENERAL ENVIRONMENTAL TECHNOS Co., LTD., *2 Tokyo Power Technology Ltd.

Nuclides Analysis Result of Radioactive Materials in the Seawater <Offshore 2/4>

(Data Summarized on October 16, 2014)

Place of Sampling (Place No.)	*2				*2				*2				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		3km Offshore of Fukushima Daiichi NPS (T-D5)		
Time of Sampling	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
	Sep 1, 2014 10:24 AM		Sep 1, 2014 10:24 AM		Sep 9, 2014 8:01 AM		Sep 9, 2014 8:01 AM		Aug 26, 2014 10:37 AM		Aug 26, 2014 10:37 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.010	0.00	0.0065	0.00	0.0045	0.00	0.0087	0.00	0.0023	0.00	0.0029	0.00	60
Cs-137 (Approx. 30 years)	0.030	0.00	0.024	0.00	0.014	0.00	0.028	0.00	0.0060	0.00	0.011	0.00	90

Place of Sampling (Place No.)	*2				*2				*1				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	3km Offshore of Fukushima Daini NPS (T-D9)		3km Offshore of Fukushima Daini NPS (T-D9)		3km Offshore of Fukushima Daini NPS (T-D9)		3km Offshore of Fukushima Daini NPS (T-D9)		15km Offshore of Fukushima Daiichi NPS (T-5)		15km Offshore of Fukushima Daiichi NPS (T-5)		
Time of Sampling	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
	Sep 2, 2014 10:23 AM		Sep 2, 2014 10:23 AM		Sep 9, 2014 8:05 AM		Sep 9, 2014 8:05 AM		Aug 26, 2014 8:34 AM		Aug 26, 2014 8:34 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.0017	0.00	0.0039	0.00	0.0018	0.00	0.0020	0.00	ND	-	0.0013	0.00	60
Cs-137 (Approx. 30 years)	0.0059	0.00	0.013	0.00	0.0083	0.00	0.0077	0.00	0.0033	0.00	0.0044	0.00	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

* "ND" indicates that the measurement result is below the detection limit.

Cs-134: Approx.0.0012Bq/L As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted(Announced on May 14, 2012).

* Analyzed by: *1 THE GENERAL ENVIRONMENTAL TECHNOS Co., LTD., *2 Tokyo Power Technology Ltd.

Nuclides Analysis Result of Radioactive Materials in the Seawater <Offshore 3/4>

(Data Summarized on October 16, 2014)

Place of Sampling (Place No.)	15km Offshore of Fukushima Daiichi NPS (T-5)				3km Offshore of Iwasawa Shore (T-11)				3km Offshore of Iwasawa Shore (T-11)				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Sep 2, 2014 9:20 AM		Sep 2, 2014 9:20 AM		Aug 26, 2014 11:18 AM		Aug 26, 2014 11:18 AM		Sep 2, 2014 11:16 AM		Sep 2, 2014 11:16 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	ND	-	ND	-	0.0035	0.00	0.0064	0.00	0.0091	0.00	0.011	0.00	60
Cs-137 (Approx. 30 years)	0.0018	0.00	0.0037	0.00	0.012	0.00	0.023	0.00	0.030	0.00	0.034	0.00	90

Place of Sampling (Place No.)	1km Offshore of Nida River (T-13-1)				3km Offshore of Soma (T-22)				5km Offshore of Kashima (T-MA)				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Aug 29, 2014 5:58 AM		Aug 29, 2014 5:58 AM		Aug 29, 2014 4:51 AM		Aug 29, 2014 4:51 AM		Aug 29, 2014 5:20 AM		Aug 29, 2014 5:20 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.0029	0.00	0.0021	0.00	0.0028	0.00	0.0032	0.00	0.0027	0.00	0.0028	0.00	60
Cs-137 (Approx. 30 years)	0.011	0.00	0.0071	0.00	0.010	0.00	0.012	0.00	0.0078	0.00	0.0086	0.00	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.

"ND" indicates that the measurement result is below the detection limit (Cs-134: 0.0012Bq/L).

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.

* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted(Announced on May 14, 2012).

* Analyzed by: THE GENERAL ENVIRONMENTAL TECHNOS Co., LTD.

Nuclides Analysis Result of Radioactive Materials in the Seawater <Offshore 4/4>

(Data Summarized on October 16, 2014)

Place of Sampling (Place No.)	2km Offshore of Kido River (T-S5)				2km Offshore of Fukushima Daini NPS(T-S7)				10km Offshore of 1F (T-B3)				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Sep 4, 2014 7:28 AM		Sep 4, 2014 7:28 AM		Sep 4, 2014 6:47 AM		Sep 4, 2014 6:47 AM		Aug 29, 2014 5:27 AM		Aug 29, 2014 5:27 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	0.021	0.00	0.0058	0.00	0.018	0.00	0.014	0.00	ND	-	ND	-	60
Cs-137 (Approx. 30 years)	0.058	0.00	0.018	0.00	0.059	0.00	0.043	0.00	0.0052	0.00	0.0049	0.00	90

Place of Sampling (Place No.)	10km Offshore of 1F (T-B3)				10km Offshore of 2F (T-B4)				10km Offshore of 2F (T-B4)				② Density Limit Specified by the Reactor Regulation (Bq/L) (The density limit in the water outside the surrounding monitored areas is provided in section 6 of Appendix 2.)
	Upper Layer		Lower Layer		Upper Layer		Lower Layer		Upper Layer		Lower Layer		
Time of Sampling	Sep 6, 2014 5:55 AM		Sep 6, 2014 5:55 AM		Aug 29, 2014 6:19 AM		Aug 29, 2014 6:19 AM		Sep 6, 2014 6:41 AM		Sep 6, 2014 6:41 AM		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
Cs-134 (Approx. 2 years)	ND	-	0.0015	0.00	ND	-	ND	-	ND	-	0.0016	0.00	60
Cs-137 (Approx. 30 years)	0.0026	0.00	0.0043	0.00	0.0028	0.00	0.0031	0.00	0.0029	0.00	0.0038	0.00	90

* The density specified by the Reactor Regulation is converted from Bq/cm³ to Bq/L.

* In the case of 2 nuclides or more, the sum of scaling factors to density limits is compared to 1.


"ND" indicates that the measurement result is below the detection limit (Cs-134: 0.0014Bq/L).

As the detection limit may vary depending on the detectors and sample properties, there are cases where nuclides below the detection limit are detected.


* Analysis results by detail analysis (Phosphomolybdic acid ammonium adsorption sampling method) are noted(Announced on May 14, 2012).

* Analyzed by: THE GENERAL ENVIRONMENTAL TECHNOS Co., LTD.


Radioactivity Density of the Seawater at 1F Units 5-6 North Discharge Channel (Bq/L)




Radioactivity Density of the Seawater at 1F South Discharge Channel (Bq/L)




Radioactivity Density of the Seawater at 2F North Discharge Channel (Bq/L)




Radioactivity Density of the Seawater Around the Iwasawa Shore of 2F (Bq/L)




Radioactivity Density of the South Side of the Ukedo Port (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Odaka Ward (T-14) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Odaka Ward (T-14) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Ukedo River (T-D1) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Ukedo River (T-D1) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Fukushima Daiichi NPS (T-D5)
Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Fukushima Daiichi NPS (T-D5)
Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Fukushima Daini NPS (T-D9) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Fukushima Daini NPS (T-D9) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 15km Offshore of Fukushima Daiichi NPS (T-5)
Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 15km Offshore of Fukushima Daiichi NPS (T-5)
Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Iwasawa Shore (T-11) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Iwasawa Shore (T-11) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 1km Offshore of Nida River (T-13-1) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 1km Offshore of Nida River (T-13-1) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Soma (T-22) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 3km Offshore of Soma (T-22) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 5km Offshore of Kashima (T-MA) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 5km Offshore of Kashima (T-MA) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 2km Offshore of Kido River (T-S5) Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 2km Offshore of Kido River (T-S5) Lower Layer (Bq/L)




Radioactivity Density of the Seawater at 2km Offshore of Fukushima Daini NPS (T-S7)
Upper Layer (Bq/L)




Radioactivity Density of the Seawater at 2km Offshore of Fukushima Daini NPS (T-S7)
Lower Layer (Bq/L)




Radioactivity Density of the Seawater Around 10km Offshore of Fukushima Daiichi NPS (T-B3)
Upper Layer (Bq/L)



Radioactivity Density of the Seawater Around 10km Offshore of Fukushima Daiichi NPS (T-B3)
Lower Layer (Bq/L)



Radioactivity Density of the Seawater Around 10km Offshore of Fukushima Daini (T-B4)
Upper Layer (Bq/L)



Radioactivity Density of the Seawater Around 10km Offshore of Fukushima Daini (T-B4)
Lower Layer (Bq/L)

