

Analyzed result of nuclide in fish < Inner port in Fukushima Daiichi NPS>< 1/3 >

Data summarized on June 17

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density[Bq/kg (Raw)] (Half-life) | | |
|---|---|------------------|--|--------------------------|----------|
| | | | Cs-134 (Approx. 2 years) | Cs-137(Approx. 30 years) | CS (Sum) |
| Marbled sole(muscle) No.1 | In the Port of Fukushima Daiichi NPS (Around the Shallow Draft Quay) | May 8,2015 | 170 | 630 | 800 |
| Sea raven(muscle) No.1 | Inner port (Near east breakwater) in Fukushima Daiichi NPS | May 8, 2015 | 130 | 520 | 650 |
| Common skete(muscle) No.1 | Inner port (Near east breakwater) in Fukushima Daiichi NPS | May 8, 2015 | 48 | 190 | 238 |
| Brown hakeling(muscle) | Inner port (Near east breakwater) in Fukushima Daiichi NPS | May 21, 2015 | 210 | 770 | 980 |
| Greenling(muscle) | Inner port (Near south breakwater) in Fukushima Daiichi NPS | May 12, 2015 | 370 | 1400 | 1770 |
| Acanthopagrus schlegeli(muscle) No.1 | Inner port (Near south breakwater) in Fukushima Daiichi NPS | May 12, 2015 | ND(7.3) | 39 | 39 |
| Sea raven(muscle) No.2 | Inner port (Near south breakwater) in Fukushima Daiichi NPS | May 12, 2015 | 9.6 | 54 | 63.6 |
| Drumfish(muscle) No.1 | Inner port (Near south breakwater) in Fukushima Daiichi NPS | May 26, 2015 | ND(8.3) | ND(6.4) | ND |
| Acanthopagrus schlegeli(muscle) No.2 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 8, 2015 | ND(10) | 19 | 19 |
| Common skete(muscle) No.2 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 8, 2015 | 60 | 230 | 290 |

- * When analyzed result is less than a detection limit level of the radioactivity concentration, showed as "ND";
as of individual Nuclide, detection limit level is showed in parenthesis.
- * Standard value (since April 1,2014) total of Cs-134 and Cs-37:100Bq/kg
- * Analyzed by: Tokyo Power Technology Ltd.

Analyzed result of nuclide in fish < Inner port in Fukushima Daiichi NPS><2/3>

Data summarized on June 17

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density[Bq/kg (Raw)] (Half-life) | | |
|---|---|------------------|--|------------------------------|----------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | CS (Sum) |
| Spotbelly rockfish (muscle) No.1 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 8, 2015 | 780 | 2800 | 3580 |
| Acanthopagrus schlegeli(muscle) No.3 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 22, 2015 | ND(7.3) | 12 | 12 |
| Striped mullet(muscle) | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 22, 2015 | ND(7.4) | 17 | 17 |
| Spotbelly rockfish (muscle) No.2 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 22, 2015 | 620 | 2200 | 2820 |
| Sea bass(muscle) | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 25, 2015 | ND(9.9) | 12 | 12 |
| Drumfish(muscle) No.2 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 25, 2015 | ND(6.2) | 5.7 | 5.7 |
| Marbled sole(muscle) No.2 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 25, 2015 | 69 | 270 | 339 |
| Marbled sole(muscle) No.3 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 25, 2015 | 47 | 190 | 237 |
| Sebastes cheni(muscle) No.1 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 26, 2015 | 38 | 160 | 198 |
| Drumfish(muscle) No.3 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 26, 2015 | ND(9.8) | 8.7 | 8.7 |

* When analyzed result is less than a detection limit level of the radioactivity concentration, showed as "ND";

as of individual Nuclide, detection limit level is showed in parenthesis.

* Standard value (since April 1,2014) total of Cs-134 and Cs-37:100Bq/kg

* Analyzed by: Tokyo Power Technology Ltd.

Analyzed result of nuclide in fish < Inner port in Fukushima Daiichi NPS><3/3>

Data summarized on June 17

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Density[Bq/kg (Raw)] (Half-life) | | |
|----------------------------------|--|------------------|--|------------------------------|----------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | CS (Sum) |
| Marbled sole(muscle) No.4 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 26, 2015 | 380 | 1400 | 1780 |
| Spotbelly rockfish (muscle) No.3 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 26, 2015 | 98 | 370 | 468 |
| Flatfish(muscle) | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 28, 2015 | ND(7.6) | 34 | 34 |
| Marbled sole(muscle) No.5 | Inner port (Near port entrance) in Fukushima Daiichi NPS | May 28, 2015 | 62 | 210 | 272 |
| Sebastes cheni(muscle) No.2 | Inner port (Around the port center) in Fukushima Daiichi NPS | May 12, 2015 | 4600 | 17000 | 21600 |
| Spotbelly rockfish (muscle) No.4 | Inner port (Around the port center) in Fukushima Daiichi NPS | May 12, 2015 | 12000 | 44000 | 56000 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

* When analyzed result is less than a detection limit level of the radioactivity concentration, showed as "ND"; as of individual Nuclide, detection limit level is showed in parenthesis.

* Standard value (since April 1,2014) total of Cs-134 and Cs-37:100Bq/kg

* Analyzed by: Tokyo Power Technology Ltd.