

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <1/2>

(Data summarized on May 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Marbled sole (muscle) No.1	Inner port (Near shallow draft quay) in Fukushima Daiichi NPS	Apr 6, 2016	7.2	35	42.2
Sebastes cheni (muscle) No.1	Inner port (Near south breakwater) in Fukushima Daiichi NPS	Apr 14, 2016	89	430	519
Spotbelly rockfish (muscle) No.1	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 9, 2016	3600	18000	21600
Sebastes cheni (muscle) No.2	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 11, 2016	220	1000	1220
Marbled sole (muscle) No.2	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 11, 2016	42	190	232
Schlegel's black rockfish (muscle)	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 13, 2016	34	150	184
Microstomus achne (muscle)	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 13, 2016	ND (7.7)	20	20
Drumfish (muscle) No.1	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 14, 2016	ND (8.1)	12	12
Drumfish (muscle) No.2	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 19, 2016	ND (7.9)	9.5	9.5
Drumfish (muscle) No.3	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 22, 2016	ND (6.6)	ND (7.7)	ND

* When an analysis result is less than a detection limit of radioactivity concentration, the value is indicated as "ND (not detected)."

A detection limit of individual nuclide is provided in parenthesis.

* The sum of Cs-134 and Cs-137 radioactivity concentration as a standard value (since April 1, 2012) is 100 Bq/kg.

* The samples are analyzed by Tokyo Power Technology, Ltd.

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <2/2>

(Data summarized on May 18)

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Spotbelly rockfish (muscle) No.2	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 25, 2016	510	2500	3010
Marbled sole (muscle) No.3	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 26, 2016	64	270	334
Spotbelly rockfish (muscle) No.3	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 26, 2016	39	210	249
Acanthopagrus schlegeli (muscle)	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 27, 2016	ND (7.5)	13	13
Sea raven (muscle)	Inner port (Near port entrance) in Fukushima Daiichi NPS	Apr 27, 2016	7.4	56	63.4

* When an analysis result is less than a detection limit of radioactivity concentration, the value is indicated as "ND (not detected)."

A detection limit of individual nuclide is provided in parenthesis.

* The sum of Cs-134 and Cs-137 radioactivity concentration as a standard value (since April 1, 2012) is 100 Bq/kg.

* The samples are analyzed by Tokyo Power Technology, Ltd.