

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station>

| Name of Sample (Region) | Place of Sampling (Place No.) | Date of Sampling | Radioactivity Concentration [Bq/kg (Raw)] (Half-life) | | |
|----------------------------|---|------------------|---|---------------------------------|----------|
| | | | Cs-134 (Approx. 2 years) | Cs-137 (Approx. 30 years) | CS (Sum) |
| Flatfish (muscle) ① | Port area of Fukushima Daiichi NPS(Near the port entrance) | June 1, 2018 | ND(4.2) | 13 | 13 |
| Flatfish (muscle) ② | Port area of Fukushima Daiichi NPS(Near the port entrance) | June 6, 2018 | 14 | 110 | 124 |
| Smooth dogfish (muscle) | Port area of Fukushima Daiichi NPS(Near the port entrance) | June 6, 2018 | ND(4.0) | ND(4.7) | ND |
| Spotted halibut (muscle) | Port area of Fukushima Daiichi NPS(Near the port entrance) | June 14, 2018 | ND(5.0) | 67 | 67 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parent

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.