

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/18/2011

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
11:50 PM	North of Main Building	3244.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.2
11:40 PM	North of Main Building	3256.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
11:30 PM	North of Main Building	3254.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.8
11:20 PM	West Gate	368.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.3
11:10 PM	West Gate	371.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.4
11:00 PM	West Gate	373.6 μ Sv/h	under 0.01 μ Sv/h	north	0.3
10:50 PM	West Gate	375.9 μ Sv/h	under 0.01 μ Sv/h	west	0.4
10:40 PM	West Gate	379.6 μ Sv/h	under 0.01 μ Sv/h	southwest	0.4
10:30 PM	West Gate	382.9 μ Sv/h	under 0.01 μ Sv/h	west	0.5
10:20 PM	West Gate	385.9 μ Sv/h	under 0.01 μ Sv/h	west	0.5
10:10 PM	West Gate	389.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.7
10:00 PM	West Gate	393.9 μ Sv/h	under 0.01 μ Sv/h	southwest	0.5
9:50 PM	West Gate	397.8 μ Sv/h	under 0.01 μ Sv/h	west	0.5
9:40 PM	West Gate	401.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.4
9:30 PM	West Gate	405.2 μ Sv/h	under 0.01 μ Sv/h	west	0.3
9:20 PM	West Gate	409.4 μ Sv/h	under 0.01 μ Sv/h	west	0.3
9:10 PM	West Gate	414.2 μ Sv/h	under 0.01 μ Sv/h	west	0.6
9:00 PM	West Gate	419.1 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.5
8:50 PM	West Gate	423.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.6
8:40 PM	West Gate	429.2 μ Sv/h	under 0.01 μ Sv/h	southwest	0.8
8:30 PM	West Gate	434.5 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.7
8:20 PM	West Gate	441.2 μ Sv/h	under 0.01 μ Sv/h	west	0.5
8:10 PM	West Gate	447.6 μ Sv/h	under 0.01 μ Sv/h	south	3.0
8:00 PM	North of Main Building	3611.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.3
7:50 PM	North of Main Building	3634.0 μ Sv/h	under 0.01 μ Sv/h	west-southwest	1.5
7:40 PM	North of Main Building	3669.0 μ Sv/h	under 0.01 μ Sv/h	south	1.3
7:30 PM	North of Main Building	3699.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.4
7:20 PM	North of Main Building	3728.0 μ Sv/h	under 0.01 μ Sv/h	southwest	1.4
7:10 PM	North of Main Building	3745.0 μ Sv/h	under 0.01 μ Sv/h	southwest	1.3
7:00 PM	North of Main Building	3788.0 μ Sv/h	under 0.01 μ Sv/h	west	1.5
6:50 PM	North of Main Building	3832.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.4
6:40 PM	North of Main Building	3885.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.5
6:30 PM	North of Main Building	3922.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.5
6:20 PM	North of Main Building	4069.0 μ Sv/h	under 0.01 μ Sv/h	south	1.2
6:10 PM	North of Main Building	4069.0 μ Sv/h	under 0.01 μ Sv/h	south	1.2
6:00 PM	North of Main Building	4084.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.2
5:50 PM	North of Main Building	4090.0 μ Sv/h	under 0.01 μ Sv/h	south-southwest	1.8
5:40 PM	North of Main Building	4182.0 μ Sv/h	under 0.01 μ Sv/h	south	1.8
5:30 PM	North of Main Building	4251.0 μ Sv/h	under 0.01 μ Sv/h	south	2.3
5:20 PM	North of Main Building	4952.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	3.1
5:10 PM	North of Main Building	5033.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.1
5:00 PM	North of Main Building	5055.0 μ Sv/h	under 0.01 μ Sv/h	south	2.0
4:50 PM	North of Main Building	4735.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.1
4:40 PM	North of Main Building	4277.0 μ Sv/h	under 0.01 μ Sv/h	east	2.1
4:30 PM	North of Main Building	4419.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	1.8
4:20 PM	North of Main Building	4535.0 μ Sv/h	under 0.01 μ Sv/h	south	2.1
4:10 PM	North of Main Building	4352.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.0
4:00 PM	North of Main Building	4485.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.4
3:50 PM	North of Main Building	4396.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.2
3:40 PM	North of Main Building	3823.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.1
3:30 PM	North of Main Building	4075.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.3
3:20 PM	North of Main Building	3582.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	1.9
3:10 PM	North of Main Building	3368.0 μ Sv/h	under 0.01 μ Sv/h	south	1.7
3:00 PM	North of Main Building	3345.0 μ Sv/h	under 0.01 μ Sv/h	southeast	1.4
2:55 PM	North of Main Building	3346.0 μ Sv/h	under 0.01 μ Sv/h	south	1.5
2:50 PM	North of Main Building	3339.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.5
2:45 PM	North of Main Building	3357.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	1.6
2:40 PM	North of Main Building	3348.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	1.8
2:35 PM	North of Main Building	3342.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	1.7
2:30 PM	North of Main Building	3352.0 μ Sv/h	under 0.01 μ Sv/h	southeast	1.9
2:25 PM	North of Main Building	3357.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.9
2:20 PM	North of Main Building	3362.0 μ Sv/h	under 0.01 μ Sv/h	south	1.7
2:15 PM	North of Main Building	3371.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.6
2:10 PM	North of Main Building	3382.0 μ Sv/h	under 0.01 μ Sv/h	southeast	1.7

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
2:00 PM	North of Main Building	3414.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.0
1:50 PM	North of Main Building	3484.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.8
1:30 PM	West Gate	264.1 μ Sv/h	under 0.01 μ Sv/h	east	2.0
1:20 PM	West Gate	262.7 μ Sv/h	under 0.01 μ Sv/h	southeast	2.5
1:10 PM	West Gate	261.9 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.6
1:00 PM	West Gate	262.0 μ Sv/h	under 0.01 μ Sv/h	south	3.0
0:50 PM	West Gate	261.3 μ Sv/h	under 0.01 μ Sv/h	southeast	2.7
0:40 PM	West Gate	264.3 μ Sv/h	under 0.01 μ Sv/h	south	1.8
0:30 PM	West Gate	263.3 μ Sv/h	under 0.01 μ Sv/h	east	1.1
0:20 PM	West Gate	262.9 μ Sv/h	under 0.01 μ Sv/h	southeast	1.2
0:10 PM	West Gate	263.1 μ Sv/h	under 0.01 μ Sv/h	west	1.3
0:00 PM	West Gate	263.5 μ Sv/h	under 0.01 μ Sv/h	north	1.7
11:50 AM	West Gate	263.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
11:40 AM	West Gate	264.4 μ Sv/h	under 0.01 μ Sv/h	southwest	1.7
11:30 AM	West Gate	264.1 μ Sv/h	under 0.01 μ Sv/h	southwest	1.5
11:20 AM	West Gate	264.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3
11:10 AM	West Gate	264.4 μ Sv/h	under 0.01 μ Sv/h	north	1.5
11:00 AM	West Gate	265.0 μ Sv/h	under 0.01 μ Sv/h	west	1.9
10:50 AM	West Gate	264.8 μ Sv/h	under 0.01 μ Sv/h	southwest	1.8
10:40 AM	West Gate	265.4 μ Sv/h	under 0.01 μ Sv/h	north	2.3
10:30 AM	West Gate	265.7 μ Sv/h	under 0.01 μ Sv/h	northwest	2.5
10:20 AM	West Gate	266.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.2
10:10 AM	West Gate	266.4 μ Sv/h	under 0.01 μ Sv/h	west	1.8
10:00 AM	West Gate	266.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.0
9:50 AM	West Gate	266.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	3.1
9:40 AM	West Gate	267.0 μ Sv/h	under 0.01 μ Sv/h	west	2.9
9:30 AM	West Gate	267.5 μ Sv/h	under 0.01 μ Sv/h	west	3.3
9:20 AM	West Gate	268.9 μ Sv/h	under 0.01 μ Sv/h	west	2.3
9:10 AM	West Gate	267.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.8
9:00 AM	West Gate	268.7 μ Sv/h	under 0.01 μ Sv/h	west-northwest	2.6
8:50 AM	West Gate	269.2 μ Sv/h	under 0.01 μ Sv/h	northwest	2.5
8:40 AM	West Gate	269.8 μ Sv/h	under 0.01 μ Sv/h	west	3.3
8:30 AM	West Gate	269.9 μ Sv/h	under 0.01 μ Sv/h	west	3.7
8:20 AM	West Gate	269.9 μ Sv/h	under 0.01 μ Sv/h	west	3.4
8:10 AM	West Gate	270.3 μ Sv/h	under 0.01 μ Sv/h	northwest	2.9
8:00 AM	West Gate	270.5 μ Sv/h	under 0.01 μ Sv/h	northwest	2.7
7:50 AM	West Gate	271.2 μ Sv/h	under 0.01 μ Sv/h	north	3.0
7:40 AM	West Gate	271.1 μ Sv/h	under 0.01 μ Sv/h	northwest	2.9
7:30 AM	West Gate	271.4 μ Sv/h	under 0.01 μ Sv/h	west	2.0
7:20 AM	West Gate	271.6 μ Sv/h	under 0.01 μ Sv/h	north	1.9
7:10 AM	West Gate	271.7 μ Sv/h	under 0.01 μ Sv/h	north	2.1
7:00 AM	West Gate	272.4 μ Sv/h	under 0.01 μ Sv/h	west	2.3
6:50 AM	West Gate	273.4 μ Sv/h	under 0.01 μ Sv/h	west	1.6
6:40 AM	West Gate	272.7 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
6:30 AM	West Gate	274.1 μ Sv/h	under 0.01 μ Sv/h	west	1.2
6:20 AM	West Gate	273.8 μ Sv/h	under 0.01 μ Sv/h	north	1.4
6:10 AM	West Gate	274.0 μ Sv/h	under 0.01 μ Sv/h	west	1.6
6:00 AM	West Gate	274.0 μ Sv/h	under 0.01 μ Sv/h	northeast	1.3
5:50 AM	West Gate	277.1 μ Sv/h	under 0.01 μ Sv/h	north	1.0
5:40 AM	West Gate	278.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
5:30 AM	West Gate	278.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.7
5:20 AM	West Gate	279.0 μ Sv/h	under 0.01 μ Sv/h	north	0.6
5:10 AM	West Gate	279.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.5
5:00 AM	West Gate	279.4 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.5
4:50 AM	West Gate	279.8 μ Sv/h	under 0.01 μ Sv/h	northeast	0.5
4:40 AM	West Gate	280.0 μ Sv/h	under 0.01 μ Sv/h	north	0.6
4:30 AM	West Gate	280.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.2
4:20 AM	West Gate	280.7 μ Sv/h	under 0.01 μ Sv/h	north	0.4
4:10 AM	West Gate	280.9 μ Sv/h	under 0.01 μ Sv/h	west	0.5
4:00 AM	West Gate	281.1 μ Sv/h	under 0.01 μ Sv/h	west	0.5
3:50 AM	West Gate	281.2 μ Sv/h	under 0.01 μ Sv/h	east	0.4
3:40 AM	West Gate	281.5 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
3:30 AM	West Gate	281.6 μ Sv/h	under 0.01 μ Sv/h	west	0.7
3:20 AM	West Gate	282.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.4
3:10 AM	West Gate	282.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.3
3:00 AM	West Gate	282.6 μ Sv/h	under 0.01 μ Sv/h	west	0.2
2:50 AM	West Gate	282.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.2
2:40 AM	West Gate	283.0 μ Sv/h	under 0.01 μ Sv/h	north-northeast	0.2
2:30 AM	West Gate	283.5 μ Sv/h	under 0.01 μ Sv/h	northwest	0.2

Measurement Time	Measured Place	γ Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
2:20 AM	West Gate	283.7 μ Sv/h	under 0.01 μ Sv/h	northwest	0.2
2:10 AM	West Gate	283.7 μ Sv/h	under 0.01 μ Sv/h	northwest	0.5
2:00 AM	West Gate	284.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.0
1:50 AM	West Gate	284.4 μ Sv/h	under 0.01 μ Sv/h	northwest	0.6
1:40 AM	West Gate	284.6 μ Sv/h	under 0.01 μ Sv/h	north	0.9
1:30 AM	West Gate	284.9 μ Sv/h	under 0.01 μ Sv/h	northwest	1.4
1:20 AM	West Gate	285.2 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
1:10 AM	West Gate	285.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.5
1:00 AM	West Gate	285.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.6
0:50 AM	West Gate	286.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
0:40 AM	West Gate	286.3 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
0:30 AM	West Gate	286.4 μ Sv/h	under 0.01 μ Sv/h	west	0.8
0:20 AM	West Gate	286.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
0:10 AM	West Gate	287.3 μ Sv/h	under 0.01 μ Sv/h	west	1.0
0:00 AM	West Gate	287.0 μ Sv/h	under 0.01 μ Sv/h	west	1.4