

[Appendix] Monitoring data by a monitoring car at Fukushima Daiichi Nuclear Power Station

Measurement Date : 03/25/2011

Measurement Time	Measured Place	Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
1150 PM	Main Gate	184.7 μ Sv/h	under 0.01 μ Sv/h	northwest	2.6
11:40 PM	Main Gate	184.8 μ Sv/h	under 0.01 μ Sv/h	northwest	2.2
11:30 PM	Main Gate	185.3 μ Sv/h	under 0.01 μ Sv/h	west	1.6
11:20 PM	Main Gate	186.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
11:10 PM	Main Gate	186.4 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
11:00 PM	Main Gate	187.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.9
10:50 PM	Main Gate	187.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	2.3
10:40 PM	Main Gate	189.2 μ Sv/h	under 0.01 μ Sv/h	north	1.6
10:30 PM	Main Gate	189.6 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.5
10:20 PM	Main Gate	190.1 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.5
10:10 PM	Main Gate	190.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
10:00 PM	Main Gate	191.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.5
9:50 PM	Main Gate	192.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.8
9:40 PM	Main Gate	193.0 μ Sv/h	under 0.01 μ Sv/h	north	1.3
9:30 PM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.9
9:20 PM	Main Gate	195.4 μ Sv/h	under 0.01 μ Sv/h	north	1.2
9:10 PM	Main Gate	199.5 μ Sv/h	under 0.01 μ Sv/h	north	1.0
9:00 PM	Main Gate	204.9 μ Sv/h	under 0.01 μ Sv/h	north	0.9
8:50 PM	Main Gate	239.6 μ Sv/h	under 0.01 μ Sv/h	southeast	0.7
8:40 PM	Main Gate	205.9 μ Sv/h	under 0.01 μ Sv/h	northeast	0.7
8:30 PM	Main Gate	228.4 μ Sv/h	under 0.01 μ Sv/h	southeast	1.5
8:20 PM	Main Gate	205.2 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.2
8:10 PM	Main Gate	206.3 μ Sv/h	under 0.01 μ Sv/h	southeast	2.8
8:00 PM	Main Gate	213.9 μ Sv/h	under 0.01 μ Sv/h	east	1.5
7:50 PM	Main Gate	243.0 μ Sv/h	under 0.01 μ Sv/h	east	1.0
7:40 PM	Main Gate	215.4 μ Sv/h	under 0.01 μ Sv/h	southeast	1.1
7:30 PM	Main Gate	225.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.0
7:20 PM	Main Gate	221.9 μ Sv/h	under 0.01 μ Sv/h	east	1.1
7:10 PM	Main Gate	261.7 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.1
7:00 PM	Main Gate	218.0 μ Sv/h	under 0.01 μ Sv/h	southeast	1.3
6:50 PM	Main Gate	280.6 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.7
6:40 PM	Main Gate	289.4 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.6
6:30 PM	Main Gate	199.5 μ Sv/h	under 0.01 μ Sv/h	southeast	1.3
6:20 PM	Main Gate	193.6 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.7
6:10 PM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	east-southeast	1.6
6:00 PM	Main Gate	194.7 μ Sv/h	under 0.01 μ Sv/h	east	1.7
5:50 PM	Main Gate	195.6 μ Sv/h	under 0.01 μ Sv/h	east	2.2
5:40 PM	Main Gate	194.5 μ Sv/h	under 0.01 μ Sv/h	east	2.0
5:30 PM	Main Gate	195.4 μ Sv/h	under 0.01 μ Sv/h	east	1.8
5:20 PM	Main Gate	194.9 μ Sv/h	under 0.01 μ Sv/h	southeast	1.6
5:10 PM	Main Gate	195.9 μ Sv/h	under 0.01 μ Sv/h	southeast	1.8
5:00 PM	Main Gate	196.0 μ Sv/h	under 0.01 μ Sv/h	southeast	2.6
4:50 PM	Main Gate	196.8 μ Sv/h	under 0.01 μ Sv/h	south	1.9
4:40 PM	Main Gate	197.2 μ Sv/h	under 0.01 μ Sv/h	southeast	1.5
4:30 PM	Main Gate	196.1 μ Sv/h	under 0.01 μ Sv/h	southeast	1.6
4:20 PM	Main Gate	197.6 μ Sv/h	under 0.01 μ Sv/h	southeast	2.1
4:10 PM	Main Gate	196.9 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.1
4:00 PM	Main Gate	197.4 μ Sv/h	under 0.01 μ Sv/h	south	2.0
3:50 PM	Main Gate	206.6 μ Sv/h	under 0.01 μ Sv/h	southeast	2.5
3:50 PM	Main Gate	199.5 μ Sv/h	under 0.01 μ Sv/h	southeast	1.8
3:40 PM	Main Gate	201.7 μ Sv/h	under 0.01 μ Sv/h	southeast	2.6
3:30 PM	Main Gate	202.5 μ Sv/h	under 0.01 μ Sv/h	southeast	2.1
3:20 PM	Main Gate	203.6 μ Sv/h	under 0.01 μ Sv/h	south	2.2
3:10 PM	Main Gate	204.8 μ Sv/h	under 0.01 μ Sv/h	east	2.2
3:00 PM	Main Gate	205.8 μ Sv/h	under 0.01 μ Sv/h	southeast	2.2
2:40 PM	Main Gate	207.2 μ Sv/h	under 0.01 μ Sv/h	east	2.1
2:30 PM	Main Gate	209.0 μ Sv/h	under 0.01 μ Sv/h	southeast	2.6
2:20 PM	Main Gate	209.0 μ Sv/h	under 0.01 μ Sv/h	south-southeast	2.7
2:10 PM	Main Gate	210.8 μ Sv/h	under 0.01 μ Sv/h	south	2.9
2:00 PM	Main Gate	212.6 μ Sv/h	under 0.01 μ Sv/h	east	2.9
1:50 PM	Main Gate	213.7 μ Sv/h	under 0.01 μ Sv/h	southeast	2.7
1:40 PM	Main Gate	216.2 μ Sv/h	under 0.01 μ Sv/h	southeast	2.8
1:30 PM	Main Gate	216.4 μ Sv/h	under 0.01 μ Sv/h	southeast	2.7
1:20 PM	Main Gate	218.8 μ Sv/h	under 0.01 μ Sv/h	southeast	3.0
1:10 PM	Main Gate	221.2 μ Sv/h	under 0.01 μ Sv/h	southeast	2.5
1:00 PM	Main Gate	222.3 μ Sv/h	under 0.01 μ Sv/h	southeast	2.5
0:50 PM	Main Gate	224.5 μ Sv/h	under 0.01 μ Sv/h	southeast	3.3

Measurement Time	Measured Place	Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
0:40 PM	Main Gate	226.7 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.9
0:30 PM	Main Gate	229.5 μ Sv/h	under 0.01 μ Sv/h	south	3.0
0:20 PM	Main Gate	231.6 μ Sv/h	under 0.01 μ Sv/h	southeast	3.3
0:10 PM	Main Gate	232.8 μ Sv/h	under 0.01 μ Sv/h	southeast	3.5
0:00 PM	Main Gate	235.8 μ Sv/h	under 0.01 μ Sv/h	south-southeast	3.7
11:50 AM	Main Gate	240.0 μ Sv/h	under 0.01 μ Sv/h	east	3.0
11:40 AM	Main Gate	244.3 μ Sv/h	under 0.01 μ Sv/h	southeast	3.2
11:30 AM	Main Gate	248.6 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.8
11:20 AM	Main Gate	250.9 μ Sv/h	under 0.01 μ Sv/h	southeast	3.4
11:10 AM	Main Gate	255.2 μ Sv/h	under 0.01 μ Sv/h	southeast	2.9
11:00 AM	Main Gate	259.0 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.8
10:50 AM	Main Gate	264.7 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.4
10:40 AM	Main Gate	286.5 μ Sv/h	under 0.01 μ Sv/h	east-southeast	2.1
10:30 AM	Main Gate	540.0 μ Sv/h	under 0.01 μ Sv/h	east	1.9
10:20 AM	Main Gate	430.8 μ Sv/h	under 0.01 μ Sv/h	east	2.0
10:10 AM	Main Gate	203.2 μ Sv/h	under 0.01 μ Sv/h	east-northeast	1.7
10:00 AM	Main Gate	216.2 μ Sv/h	under 0.01 μ Sv/h	east	1.7
9:50 AM	Main Gate	204.2 μ Sv/h	under 0.01 μ Sv/h	northeast	1.6
9:40 AM	Main Gate	191.7 μ Sv/h	under 0.01 μ Sv/h	east	2.2
9:30 AM	Main Gate	193.7 μ Sv/h	under 0.01 μ Sv/h	north	2.3
9:20 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	northeast	2.3
9:10 AM	Main Gate	192.3 μ Sv/h	under 0.01 μ Sv/h	north	3.1
9:00 AM	Main Gate	192.6 μ Sv/h	under 0.01 μ Sv/h	north	1.9
8:50 AM	Main Gate	192.8 μ Sv/h	under 0.01 μ Sv/h	north-northeast	1.4
8:40 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	northeast	1.1
8:30 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	north	1.1
8:20 AM	Main Gate	193.3 μ Sv/h	under 0.01 μ Sv/h	north	1.6
8:10 AM	Main Gate	193.9 μ Sv/h	under 0.01 μ Sv/h	north	1.3
8:00 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.0
7:50 AM	Main Gate	193.3 μ Sv/h	under 0.01 μ Sv/h	north	1.2
7:40 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.3
7:30 AM	Main Gate	192.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
7:20 AM	Main Gate	192.7 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
7:10 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.9
7:00 AM	Main Gate	192.6 μ Sv/h	under 0.01 μ Sv/h	west	0.9
6:50 AM	Main Gate	192.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
6:40 AM	Main Gate	193.0 μ Sv/h	under 0.01 μ Sv/h	west	1.0
6:30 AM	Main Gate	192.9 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
6:20 AM	Main Gate	193.0 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.1
6:10 AM	Main Gate	193.6 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.0
6:00 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.5
5:50 AM	Main Gate	193.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	1.6
5:40 AM	Main Gate	194.1 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
5:30 AM	Main Gate	194.2 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:20 AM	Main Gate	194.3 μ Sv/h	under 0.01 μ Sv/h	northwest	0.9
5:10 AM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.8
5:00 AM	Main Gate	194.4 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.9
4:50 AM	Main Gate	194.5 μ Sv/h	under 0.01 μ Sv/h	north	0.8
4:40 AM	Main Gate	194.5 μ Sv/h	under 0.01 μ Sv/h	north	0.9
4:30 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	north-northwest	1.1
4:20 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.2
4:10 AM	Main Gate	195.0 μ Sv/h	under 0.01 μ Sv/h	northwest	1.7
4:00 AM	Main Gate	195.1 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:50 AM	Main Gate	195.1 μ Sv/h	under 0.01 μ Sv/h	north	1.0
3:40 AM	Main Gate	195.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.1
3:30 AM	Main Gate	195.6 μ Sv/h	under 0.01 μ Sv/h	northwest	1.8
3:20 AM	Main Gate	195.6 μ Sv/h	under 0.01 μ Sv/h	west	0.8
3:10 AM	Main Gate	195.7 μ Sv/h	under 0.01 μ Sv/h	west	1.0
3:00 AM	Main Gate	195.7 μ Sv/h	under 0.01 μ Sv/h	west	1.0
2:50 AM	Main Gate	195.8 μ Sv/h	under 0.01 μ Sv/h	west	0.7
2:40 AM	Main Gate	195.9 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.5
2:30 AM	Main Gate	196.1 μ Sv/h	under 0.01 μ Sv/h	west	0.5
2:20 AM	Main Gate	196.3 μ Sv/h	under 0.01 μ Sv/h	north-northwest	0.7
2:10 AM	Main Gate	196.4 μ Sv/h	under 0.01 μ Sv/h	south-southwest	0.5
2:00 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	southeast	0.5
1:50 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	west	0.6
1:40 AM	Main Gate	196.5 μ Sv/h	under 0.01 μ Sv/h	southwest	0.6
1:30 AM	Main Gate	196.9 μ Sv/h	under 0.01 μ Sv/h	southwest	0.5
1:20 AM	Main Gate	197.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
1:10 AM	Main Gate	197.7 μ Sv/h	under 0.01 μ Sv/h	west-southwest	0.7
1:00 AM	Main Gate	198.6 μ Sv/h	under 0.01 μ Sv/h	west	1.0
0:50 AM	Main Gate	198.8 μ Sv/h	under 0.01 μ Sv/h	west-northwest	0.7

Measurement Time	Measured Place	Ray	Neutron Ray	Wind Direction	Wind Velocity (m/s)
0:40 AM	Main Gate	198.9 μ Sv/h	under 0.01 μ Sv/h	northwest	0.8
0:30 AM	Main Gate	199.0 μ Sv/h	under 0.01 μ Sv/h	west	0.5
0:20 AM	Main Gate	199.0 μ Sv/h	under 0.01 μ Sv/h	west	0.8
0:10 AM	Main Gate	199.3 μ Sv/h	under 0.01 μ Sv/h	west	0.8
0:00 AM	Main Gate	199.5 μ Sv/h	under 0.01 μ Sv/h	northwest	1.3