

Fukushima Daiichi Nuclear Power Station: Plutonium analysis result in the soil

1. Analysis result

(Unit: Bq/kg· Dry soil)

Sampling spot (): Distance from the stack of Unit 1, 2	Date of sampling/ Analyses organization	Pu-238	Pu-239, Pu-240
Playground (west-northwest approx. 500m)	April 21/ JAEA	N.D.	N.D.
Forest of wild birds(west approx. 500m)		N.D.	N.D.
Adjacent to industrial waste disposal facility (south-southwest approx. 500m)		$(1.5 \pm 0.25) \times 10^{-1}$	N.D.
Soil in Japan*		N.D. $\sim 1.5 \times 10^{-1}$	N.D. $\sim 1.5 \times 10^{-1}$

*: Ministry of Education, Culture, Sports, Science and Technology “Environmental Radiation Database, 1978 - 2008”

2. Evaluation

Detected density of Pu-238 is the same level as that of the measured fallouts in Japan in the cases of previous nuclear tests in the atmosphere. However, this can be considered to be caused by the nuclear accident of this time.

Meanwhile, in the playground and the area adjacent to industrial waste disposal facility, although Pu-238, 239, and Pu-240 are detected from the samples taken on and after March 21, those values have not been greatly changed.

End