

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct. 16, 2011 7:00 ~ 12:00		Oct. 16, 2011 9:24 ~ 9:34				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	5.4E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follow:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.17, 2011 7:00 ~ 12:00		Oct.17, 2011 9:20 ~ 9:30				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follow:

Volatile: I-131: approx. 3E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6, E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 7E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.18, 2011 7:00 ~ 12:00		Oct.18, 2011 9:29 ~ 9:39				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	1.9E-07	0.00	ND	-			2E-03
Cs-137 (about 30 years)	2.4E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a
 Volatile: I-131: approx. 3E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3
 Particulate: I-131: approx. 7E-8Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:
 Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3
 Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.18, 2011 9:23 ~ 14:23		Oct.18, 2011 9:47 ~ 14:47		Oct.18, 2011 9:48 ~ 14:48		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3

Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.19, 2011 7:00 ~ 12:00		Oct.19, 2011 9:31 ~ 9:41				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.20, 2011 7:00 ~ 12:00		Oct.20, 2011 9:10 ~ 9:21				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 1E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.20, 2011 10:06 ~ 15:06		Oct.20, 2011 10:14 ~ 15:14		Oct.20, 2011 10時21分 ~ 15時21分		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	2.9E-06	0.00	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	5.0E-06	0.00	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 5E-6Bq/cm3, Cs-137: approx. 5E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	At the Surface of South seawall of Fukushima Daiichi		At the top of Mega Float located at Fukushima Daiichi				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.19, 2011 19:00 ~ 24:00		Oct.19, 2011 19:00 ~ 24:00				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3

Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.21, 2011 7:00 ~ 12:00		Oct.21, 2011 9:19 ~ 9:29				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:

Volatile: I-131: approx. $1E-7$ Bq/cm³, Cs-134: approx. $3E-7$ Bq/cm³, Cs-137: approx. $3E-7$ Bq/cm³

Particulate: I-131: approx. $6E-8$ Bq/cm³, Cs-134: approx. $2E-7$ Bq/cm³, Cs-137: approx. $2E-7$ Bq/cm³

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. $2E-6$ Bq/cm³, Cs-134: approx. $3E-6$ Bq/cm³, Cs-137: approx. $3E-6$ Bq/cm³

Particulate: I-131: approx. $9E-7$ Bq/cm³, Cs-134: approx. $2E-6$ Bq/cm³, Cs-137: approx. $1E-6$ Bq/cm³

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.22, 2011 7:00 ~ 12:00		Oct.22, 2011 9:22 ~ 9:31				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	1.6E-07	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3
 Particulate: I-131: approx. 5E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:
 Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3
 Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.23, 2011 7:00 ~ 12:00		Oct.23, 2011 9:13 ~ 9:23				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:
 Volatile: I-131: approx. 9E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 5E-8Bq/cm3, Cs-134: approx. 1E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.24, 2011 7:00 ~ 12:00		Oct.24, 2011 9:28 ~ 9:38				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 5E-8Bq/cm3, Cs-134: approx. 1E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.25, 2011 7:00 ~ 12:00		Oct.25, 2011 936 ~ 9:46				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 4E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	Fukushima Daiichi MP-1		Fukushima Daiichi MP-3		Fukushima Daiichi MP-8		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.25, 2011 9:29 ~ 14:29		Oct.25, 2011 9:55 ~ 14:55		Oct.25, 2011 9:44 ~ 14:44		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. 2E-7Bq/cm3, Cs-134: approx. 4E-7Bq/cm3, Cs-137: approx. 5E-7Bq/cm3

Particulate: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.26, 2011 7:00 ~ 12:00		Oct.26, 2011 9:29 ~ 9:39				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside in front of the site of Fukushima Daiichi Nuclear Power Station

Place of Sampling	2km-3km offshore of Fukushima Daiichi on the sea 1st sampling		2km-3km offshore of Fukushima Daiichi on the sea 2nd sampling		2km-3km offshore of Fukushima Daiichi on the sea 3rd sampling		2km-3km offshore of Fukushima Daiichi on the sea 4th sampling		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.25, 2011 15:45 ~ 16:15		Oct.25, 2011 16:16 ~ 16:46		Oct.25, 2011 17:01 ~ 17:31		Oct.25, 2011 17:35 ~ 18:05		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	3.9E-08	0.00	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	1E-02

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

I-131: approx. 3E-8Bq/cm3, Cs-134: approx. 4E-8Bq/cm3, Cs-137: approx. 4E-8Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.27, 2011 7:00 ~ 12:00		Oct.27, 2011 9:20 ~ 9:29				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 8E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

Place of Sampling	North Side Slope of Fukushima Daiichi Unit 1		West Side Slope of Fukushima Daiichi Unit 1 & 2		West Side Slope of Fukushima Daiichi Unit 3 & 4		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.27, 2011 9:45 ~ 14:45		Oct.27, 2011 9:52 ~ 14:52		Oct.27, 2011 9:58 ~ 14:58		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	3.4E-06	0.00	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 5E-6Bq/cm3, Cs-137: approx. 5E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside of the sites of Fukushima Nuclear Power Stations

Place of Sampling	At the Surface of South seawall of Fukushima Daiichi		At the top of Mega Float located at Fukushima Daiichi				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.26, 2011 19:00 ~ 24:00		Oct.26, 2011 19:00 ~ 24:00				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	1.1E-06	0.00	ND	-			2E-03
Cs-137 (about 30 years)	1.2E-06	0.00	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density.

* O.OE - O means $O.O \times 10^{-O}$

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

Volatile: I-131: approx. $2E-7$ Bq/cm³, Cs-134: approx. $4E-7$ Bq/cm³, Cs-137: approx. $5E-7$ Bq/cm³

Particulate: I-131: approx. $1E-7$ Bq/cm³, Cs-134: approx. $3E-7$ Bq/cm³, Cs-137: approx. $3E-7$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in the Air at the seaside in front of the site of Fukushima Daiichi Nuclear Power Station

Place of Sampling	2km-3km offshore of Fukushima Daiichi on the sea 1st sampling		2km-3km offshore of Fukushima Daiichi on the sea 2nd sampling		2km-3km offshore of Fukushima Daiichi on the sea 3rd sampling		2km-3km offshore of Fukushima Daiichi on the sea 4th sampling		Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.26, 2011 12:00 ~ 12:30		Oct.26, 2011 12:50 ~ 13:20		Oct.26, 2011 13:21 ~ 13:51		Oct.26, 2011 13:55 ~ 14:25		
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	1E-03
Cs-134 (about 2 years)	ND	-	ND	-	2.7E-07	0.00	ND	-	2E-03
Cs-137 (about 30 years)	ND	-	ND	-	3.2E-07	0.00	ND	-	3E-03
Nb-95 (approx.35days)	ND	-	ND	-	ND	-	ND	-	2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	7E-01
Ag-110m (approx.250days)	ND	-	ND	-	ND	-	ND	-	3E-03
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	4E-01
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	4E-03
I-132(approx.2hrs)	ND	-	ND	-	ND	-	ND	-	7E-02
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	4E-03
I-133(approx.21hrs)	ND	-	ND	-	ND	-	ND	-	5E-03
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	1E-02
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	1E-02
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	1E-02

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected are as follow:

I-131: approx. 3E-8Bq/cm3, Cs-134: approx. 3E-8Bq/cm3, Cs-137: approx. 3E-8Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.28, 2011 7:00 ~ 12:00		Oct.28, 2011 9:20 ~ 9:30				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 7E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.29, 2011 7:00 ~ 12:00		Oct.29, 2011 9:16 ~ 9:26				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129 (approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132 (approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133 (approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 4E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.30, 2011 7:00 ~ 12:00		Oct.30, 2011 9:17 ~ 9:27				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are a
 Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 6E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follow:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 9E-7Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 1E-6Bq/cm3

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in the Air at the Sites of Fukushima Nuclear Power Stations

Place of Sampling	West Gate of Fukushima Daiichi NPS		MP-1 of Fukushima Daini (Reference)				Density limit in the air to workers engaged in tasks associated with radiation (Bq/cm3) *
Time of Sampling	Oct.31, 2011 7:00 ~ 12:00		Oct.31, 2011 9:36 ~ 9:46				
Detected Nuclides (Half-life)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	density of sample (Bq/cm3)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-			1E-03
Cs-134 (about 2 years)	ND	-	ND	-			2E-03
Cs-137 (about 30 years)	ND	-	ND	-			3E-03
Nb-95 (approx.35days)	ND	-	ND	-			2E-02
Tc-99m (approx.6hrs)	ND	-	ND	-			7E-01
Ag-110m (approx.250days)	ND	-	ND	-			3E-03
Te-129(approx.70mins)	ND	-	ND	-			4E-01
Te-129m (approx.34days)	ND	-	ND	-			4E-03
I-132(approx.2hrs)	ND	-	ND	-			7E-02
Te-132 (approx.78hrs)	ND	-	ND	-			4E-03
I-133(approx.21hrs)	ND	-	ND	-			5E-03
Cs-136 (approx.13days)	ND	-	ND	-			1E-02
Ba-140 (approx.13days)	ND	-	ND	-			1E-02
La-140 (approx.40hrs)	ND	-	ND	-			1E-02

* The value of radioactivity density is the sum of the value of volatile nuclide's density and the value of particulate nuclide's density

* O.OE - O means O.O x 10-O

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1

* When the radioactivity density is below the detection limit, it shows "ND" which means "Not Detectable".

The detection limits of the major three nuclide that are not detected at West Gate of Fukushima Daiichi NPS are as follows:

Volatile: I-131: approx. 1E-7Bq/cm3, Cs-134: approx. 3E-7Bq/cm3, Cs-137: approx. 3E-7Bq/cm3

Particulate: I-131: approx. 7E-8Bq/cm3, Cs-134: approx. 2E-7Bq/cm3, Cs-137: approx. 2E-7Bq/cm3

The detection limits of the major three nuclide at MP-1 of Fukushima Daini NPS are as follows:

Volatile: I-131: approx. 2E-6Bq/cm3, Cs-134: approx. 3E-6Bq/cm3, Cs-137: approx. 3E-6Bq/cm3

Particulate: I-131: approx. 1E-6Bq/cm3, Cs-134: approx. 2E-6Bq/cm3, Cs-137: approx. 2E-6Bq/cm3

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct 16, 2011 08:40 am		Oct 16, 2011 08:20 am		Oct 16, 2011 08:00 am		Oct 16, 2011 07:35 am	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	6.8	0.11	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 08:55 am		Oct 17, 2011 08:35 am		Oct 17, 2011 08:25 am		Oct 17, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/5 >

Place of Sampling	3 km offshore of Haramachi Ward Upper layer		3 km offshore of Haramachi Ward Lower layer		3 km offshore of Odaka Ward Upper layer		3 km offshore of Odaka Ward Lower layer		3 km offshore of Iwasawa shore Upper layer		3 km offshore of Iwasawa shore Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 09:20 am		Oct 17, 2011 09:20 am		Oct 17, 2011 09:10 am		Oct 17, 2011 09:10 am		Oct 17, 2011 09:00 am		Oct 17, 2011 09:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/5 >

Place of Sampling	8 km offshore of Odaka Ward Upper layer		8 km offshore of Odaka Ward Lower layer		8 km offshore of Iwasawa shore Upper layer		8 km offshore of Iwasawa shore Lower layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 08:55 am		Oct 17, 2011 08:55 am		Oct 17, 2011 09:30 am		Oct 17, 2011 09:30 am						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/5 >

Place of Sampling	3 km offshore of North of Iwaki Upper layer		3 km offshore of North of Iwaki Lower layer		3 km offshore of Natsui river Upper layer		3 km offshore of Natsui river Lower layer		3 km offshore of Onahama port Upper layer		3 km offshore of Onahama port Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 05:00 am		Oct 17, 2011 05:00 am		Oct 17, 2011 05:25 am		Oct 17, 2011 05:25 am		Oct 17, 2011 06:30 am		Oct 17, 2011 06:30 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/5 >

Place of Sampling	3 km offshore of Ena Upper layer		3 km offshore of Ena Lower layer		3 km offshore of Numanouchi Upper layer		3 km offshore of Numanouchi Lower layer		3 km offshore of Toyoma Upper layer		3 km offshore of Toyoma Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 06:40 am		Oct 17, 2011 06:40 am		Oct 17, 2011 05:35 am		Oct 17, 2011 05:35 am		Oct 17, 2011 05:45 am		Oct 17, 2011 05:45 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 5/5 >

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
Time of Sampling	Oct 17, 2011 07:10 am		Oct 17, 2011 07:10 am										
Detected Nuclides (Half-life)													
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct 18, 2011 09:10 am		Oct 18, 2011 08:30 am		Oct 18, 2011 08:20 am		Oct 18, 2011 07:55 am	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 1/3>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 18, 2011 (Not sampled)		Oct 18, 2011 (Not sampled)		Oct 18, 2011 (Not sampled)		Oct 18, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 2/3>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 (Not sampled)		Oct 18, 2011 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 3/3>

Place of Sampling	3 km offshore of Souma City Upper layer		3 km offshore of Souma City Lower layer		5 km offshore of Souma City Upper layer		5 km offshore of Souma City Lower layer		5 km offshore of Kashima City Upper layer		5 km offshore of Kashima City Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 07:30 am		Oct 18, 2011 07:30 am		Oct 18, 2011 07:00 am		Oct 18, 2011 07:00 am		Oct 18, 2011 06:45 am		Oct 18, 2011 06:45 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te- 129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba- 140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct 19, 2011 08:50 am		Oct 19, 2011 08:30 am		Oct 19, 2011 08:15 am		Oct 19, 2011 07:50 am	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/4 >

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/4 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/4 >

Place of Sampling	3 km offshore of Haramachi Ward Upper layer		3 km offshore of Haramachi Ward Lower layer		3 km offshore of Odaka Ward Upper layer		3 km offshore of Odaka Ward Lower layer		3 km offshore of Iwasawa shore Upper layer		3 km offshore of Iwasawa shore Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/4 >

Place of Sampling	8 km offshore of Odaka Ward Upper layer		8 km offshore of Odaka Ward Lower layer		8 km offshore of Iwasawa shore Upper layer		8 km offshore of Iwasawa shore Lower layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)		Oct 19, 2011 (Not sampled)						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-					40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-					60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-					90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-					1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-					40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-					300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-					10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-					200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-					3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-					300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-					300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 20, 2011 08:55 am		Oct 20, 2011 08:30 am		Oct 20, 2011 08:25 am		Oct 20, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	6.3	0.11	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		Oct 20, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 21, 2011 08:40 am		Oct 21, 2011 08:20 am		Oct 21, 2011 08:25 am		Oct 21, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)				Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)		
	Time of Sampling		Oct 22, 2011 08:45 am		Oct 22, 2011 02:30 pm		Oct 22, 2011 08:30 am		Oct 22, 2011 08:10 am			Oct 22, 2011 07:50 am	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	78	1.3	60	1.0	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	110	1.2	76	0.84	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		Oct 22, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 23, 2011 08:50 am		Oct 23, 2011 08:30 am		Oct 23, 2011 08:25 am		Oct 23, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct 24, 2011 08:40 am		Oct 24, 2011 08:20 am		Oct 24, 2011 08:30 am		Oct 24, 2011 08:05 am	
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.7	0.06	1.9	0.03	ND	-	ND	-	60
Cs-137 (about 30 years)	5.0	0.06	2.3	0.03	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 08:40 am		Oct 25, 2011 08:15 am		Oct 25, 2011 08:25 am		Oct 25, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	3.0	0.05	2.0	0.03	ND	-	ND	-	60
Cs-137 (about 30 years)	4.0	0.04	2.7	0.03	1.5	0.02	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.71Bq/L, Cs-134: approx. 0.90Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/4 >

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 24, 2011 (Not sampled)		Oct 24, 2011 (Not sampled)		Oct 24, 2011 (Not sampled)		Oct 24, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/4 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 24, 2011 (Not sampled)		Oct 24, 2011 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/4 >

Place of Sampling	3 km offshore of North of Iwaki Upper layer		3 km offshore of North of Iwaki Lower layer		3 km offshore of Natsui river Upper layer		3 km offshore of Natsui river Lower layer		3 km offshore of Onahama port Upper layer		3 km offshore of Onahama port Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 24, 2011 05:11 am		Oct 24, 2011 05:11 am		Oct 24, 2011 06:40 am		Oct 24, 2011 06:40 am		Oct 24, 2011 06:15 am		Oct 24, 2011 06:15 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	1.3	0.02	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	2.3	0.03	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.83Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/4 >

Place of Sampling	3 km offshore of Ena Upper layer		3 km offshore of Ena Lower layer		3 km offshore of Numanouchi Upper layer		3 km offshore of Numanouchi Lower layer		3 km offshore of Toyoma Upper layer		3 km offshore of Toyoma Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 24, 2011 06:45 am		Oct 24, 2011 06:45 am		Oct 24, 2011 06:00 am		Oct 24, 2011 06:00 am		Oct 24, 2011 06:23 am		Oct 24, 2011 06:23 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.65Bq/L, Cs-134: approx. 0.90Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 26, 2011 08:50 am		Oct 26, 2011 08:30 am		Oct 26, 2011 08:20 am		Oct 26, 2011 03:25 pm		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	1.4	0.02	2.1	0.04	ND	-	ND	-	60
Cs-137 (about 30 years)	1.8	0.02	2.0	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.89Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 1/3>

Place of Sampling	3 km offshore of Haramachi Ward Upper layer		3 km offshore of Haramachi Ward Lower layer		3 km offshore of Odaka Ward Upper layer		3 km offshore of Odaka Ward Lower layer		3 km offshore of Iwasawa shore Upper layer		3 km offshore of Iwasawa shore Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 09:25 am		Oct 25, 2011 09:25 am		Oct 25, 2011 09:10 am		Oct 25, 2011 09:10 am		Oct 25, 2011 07:30 am		Oct 25, 2011 07:30 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.74Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 2/3>

Place of Sampling	8 km offshore of Odaka Ward Upper layer		8 km offshore of Odaka Ward Lower layer		8 km offshore of Iwasawa shore Upper layer		8 km offshore of Iwasawa shore Lower layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 08:55 am		Oct 25, 2011 08:55 am		Oct 25, 2011 07:55 am		Oct 25, 2011 07:55 am						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.63Bq/L, Cs-134: approx. 0.91Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 3/3>

Place of Sampling	3 km offshore of Souma City Upper layer		3 km offshore of Souma City Lower layer		5 km offshore of Souma City Upper layer		5 km offshore of Souma City Lower layer		5 km offshore of Kashima City Upper layer		5 km offshore of Kashima City Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 07:05 am		Oct 25, 2011 07:05 am		Oct 25, 2011 06:45 am		Oct 25, 2011 06:45 am		Oct 25, 2011 06:25 am		Oct 25, 2011 06:25 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te- 129(approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba- 140(approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.67Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 27, 2011 08:50 am		Oct 27, 2011 08:30 am		Oct 27, 2011 08:20 am		Oct 27, 2011 07:55 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	5.4	0.09	1.3	0.02	ND	-	ND	-	60
Cs-137 (about 30 years)	6.3	0.07	1.8	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 1/3>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 2/3>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore 3/3>

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Oct 26, 2011 (Not sampled)		Oct 26, 2011 (Not sampled)										
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-									40
Cs-134 (about 2 years)	-	-	-	-									60
Cs-137 (about 30 years)	-	-	-	-									90
Mo-99 (approx. 66hrs)	-	-	-	-									1,000
Tc-99m (approx.6hrs)	-	-	-	-									40,000
Te-129m (approx.34days)	-	-	-	-									300
Te-129 (approx.70mins)	-	-	-	-									10,000
Te-132 (approx.78hrs)	-	-	-	-									200
I-132 (approx.2hrs)	-	-	-	-									3,000
Cs-136 (approx.13days)	-	-	-	-									300
Ba-140 (approx.13days)	-	-	-	-									300
La-140 (approx. 40hrs)	-	-	-	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 28, 2011 08:50 am		Oct 28, 2011 08:30 am		Oct 28, 2011 08:30 am		Oct 28, 2011 08:00 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	8.3	0.14	ND	-	1.2	0.02	ND	-	60
Cs-137 (about 30 years)	9.3	0.10	1.2	0.01	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.83Bq/L, Cs-134: approx. 0.98Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 1/5 >

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 27, 2011 08:50 am		Oct 27, 2011 08:50 am		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.62Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 2/5 >

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 27, 2011 09:05 am		Oct 27, 2011 09:05 am		Oct 27, 2011 09:40 am		Oct 27, 2011 09:40 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.95Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 3/5 >

Place of Sampling	3 km offshore of Haramachi Ward Upper layer		3 km offshore of Haramachi Ward Lower layer		3 km offshore of Odaka Ward Upper layer		3 km offshore of Odaka Ward Lower layer		3 km offshore of Iwasawa shore Upper layer		3 km offshore of Iwasawa shore Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 27, 2011 09:20 am		Oct 27, 2011 09:20 am		Oct 27, 2011 09:30 am		Oct 27, 2011 09:30 am		Oct 27, 2011 08:10 am		Oct 27, 2011 08:10 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.93Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 4/5 >

Place of Sampling	8 km offshore of Odaka Ward Upper layer		8 km offshore of Odaka Ward Lower layer		8 km offshore of Iwasawa shore Upper layer		8 km offshore of Iwasawa shore Lower layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct 27, 2011 08:25 am		Oct 27, 2011 08:25 am		Oct 27, 2011 08:35 am		Oct 27, 2011 08:35 am					
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.66Bq/L, Cs-134: approx. 0.98Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【 Definite Report 】 Nuclide Analysis Results of Radioactive Materials in Seawater < offshore 5/5 >

Place of Sampling	5km Offshore of Numanouchi Upper Layer		5km Offshore of Numanouchi Lower Layer										Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Oct 27, 2011 07:00 am		Oct 27, 2011 07:00 am										
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-									40
Cs-134 (about 2 years)	ND	-	ND	-									60
Cs-137 (about 30 years)	ND	-	ND	-									90
Mo-99 (approx. 66hrs)	ND	-	ND	-									1,000
Tc-99m (approx.6hrs)	ND	-	ND	-									40,000
Te-129m (approx.34days)	ND	-	ND	-									300
Te-129 (approx.70mins)	ND	-	ND	-									10,000
Te-132 (approx.78hrs)	ND	-	ND	-									200
I-132 (approx.2hrs)	ND	-	ND	-									3,000
Cs-136 (approx.13days)	ND	-	ND	-									300
Ba-140 (approx.13days)	ND	-	ND	-									300
La-140 (approx. 40hrs)	ND	-	ND	-									400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.62Bq/L, Cs-134: approx. 0.94Bq/L, Cs-137: approx. 0.99Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 29, 2011 08:40 am		Oct 29, 2011 08:20 am		Oct 29, 2011 08:15 am		Oct 29, 2011 07:55 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	11	0.18	0.92	0.02	0.83	0.01	ND	-	60
Cs-137 (about 30 years)	13	0.14	1.4	0.02	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.84Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 28, 2011 09:15 am		Oct 28, 2011 09:15 am		Oct 28, 2011 08:50 am		Oct 28, 2011 08:50 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	-	-	-	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.70Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 28, 2011 08:15 am		Oct 28, 2011 08:15 am		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	ND	-	ND	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	ND	-	ND	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	ND	-	ND	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.86Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 30, 2011 08:20 am		Oct 30, 2011 08:05 am		Oct 30, 2011 07:50 am		Oct 30, 2011 07:20 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	5.2	0.09	1.5	0.03	ND	-	1.1	0.02	60
Cs-137 (about 30 years)	5.8	0.06	2.0	0.02	ND	-	1.0	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.75Bq/L, Cs-134: approx. 0.88Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 1/2>

Place of Sampling	3 km offshore of Haramachi Ward Upper layer		3 km offshore of Haramachi Ward Lower layer		3 km offshore of Odaka Ward Upper layer		3 km offshore of Odaka Ward Lower layer		3 km offshore of Iwasawa shore Upper layer		3 km offshore of Iwasawa shore Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 29, 2011 09:20 am		Oct 29, 2011 09:20 am		Oct 29, 2011 09:10 am		Oct 29, 2011 09:10 am		Oct 29, 2011 07:25 am		Oct 29, 2011 07:25 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.68Bq/L, Cs-134: approx. 0.92Bq/L, Cs-137: approx. 1.0Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 2/2>

Place of Sampling	8 km offshore of Odaka Ward Upper layer		8 km offshore of Odaka Ward Lower layer		8 km offshore of Iwasawa shore Upper layer		8 km offshore of Iwasawa shore Lower layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 29, 2011 08:50 am		Oct 29, 2011 08:50 am		Oct 29, 2011 07:50 am		Oct 29, 2011 07:50 am						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.69Bq/L, Cs-134: approx. 0.97Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Coast>

Place of Sampling	North of Discharge Channel of 5-6u of 1F (approx. 30m north of 5-6u discharge channel)		Around South Discharge Channel of 1F (approx. 330m south of 1-4u Discharge Channel)		Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)		Around Iwasawa Shore of 2F (approx. 7 km south of 1,2u Discharge Channel) (approx. 16 km from 1F)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 31, 2011 08:50 am		Oct 31, 2011 08:30 am		Oct 31, 2011 08:35 am		Oct 31, 2011 08:05 am		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	5.4	0.09	1.4	0.02	ND	-	0.94	0.02	60
Cs-137 (about 30 years)	5.7	0.06	2.7	0.03	ND	-	1.0	0.01	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.77Bq/L, Cs-134: approx. 0.87Bq/L, Cs-137: approx. 1.1Bq/L
Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Results of Nuclide Analysis of Seawater <Offshore 1/2>

Place of Sampling	15 km offshore of Minami-Souma City Upper layer		15 km offshore of Minami-Souma City Lower layer		15 km offshore of Ukedogawa Upper layer		15 km offshore of Ukedogawa Lower layer		15 km offshore of Fukushima Daiichi Upper layer		15 km offshore of Fukushima Daiichi Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	N/A		N/A		Oct 30, 2011 (Not sampled)		Oct 30, 2011 (Not sampled)		Oct 30, 2011 (Not sampled)		Oct 30, 2011 (Not sampled)		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129 (approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【 Definite Report 】 Results of Nuclide Analysis of Seawater <Offshore 2/2>

Place of Sampling	approx. 15 km offshore of Fukushima Daini Upper Layer		approx. 15 km offshore of Fukushima Daini Lower Layer		15 km offshore of Iwasawa Shore Upper layer		15 km offshore of Iwasawa Shore Lower layer		15 km offshore of Hirono-town Upper layer		15 km offshore of Hirono-town Lower layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 30, 2011 (Not sampled)		Oct 30, 2011 (Not sampled)		N/A		N/A		N/A		N/A		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	-	-	-	-	-	-	-	-	-	-	-	-	40
Cs-134 (about 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	60
Cs-137 (about 30 years)	-	-	-	-	-	-	-	-	-	-	-	-	90
Mo-99 (approx. 66hrs)	-	-	-	-	-	-	-	-	-	-	-	-	1,000
Tc-99m (approx.6hrs)	-	-	-	-	-	-	-	-	-	-	-	-	40,000
Te-129m (approx.34days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Te-129(approx.70mins)	-	-	-	-	-	-	-	-	-	-	-	-	10,000
Te-132 (approx.78hrs)	-	-	-	-	-	-	-	-	-	-	-	-	200
I-132 (approx.2hrs)	-	-	-	-	-	-	-	-	-	-	-	-	3,000
Cs-136 (approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
Ba-140(approx.13days)	-	-	-	-	-	-	-	-	-	-	-	-	300
La-140 (approx. 40hrs)	-	-	-	-	-	-	-	-	-	-	-	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 16, 2011 6:47		Oct 16, 2011 6:53		Oct 16, 2011 6:56		Oct 16, 2011 6:58		Oct 16, 2011 7:05		Oct 16, 2011 7:07		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	48	0.80	93	1.6	120	2.0	130	2.2	84	1.4	360	6.0	60
Cs-137 (about 30 years)	34	0.38	120	1.3	120	1.3	160	1.8	110	1.2	460	5.1	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	11	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 18Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 16, 2011 7:13		Oct 16, 2011 7:15		Oct 16, 2011 7:18		Oct 16, 2011 7:20		Oct 16, 2011 7:26				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	100	1.7	1,400	23	120	2.0	280	4.7	180	3.0			60
Cs-137 (about 30 years)	130	1.4	1,600	18	130	1.4	340	3.8	230	2.6			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 30Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 6:34		Oct 17, 2011 6:42		Oct 17, 2011 6:48		Oct 17, 2011 6:52		Oct 17, 2011 6:57		Oct 17, 2011 7:00		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	23	0.38	120	2.0	110	1.8	160	2.7	110	1.8	330	5.5	60
Cs-137 (about 30 years)	ND	-	130	1.4	120	1.3	170	1.9	160	1.8	390	4.3	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	15	0.02	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 17, 2011 7:06		Oct 17, 2011 7:10		Oct 17, 2011 7:13		Oct 17, 2011 7:16		Oct 17, 2011 7:20				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	130	2.2	1,300	22	140	2.3	330	5.5	100	1.7			60
Cs-137 (about 30 years)	150	1.7	1,600	18	160	1.8	400	4.4	120	1.3			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 26Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 6:58		Oct 18, 2011 7:08		Oct 18, 2011 7:12		Oct 18, 2011 7:14		Oct 18, 2011 7:17		Oct 18, 2011 7:19		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	27	0.45	90	1.5	100	1.7	140	2.3	93	1.6	310	5.2	60
Cs-137 (about 30 years)	ND	-	98	1.1	110	1.2	160	1.8	120	1.3	340	3.8	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	17	0.02	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 7:24		Oct 18, 2011 7:26		Oct 18, 2011 7:33		Oct 18, 2011 7:35		Oct 18, 2011 7:42				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	130	2.2	780	13	88	1.5	240	4.0	84	1.4			60
Cs-137 (about 30 years)	140	1.6	960	11	97	1.1	320	3.6	120	1.3			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 23Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 19, 2011 7:18		Oct 19, 2011 7:24		Oct 19, 2011 7:28		Oct 19, 2011 7:32		Oct 19, 2011 7:35		Oct 19, 2011 7:39		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	25	0.42	60	1.0	100	1.7	140	2.3	110	1.8	320	5.3	60
Cs-137 (about 30 years)	ND	-	72	0.80	150	1.7	150	1.7	130	1.4	420	4.7	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 19, 2011 7:43		Oct 19, 2011 7:46		Oct 19, 2011 7:50		Oct 19, 2011 7:54		Oct 19, 2011 7:58				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	160	2.7	760	13	130	2.2	270	4.5	200	3.3			60
Cs-137 (about 30 years)	180	2.0	840	9.3	180	2.0	340	3.8	260	2.9			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 22Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 20, 2011 7:25		Oct 20, 2011 7:32		Oct 20, 2011 7:35		Oct 20, 2011 7:40		Oct 20, 2011 7:43		Oct 20, 2011 7:48		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	69	1.2	140	2.3	140	2.3	79	1.3	280	4.7	60
Cs-137 (about 30 years)	34	0.38	86	0.96	140	1.6	170	1.9	110	1.2	300	3.3	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L, Cs-134: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 20, 2011 7:50		Oct 20, 2011 7:54		Oct 20, 2011 7:56		Oct 20, 2011 8:00		Oct 20, 2011 8:05				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	100	1.7	780	13	100	1.7	300	5.0	130	2.2			60
Cs-137 (about 30 years)	130	1.4	950	11	110	1.2	420	4.7	150	1.7			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 21Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 21, 2011 6:43		Oct 21, 2011 6:47		Oct 21, 2011 6:52		Oct 21, 2011 6:55		Oct 21, 2011 6:58		Oct 21, 2011 7:01		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	64	1.1	90	1.5	96	1.6	93	1.6	440	7.3	60
Cs-137 (about 30 years)	54	0.60	71	0.79	88	0.98	110	1.2	93	1.0	550	6.1	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	15	0.02	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 18Bq/L, Cs-134: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 21, 2011 7:06		Oct 21, 2011 7:10		Oct 21, 2011 7:06		Oct 21, 2011 7:10		Oct 21, 2011 7:15				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	93	1.6	590	9.8	71	1.2	220	3.7	87	1.5			60
Cs-137 (about 30 years)	96	1.1	660	7.3	84	0.93	250	2.8	90	1.0			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 26Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 22, 2011 7:10		Oct 22, 2011 7:17		Oct 22, 2011 7:21		Oct 22, 2011 7:24		Oct 22, 2011 7:27		Oct 22, 2011 7:28		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	31	0.52	62	1.0	57	0.95	70	1.2	71	1.2	340	5.7	60
Cs-137 (about 30 years)	35	0.39	64	0.71	71	0.79	92	1.0	78	0.87	400	4.4	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	12	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 22, 2011 7:37		Oct 22, 2011 7:38		Oct 22, 2011 7:42		Oct 22, 2011 7:43		Oct 22, 2011 7:44				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	67	1.1	220	3.7	130	2.2	150	2.5	68	1.1			60
Cs-137 (about 30 years)	73	0.81	240	2.7	140	1.6	170	1.9	81	0.90			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 23, 2011 6:35		Oct 23, 2011 6:44		Oct 23, 2011 6:48		Oct 23, 2011 6:51		Oct 23, 2011 6:55		Oct 23, 2011 7:00		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	38	0.63	56	0.93	55	0.92	55	0.92	260	4.3	60
Cs-137 (about 30 years)	ND	-	57	0.63	51	0.57	75	0.83	57	0.63	310	3.4	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	18	0.02	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 15Bq/L, Cs-134: approx. 22Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 23, 2011 7:05		Oct 23, 2011 7:09		Oct 23, 2011 7:13		Oct 23, 2011 7:16		Oct 23, 2011 7:20				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	75	1.3	430	7.2	85	1.4	230	3.8	85	1.4			60
Cs-137 (about 30 years)	100	1.1	520	5.8	77	0.86	300	3.3	100	1.1			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 20Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 24, 2011 6:58		Oct 24, 2011 7:08		Oct 24, 2011 7:12		Oct 24, 2011 7:14		Oct 24, 2011 7:16		Oct 24, 2011 7:18		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	82	1.4	72	1.2	89	1.5	59	0.98	140	2.3	60
Cs-137 (about 30 years)	25	0.28	80	0.89	91	1.0	140	1.6	69	0.77	160	1.8	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	11	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L, Cs-134: approx. 22Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 24, 2011 7:25		Oct 24, 2011 7:27		Oct 24, 2011 7:31		Oct 24, 2011 7:33		Oct 24, 2011 7:39				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	80	1.3	340	5.7	86	1.4	290	4.8	57	0.95			60
Cs-137 (about 30 years)	93	1.0	430	4.8	95	1.1	330	3.7	73	0.81			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 18Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 6:50		Oct 25, 2011 6:58		Oct 25, 2011 7:04		Oct 25, 2011 7:05		Oct 25, 2011 7:11		Oct 25, 2011 7:14		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	82	1.4	71	1.2	160	2.7	67	1.1	310	5.2	60
Cs-137 (about 30 years)	ND	-	91	1.0	81	0.90	160	1.8	77	0.86	370	4.1	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	18	0.02	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L, Cs-134: approx. 21Bq/L, Cs-137: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 7:24		Oct 25, 2011 7:27		Oct 25, 2011 7:24		Oct 25, 2011 7:27		Oct 25, 2011 7:35				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	92	1.5	440	7.3	85	1.4	340	5.7	170	2.8			60
Cs-137 (about 30 years)	110	1.2	540	6.0	130	1.4	380	4.2	190	2.1			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 26, 2011 6:46		Oct 26, 2011 6:52		Oct 26, 2011 6:56		Oct 26, 2011 6:58		Oct 26, 2011 7:02		Oct 26, 2011 7:06		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	21	0.35	55	0.92	100	1.7	110	1.8	81	1.4	220	3.7	60
Cs-137 (about 30 years)	ND	-	59	0.66	110	1.2	160	1.8	110	1.2	220	2.4	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 14Bq/L, Cs-137: approx. 25Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 26, 2011 7:11		Oct 26, 2011 7:14		Oct 26, 2011 7:11		Oct 26, 2011 7:14		Oct 26, 2011 7:20				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	200	3.3	580	9.7	140	2.3	200	3.3	120	2.0			60
Cs-137 (about 30 years)	250	2.8	730	8.1	170	1.9	230	2.6	150	1.7			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 19Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 27, 2011 6:45		Oct 27, 2011 6:50		Oct 27, 2011 6:55		Oct 27, 2011 6:57		Oct 27, 2011 7:03		Oct 27, 2011 7:05		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	50	0.83	92	1.5	99	1.7	290	4.8	310	5.2	60
Cs-137 (about 30 years)	ND	-	50	0.56	110	1.2	120	1.3	340	3.8	370	4.1	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	13	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L, Cs-134: approx. 25Bq/L, Cs-137: approx. 28Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 27, 2011 7:09		Oct 27, 2011 7:11		Oct 27, 2011 7:15		Oct 27, 2011 7:17		Oct 27, 2011 7:22				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	800	13	970	16	200	3.3	220	3.7	150	2.5			60
Cs-137 (about 30 years)	940	10	1,200	13	250	2.8	270	3.0	190	2.1			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 27Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 28, 2011 6:44		Oct 28, 2011 6:52		Oct 28, 2011 6:57		Oct 28, 2011 7:00		Oct 28, 2011 7:06		Oct 28, 2011 7:08		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	33	0.55	33	0.55	91	1.5	86	1.4	300	5.0	300	5.0	60
Cs-137 (about 30 years)	33	0.37	48	0.53	100	1.1	120	1.3	320	3.6	370	4.1	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	9.1	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 28, 2011 7:13		Oct 28, 2011 7:15		Oct 28, 2011 7:18		Oct 28, 2011 7:20		Oct 28, 2011 7:25				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	610	10	1,100	18	180	3.0	260	4.3	170	2.8			60
Cs-137 (about 30 years)	770	8.6	1,300	14	250	2.8	300	3.3	220	2.4			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 26Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 29, 2011 6:52		Oct 29, 2011 6:58		Oct 29, 2011 7:02		Oct 29, 2011 7:04		Oct 29, 2011 7:06		Oct 29, 2011 7:11		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	37	0.62	110	1.8	130	2.2	130	2.2	230	3.8	300	5.0	60
Cs-137 (about 30 years)	49	0.54	120	1.3	180	2.0	140	1.6	260	2.9	360	4.0	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 29, 2011 7:13		Oct 29, 2011 7:15		Oct 29, 2011 7:18		Oct 29, 2011 7:20		Oct 29, 2011 7:25				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	290	4.8	970	16	190	3.2	240	4.0	160	2.7			60
Cs-137 (about 30 years)	350	3.9	1,200	13	240	2.7	320	3.6	180	2.0			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 24Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 30, 2011 6:18		Oct 30, 2011 6:25		Oct 30, 2011 6:28		Oct 30, 2011 6:30		Oct 30, 2011 6:35		Oct 30, 2011 6:37		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	110	1.8	80	1.3	43	0.72	36	0.60	460	7.7	150	2.5	60
Cs-137 (about 30 years)	130	1.4	97	1.1	86	0.96	35	0.39	560	6.2	200	2.2	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 17Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 30, 2011 6:41		Oct 30, 2011 6:43		Oct 30, 2011 6:45		Oct 30, 2011 6:47		Oct 30, 2011 6:50				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	320	5.3	130	2.2	240	4.0	160	2.7	170	2.8			60
Cs-137 (about 30 years)	370	4.1	180	2.0	320	3.6	190	2.1	190	2.1			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Fukushima Daiichi Nuclear Power Station; the shallow draft quay, Unit 1-4 screen, and the water intake canal of Units 1-4 Nuclide Analysis Results of Radioactive Materials in Seawater < 1/2 >

Place of Sampling	Shallow Draft Quay of 1F		Inside north water intake canal of 1F's Units 1-4		Screen of 1F's Unit 1 (outside the silt fence)		Screen of 1F's Unit 1 (inside the silt fence)		Screen of 1F's Unit 2 (outside the silt fence)		Screen of 1F's Unit 2 (inside the silt fence)		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 31, 2011 6:18		Oct 31, 2011 6:22		Oct 31, 2011 6:27		Oct 31, 2011 6:29		Oct 31, 2011 6:33		Oct 31, 2011 6:36		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	31	0.52	59	0.98	100	1.7	110	1.8	91	1.5	350	5.8	60
Cs-137 (about 30 years)	34	0.38	58	0.64	80	0.89	110	1.2	130	1.4	400	4.4	90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-	7.3	0.01	1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx.40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 18Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

Place of Sampling	Screen of 1F's Unit 3 (outside the silt fence)		Screen of 1F's Unit 3 (inside the silt fence)		Screen of 1F's Unit 4 (outside the silt fence)		Screen of 1F's Unit 4 (inside the silt fence)		Inside the south of 1F's Units 1-4 Water Intake Canal				Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 31, 2011 6:40		Oct 31, 2011 6:43		Oct 31, 2011 6:46		Oct 31, 2011 6:48		Oct 31, 2011 6:51				
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-			40
Cs-134 (about 2 years)	93	1.6	230	3.8	58	0.97	270	4.5	69	1.2			60
Cs-137 (about 30 years)	130	1.4	300	3.3	85	0.94	320	3.6	97	1.1			90
Mn-54 (approx.310 days)	ND	-	ND	-	ND	-	ND	-	ND	-			1,000
Co-60 (approx.5yrs)	ND	-	ND	-	ND	-	ND	-	ND	-			200
Tc-99m (approx.6hr s)	ND	-	ND	-	ND	-	ND	-	ND	-			40,000
Te-129m (approx.34d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Te- 129(approx. 70mins)	ND	-	ND	-	ND	-	ND	-	ND	-			10,000
Cs-136 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
Ba-140 (approx.13d ays)	ND	-	ND	-	ND	-	ND	-	ND	-			300
La-140 (approx.40h rs)	ND	-	ND	-	ND	-	ND	-	ND	-			400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit.

The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 16Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.17, 2011 10:50	Oct.17, 2011 10:55	Oct.17, 2011 11:00	Oct.17, 2011 9:54	Oct.17, 2011 10:40	Oct.17, 2011 10:35	Oct.17, 2011 10:20
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	7.5E-01	1.1E+00	5.7E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	9.6E-01	1.5E+00	7.5E-02	3.6E-02	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.19, 2011 9:55	Oct.19, 2011 10:00	Oct.19, 2011 10:05	Oct.19, 2011 9:47	Oct.19, 2011 9:45	Oct.19, 2011 9:40	Oct.19, 2011 9:25
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	7.3E-01	8.2E-01	ND	ND	ND	ND	ND
Cs-137 (about 30 years)	9.5E-01	1.1E+00	ND	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.21, 2011 10:05	Oct.21, 2011 10:10	Oct.21, 2011 10:20	Oct.21, 2011 10:08	Oct.21, 2011 10:00	Oct.21, 2011 9:55	Oct.21, 2011 9:40
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	7.0E-01	9.5E-01	ND	ND	ND	ND	ND
Cs-137 (about 30 years)	9.8E-01	1.2E+00	ND	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.24, 2011 10:30	Oct.24, 2011 10:35	Oct.24, 2011 10:50	Oct.24, 2011 10:21	Oct.24, 2011 10:25	Oct.24, 2011 10:20	Oct.24, 2011 9:55
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	7.2E-01	7.2E-01	ND	ND	ND	ND	ND
Cs-137 (about 30 years)	9.7E-01	9.1E-01	3.2E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.26, 2011 9:59	Oct.26, 2011 10:03	Oct.26, 2011 10:10	Oct.26, 2011 10:03	Oct.26, 2011 9:50	Oct.26, 2011 9:43	Oct.26, 2011 9:25
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	7.5E-01	7.3E-01	3.0E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	9.7E-01	9.4E-01	ND	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.28, 2011 10:10	Oct.28, 2011 10:14	Oct.28, 2011 10:20	Oct.28, 2011 9:47	Oct.28, 2011 9:55	Oct.28, 2011 9:50	Oct.28, 2011 9:40
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	6.3E-01	7.7E-01	ND	2.7E-02	ND	ND	ND
Cs-137 (about 30 years)	8.7E-01	1.1E+00	ND	4.2E-02	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2Bq/cm^3$, Cs-134: approx. $2E-2Bq/cm^3$, Cs-137: approx. $3E-2Bq/cm^3$

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Result of nuclide analysis of sub drain of Fukushima Daiichi NPS

Place of Sampling	Fukushima Daiichi NPS 1U sub-drain	Fukushima Daiichi NPS 2U sub-drain	Fukushima Daiichi NPS 3U sub-drain	Fukushima Daiichi NPS 4U sub-drain	Fukushima Daiichi NPS 5U sub-drain	Fukushima Daiichi NPS 6U sub-drain	Fukushima Daiichi NPS Deep well
Time of Sampling	Oct.31, 2011 9:55	Oct.31, 2011 9:57	Oct.31, 2011 10:00	Oct.31, 2011 9:50	Oct.31, 2011 9:45	Oct.31, 2011 9:40	Oct.31, 2011 9:20
Detected Nuclides (Half-life)	Density of sample (Bq/cm3)						
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	6.7E-01	1.0E+00	3.8E-02	ND	ND	ND	ND
Cs-137 (about 30 years)	8.9E-01	1.4E+00	2.4E-02	ND	ND	ND	ND
Nb-95 (approx.35days)	ND	ND	ND	ND	ND	ND	ND
Sb-125 (approx.3yrs)	ND	ND	ND	ND	ND	ND	ND
Ag-110m (approx.250days)	ND	ND	ND	ND	ND	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND
La-140 (approx. 40 hours)	ND	ND	ND	ND	ND	ND	ND

* O.OE - O means $O.O \times 10^{-O}$

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. $3E-2$ Bq/cm³, Cs-134: approx. $2E-2$ Bq/cm³, Cs-137: approx. $3E-2$ Bq/cm³

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.16, 2011 9:18	Oct.16, 2011 9:28	Oct.16, 2011 9:32	Oct.16, 2011 9:45	N/A	Oct.16, 2011 9:41	Oct.16, 2011 9:49	Oct.16, 2011 9:35
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	2.2E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	3.0E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.17, 2011 9:54	Oct.17, 2011 10:00	Oct.17, 2011 10:03	Oct.17, 2011 10:21	Oct.17, 2011 10:12	Oct.17, 2011 10:17	Oct.17, 2011 10:25	Oct.17, 2011 10:08
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.1E-02	ND	3.6E-01	3.2E-02	ND
Cs-137 (about 30 years)	3.6E-02	ND	ND	2.9E-02	ND	4.4E-01	2.4E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.18, 2011 9:39	Oct.18, 2011 9:48	Oct.18, 2011 9:52	Oct.18, 2011 10:03	Oct.18, 2011	Oct.18, 2011 10:00	Oct.18, 2011 10:08	Oct.18, 2011 9:56
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	4.4E-01	ND	ND
Cs-137 (about 30 years)	2.8E-02	ND	ND	3.5E-02	-	5.5E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.19, 2011 9:47	Oct.19, 2011 9:52	Oct.19, 2011 9:57	Oct.19, 2011 10:09	Oct.19, 2011	Oct.19, 2011 10:05	Oct.19, 2011 10:14	Oct.19, 2011 10:01
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.4E-02	-	1.9E-01	7.3E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	3.9E-02	-	2.1E-01	9.4E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.20, 2011 9:42	Oct.20, 2011 9:46	Oct.20, 2011 9:49	Oct.20, 2011 10:00	Oct.20, 2011	Oct.20, 2011 9:57	Oct.20, 2011 10:04	Oct.20, 2011 9:54
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	7.5E-02	ND	ND	3.4E-02	-	2.1E-01	4.2E-02	ND
Cs-137 (about 30 years)	8.2E-02	ND	ND	ND	-	2.5E-01	3.5E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.21, 2011 10:08	Oct.21, 2011 10:34	Oct.21, 2011 10:13	Oct.21, 2011 10:25	Oct.21, 2011	Oct.21, 2011 10:21	Oct.21, 2011 10:30	Oct.21, 2011 10:17
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	2.3E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	3.5E-02	-	2.7E-01	3.5E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.22, 2011 9:31	Oct.22, 2011 9:36	Oct.22, 2011 9:39	Oct.22, 2011 9:52	Oct.22, 2011	Oct.22, 2011 9:48	Oct.22, 2011 9:56	Oct.22, 2011 9:43
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	9.3E-02	ND	ND	4.7E-02	-	1.9E-01	2.6E-02	ND
Cs-137 (about 30 years)	1.2E-01	ND	ND	4.1E-02	-	2.4E-01	3.7E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.23, 2011 9:41	Oct.23, 2011 9:46	Oct.23, 2011 9:50	Oct.23, 2011 10:02	Oct.23, 2011	Oct.23, 2011 9:59	Oct.23, 2011 10:07	Oct.23, 2011 9:55
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	3.7E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	4.6E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.24, 2011 10:21	Oct.24, 2011 10:26	Oct.24, 2011 10:29	Oct.24, 2011 10:45	Oct.24, 2011 10:38	Oct.24, 2011 10:42	Oct.24, 2011 10:49	Oct.24, 2011 10:33
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	ND	1.9E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	2.8E-02	ND	2.5E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.Ox1 0-O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.25, 2011 10:06	Oct.25, 2011 10:11	Oct.25, 2011 10:15	Oct.25, 2011 10:27	Oct.25, 2011	Oct.25, 2011 10:24	Oct.25, 2011 10:32	Oct.25, 2011 10:19
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	2.6E-02	-	2.7E-01	2.6E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	2.4E-02	-	3.3E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.26, 2011 10:03	Oct.26, 2011 10:08	Oct.26, 2011 10:12	Oct.26, 2011 10:25	Oct.26, 2011	Oct.26, 2011 10:21	Oct.26, 2011 10:29	Oct.26, 2011 10:16
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	4.8E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	-	6.0E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.27, 2011 9:51	Oct.27, 2011 9:56	Oct.27, 2011 10:03	Oct.27, 2011 10:16	N/A	Oct.27, 2011 10:13	Oct.27, 2011 10:21	Oct.27, 2011 10:03
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	6.3E-02	ND	ND	3.0E-02	-	2.2E-01	ND	ND
Cs-137 (about 30 years)	8.2E-02	ND	ND	3.0E-02	-	2.3E-01	3.2E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.28, 2011 9:47	Oct.28, 2011 9:51	Oct.28, 2011 9:55	Oct.28, 2011 10:08	N/A	Oct.28, 2011 10:06	Oct.28, 2011 10:13	Oct.28, 2011 9:59
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	2.7E-02	ND	ND	ND	-	3.5E-01	ND	ND
Cs-137 (about 30 years)	4.2E-02	ND	ND	3.2E-02	-	4.8E-01	ND	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.29, 2011 9:26	Oct.29, 2011 9:31	Oct.29, 2011 9:35	Oct.29, 2011 9:47	N/A	Oct.29, 2011 9:44	Oct.29, 2011 9:52	Oct.29, 2011 9:39
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	-	1.3E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	5.1E-02	-	2.0E-01	4.0E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.30, 2011 9:14	Oct.30, 2011 9:18	Oct.30, 2011 9:22	Oct.30, 2011 9:34	N/A	Oct.30, 2011 9:31	Oct.30, 2011 9:37	Oct.30, 2011 9:26
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	3.4E-02	-	4.4E-01	ND	ND
Cs-137 (about 30 years)	ND	ND	ND	2.6E-02	-	5.2E-01	4.3E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	-	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	-	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	-	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	-	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Sub-drain Water in the Surroundings of "Centralized Radiation Waste Treatment Facility"

Place of Sampling	South East Turbine Building 4U Fukushima Daiichi NPS	North East of process main building Fukushima Daiichi NPS	South East of process main building Fukushima Daiichi NPS	South of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southwest part of On-site Bunker Building Fukushima Daiichi NPS	West part of Incineration Workshop Building Fukushima Daiichi NPS	North part of Miscellaneous Solid Waste Volume Reduction Treatment Building Fukushima Daiichi NPS	Southeast part of On-site Bunker Building Fukushima Daiichi NPS
Time of Sampling	Oct.31, 2011 9:50	Oct.31, 2011 9:54	Oct.31, 2011 9:58	Oct.31, 2011 10:15	Oct.31, 2011 10:05	Oct.31, 2011 10:11	Oct.31, 2011 10:19	Oct.31, 2011 10:02
Detected Nuclides (Half-life)	density of sample (Bq/cm3)							
I-131 (about 8 days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-134 (about 2 years)	ND	ND	ND	ND	ND	1.9E-01	2.5E-02	ND
Cs-137 (about 30 years)	ND	ND	ND	ND	ND	2.5E-01	3.0E-02	ND
Te-129 (approx.70mins)	ND	ND	ND	ND	ND	ND	ND	ND
Te-129m (approx.34days)	ND	ND	ND	ND	ND	ND	ND	ND
Cs-136 (approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND
Ba-140(approx.13days)	ND	ND	ND	ND	ND	ND	ND	ND

* O.OE-O has the same meaning as O.Ox 1 0 -O.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 2E-2Bq/cm3, Cs-134: approx. 3E-2Bq/cm3, Cs-137: approx. 3E-2Bq/cm3

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore of Ibaraki Prefecture 1/2 >

Place of Sampling	3 km offshore of Takadokobama shore Upper Layer		3 km offshore of Takadokobama shore Lower Layer		3 km offshore of Kujihama shore Upper Layer		3 km offshore of Kujihama shore Lower Layer		3 km offshore of Oarai shore Upper Layer		3 km offshore of Oarai shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 07:48 am		Oct 18, 2011 07:45 am		Oct 19, 2011 07:24 am		Oct 19, 2011 07:21 am		Oct 19, 2011 01:25 pm		Oct 19, 2011 01:23 pm		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore of Ibaraki Prefecture 2/2 >

Place of Sampling	3 km offshore of Hirai shore Upper Layer		3 km offshore of Hirai shore Lower Layer		3 km offshore of Hasaki shore Upper Layer		3 km offshore of Hasaki shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 18, 2011 02:03 pm		Oct 18, 2011 02:01 pm		Oct 18, 2011 08:02 am		Oct 18, 2011 08:00 am						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te- 129(approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba- 140(approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 4Bq/L, Cs-134: approx. 6Bq/L, Cs-137: approx. 9Bq/L

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore of Ibaraki Prefecture 1/2 >

Place of Sampling	3 km offshore of Takadokobama shore Upper Layer		3 km offshore of Takadokobama shore Lower Layer		3 km offshore of Kujihama shore Upper Layer		3 km offshore of Kujihama shore Lower Layer		3 km offshore of Oarai shore Upper Layer		3 km offshore of Oarai shore Lower Layer		Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 07:40 am		Oct 25, 2011 07:40 am		Oct 26, 2011 08:14 am		Oct 26, 2011 08:15 am		Oct 26, 2011 01:34 pm		Oct 26, 2011 01:32 pm		
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 1.1Bq/L, Cs-134: approx. 1.5Bq/L, Cs-137: approx. 1.3Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Radioactive Materials in Seawater < Offshore of Ibaraki Prefecture 2/2 >

Place of Sampling	3 km offshore of Hirai shore Upper Layer		3 km offshore of Hirai shore Lower Layer		3 km offshore of Hasaki shore Upper Layer		3 km offshore of Hasaki shore Lower Layer						Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct 25, 2011 01:59 pm		Oct 25, 2011 01:57 pm		Oct 25, 2011 07:34 am		Oct 25, 2011 07:32 am						
Detected Nuclides (Half-life)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	Density of Sample (Bq/L)	Scaling Factor (/)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-					40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-					60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-					90
Mo-99 (approx. 66hrs)	ND	-	ND	-	ND	-	ND	-					1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-					40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-					300
Te- 129(approx.70mins)	ND	-	ND	-	ND	-	ND	-					10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-					200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-					3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-					300
Ba- 140(approx.13days)	ND	-	ND	-	ND	-	ND	-					300
La-140 (approx. 40hrs)	ND	-	ND	-	ND	-	ND	-					400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit of radioactive material in seawater. The detection limits of major three nuclide that are not detected are as follows: I-131: approx. 0.99Bq/L, Cs-134: approx. 1.4Bq/L, Cs-137: approx. 1.4Bq/L

Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore of Miyagi Pref. 1/3>

Place of Sampling	Ishinomaki bay Upper Layer		Ishinomaki bay Middle Layer		Ishinomaki bay Lower Layer		Offshore of East side of Kinkasan Upper Layer		Offshore of East side of Kinkasan Middle Layer		Offshore of East side of Kinkasan Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
Time of Sampling	Oct. 25, 2011 10:43		Oct. 25, 2011 10:53		Oct. 25, 2011 10:40		Oct. 25, 2011 8:20		Oct. 25, 2011 8:34		Oct. 25, 2011 8:16		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (about 66 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 1.0Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.2Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore of Miyagi Pref. 2/3>

Place of Sampling	Offshore of South side of Kinkasan Upper Layer		Offshore of South side of Kinkasan Middle Layer		Offshore of South side of Kinkasan Lower Layer		Offshore of Shichigahama Upper Layer		Offshore of Shichigahama Middle Layer		Offshore of Shichigahama Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling	Oct. 25, 2011 9:20	Oct. 25, 2011 9:35	Oct. 25, 2011 9:15	Oct. 25, 2011 9:23	Oct. 25, 2011 9:32	Oct. 25, 2011 9:27						
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (about 66 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm³ to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 1.0Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.2Bq/L

【Definite Report】 Nuclide Analysis Results of Seawater <Offshore of Miyagi Pref. 3/3>

Place of Sampling	Central area of Sendai bay Upper Layer		Central area of Sendai bay Middle Layer		Central area of Sendai bay Lower Layer		Offshore of Abukumagawa Upper Layer		Offshore of Abukumagawa Middle Layer		Offshore of Abukumagawa Lower Layer		② Density limit by the announcement of Reactor Regulation (Bq/L) (the density limit in the water outside of surrounding monitored areas in the section 6 of the appendix 2)
	Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		Time of Sampling		
Detected Nuclides (Half-life)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	①Density of Sample (Bq/L)	Scaling Factor (①/②)	
	I-131 (about 8 days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	
Cs-134 (about 2 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	60
Cs-137 (about 30 years)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	90
Mo-99 (about 66 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	1,000
Tc-99m (approx.6hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	40,000
Te-129m (approx.34days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Te-129 (approx.70mins)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	10,000
Te-132 (approx.78hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	200
I-132 (approx.2hrs)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	3,000
Cs-136 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
Ba-140 (approx.13days)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	300
La-140 (approx. 40 hours)	ND	-	ND	-	ND	-	ND	-	ND	-	ND	-	400

* Density by the announcement of Reactor Regulation is stated with an amount converted from Bq/cm3 to Bq/L.

* In the case that two or more kinds of nuclides exist, sum of each scaling factor to the density limit is compared with 1.

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides. I-131: approx. 1.0Bq/L, Cs-134: approx. 1.1Bq/L, Cs-137: approx. 1.2Bq/L

【Definite Report】 Nuclide analysis results of ocean soil

Place of Sampling	Around North Discharge Channel of 2F (Around 3,4u Discharge Channel) (approx. 10 km from 1F)	3km offshore of Iwasawa	8km offshore of Iwasawa	5km offshore of Numanouchi	
Time of Sampling	Oct. 17, 2011 12:10	Oct. 17, 2011 9:10	Oct. 17, 2011 9:30	Oct. 17, 2011 7:10	
Detected Nuclides (Half-life)	Density of sample (Bq/kg)				
I-131 (about 8 days)	ND	ND	ND	ND	
Cs-134 (about 2 years)	150	750	210	47	
Cs-137 (about 30 years)	170	910	250	59	
Mn-54 (about 310 days)	ND	ND	ND	ND	
Co-60 (approx.5yrs)	ND	ND	ND	ND	
Tc-99m (approx.6hrs)	ND	ND	ND	ND	
Ag-110m (approx.250days)	ND	ND	ND	ND	
Te-129 (approx.70mins)	ND	ND	ND	ND	
Te-129m (approx.34days)	ND	ND	ND	ND	
Cs-136 (approx.13days)	ND	ND	ND	ND	
Ba-140 (approx.13days)	ND	ND	ND	ND	
La-140 (approx.40hrs)	ND	ND	ND	ND	

* "ND" means the sampled data is below measurable limit. The followings show the detection limits of undetected typical nuclides.
 I-131: approx. 12Bq/kg.
 Please note that these nuclides are sometimes detected even when they are below the limits, contingent on the detector or samples.