




# Radioactivity Density of Seawater (Bq/L)




Radioactivity Density of Seawater at North of 1F5-6 Discharge Channel (Bq/L)




Radioactivity Density of Seawater at South Discharge Channel of 1F (Bq/L)




Radioactivity Density of Seawater at North Discharge Channel of 2F (Bq/L)



Radioactivity Density of Seawater at Iwasawa Shore 2F (Bq/L)




# Radioactivity Density of Seawater 3km Offshore of Haramachi Ward Upper Layer (Bq/L)



# Radioactivity Density of Seawater 3km Offshore of Haramachi Ward Lower Layer (Bq/L)

Notification Level


- Cs-137 ( 90Bq/L )
- Cs-134 ( 60Bq/L )
- I-131 ( 40Bq/L )



There is no plot data after August 26 as no nuclide detected.


No sampling survey due to bad weather on the following days:  
August 20,22,24,28,  
September 1,3,5,7,11,17,19,21,23,27,29,  
October 1,3,7,15,19,21,23,31,November 8,16,20,24

# Radioactivity Density of Seawater 3km Offshore of Odaka Ward Upper Layer (Bq/L)







# Radioactivity Density of Seawater 3km Offshore of Odaka Ward Lower Layer (Bq/L)




Radioactivity Density of Seawater 3km Offshore of Iwasawa Shore Upper Layer (Bq/L)




# Radioactivity Density of Seawater 3km Offshore of Iwasawa Shore Lower Layer (Bq/L)




# Radioactivity Density of Seawater 8km Offshore of Odaka Ward Upper Layer (Bq/L)




Radioactivity Density of Seawater 8km Offshore of Odaka Ward Lower Layer (Bq/L)




Radioactivity Density of Seawater 8km Offshore of Iwasawa Shore Upper Layer (Bq/L)



Radioactivity Density of Seawater 8km Offshore of Iwasawa Shore Lower Layer (Bq/L)




Radioactivity Density of Seawater around 3km offshore of North of Iwaki City Upper Layer(Bq/L)





Radioactivity Density of Seawater around 3km offshore of North of Iwaki City Lower Layer(Bq/L)



Radioactivity Density of Seawater around 3km offshore of Natsui River Upper Layer(Bq/L)


Notification Level

Cs-137  
( 90Bq/L )

Cs-134  
( 60Bq/L )

I-131 ( 40Bq/L )

1.0E+02



1.0E+01

1.0E+00

1.0E-01

8/19 8/26 9/2 9/9 9/16 9/23 9/30 10/7 10/14 10/21 10/28 11/4 11/11 11/18 11/25 12/2

No sampling survey due to bad weather on the following days:  
September 5,6,19,21




Radioactivity Density of Seawater around 3km offshore of Natsui River Lower Layer(Bq/L)

Notification Level


Cs-137  
( 90Bq/L )

Cs-134  
( 60Bq/L )


I-131 ( 40Bq/L )




Radioactivity Density of Seawater around 3km offshore of Onahama Port Upper Layer(Bq/L)




Radioactivity Density of Seawater around 3km offshore of Onahama Port Lower Layer(Bq/L)




# Radioactivity Density of Seawater around 3 km offshore of Ena Upper Layer (Bq/L)



# Radioactivity Density of Seawater around 3 km offshore of Ena Lower Layer (Bq/L)




Radioactivity Density of Seawater around 3km offshore of Numanouchi Upper Layer(Bq/L)






Radioactivity Density of Seawater around 3km offshore of Numanouchi Lower Layer(Bq/L)



# Radioactivity Density of Seawater around 3km offshore of Toyoma Upper Layer(Bq/L)



# Radioactivity Density of Seawater around 3km offshore of Toyoma Lower Layer(Bq/L)

