

Table 10 Cumulative Dose Distribution Table up to each Month

Date	TEPCO/ Contractor	1 or less	1-5	5-10	10-20	20-50	50-75	75-100	100-150	150-200	200-250	Over 250	Workers	Max. dose	Average dose	
201103~201103	TEPCO	50	56	238	529	539	121	74	64	16	0	0	6	1693	670.36	31.41
	Contractor	406	524	397	460	371	65	34	17	2	2	2	0	2278	238.42	14.16
	Total	456	580	635	989	910	186	108	81	18	2	2	6	3971	670.36	21.51
201103~201104	TEPCO	223	258	345	476	624	174	72	95	19	1	1	6	2293	678.08	27.92
	Contractor	1461	1555	766	708	568	95	42	18	2	2	0	0	5217	238.42	9.68
	Total	1684	1813	1111	1184	1192	269	114	113	21	3	3	6	7510	678.08	15.25
201103~201105	TEPCO	338	377	346	488	633	196	88	101	20	1	1	6	2594	678.80	26.44
	Contractor	2254	2515	1217	1081	777	121	47	20	2	2	0	0	8036	238.42	8.73
	Total	2592	2892	1563	1569	1410	317	135	121	22	3	3	6	10630	678.80	13.05
201103~201106	TEPCO	440	412	358	494	645	188	107	104	22	1	1	6	2777	678.80	25.71
	Contractor	2681	2985	1540	1474	1078	135	50	20	2	2	0	0	9967	238.42	9.01
	Total	3121	3397	1898	1968	1723	323	157	124	24	3	3	6	12744	678.80	12.65
201103~201107	TEPCO	566	458	351	494	653	191	115	109	22	1	1	6	2966	678.80	24.82
	Contractor	3059	3656	1867	1746	1282	158	52	20	2	2	0	0	11844	238.42	8.92
	Total	3625	4114	2218	2240	1935	349	167	129	24	3	3	6	14810	678.80	12.10
201103~201108	TEPCO	618	476	348	494	655	204	120	115	22	1	1	6	3059	678.80	24.78
	Contractor	3122	3834	2178	1978	1521	170	53	20	2	2	0	0	12880	238.42	9.26
	Total	3740	4310	2526	2472	2176	374	173	135	24	3	3	6	15939	678.80	12.24
201103~201109	TEPCO	655	472	349	492	652	217	126	117	24	1	1	6	3111	678.80	24.92
	Contractor	3296	4013	2274	2267	1693	187	57	20	2	2	0	0	13811	238.42	9.51
	Total	3951	4485	2623	2759	2345	404	183	137	26	3	3	6	16922	678.80	12.35
201103~201110	TEPCO	680	485	346	486	647	230	138	118	24	1	1	6	3161	678.80	25.10
	Contractor	3512	4102	2359	2455	1860	219	58	20	2	2	0	0	14589	238.42	9.72
	Total	4192	4587	2705	2941	2507	449	196	138	26	3	3	6	17750	678.80	12.46
201103~201111	TEPCO	709	516	341	484	649	235	144	117	25	1	1	6	3227	678.80	24.98
	Contractor	4062	4228	2366	2584	2034	231	62	20	2	2	0	0	15591	238.42	9.61
	Total	4771	4744	2707	3068	2683	466	206	137	27	3	3	6	18818	678.80	12.25
201103~201112	TEPCO	738	532	344	483	646	241	156	117	25	1	1	6	3289	678.80	24.91
	Contractor	4236	4398	2430	2717	2172	238	62	20	2	2	0	0	16277	238.42	9.69
	Total	4974	4930	2774	3200	2818	479	218	137	27	3	3	6	19566	678.80	12.24
201103~201201	TEPCO	750	549	355	484	640	244	167	117	25	1	1	6	3338	678.80	24.93
	Contractor	4415	4525	2461	2785	2323	243	62	20	2	2	0	0	16838	238.42	9.76
	Total	5165	5074	2816	3269	2963	487	229	137	27	3	3	6	20176	678.80	12.27
201103~201202	TEPCO	759	565	364	488	635	251	171	117	25	1	1	6	3382	678.80	24.90
	Contractor	4448	4588	2523	2826	2509	248	64	20	2	2	0	0	17230	238.42	9.96
	Total	5207	5153	2887	3314	3144	499	235	137	27	3	3	6	20612	678.80	12.41
201103~201203	TEPCO	791	563	366	490	626	261	180	118	25	1	1	6	3427	678.80	24.85
	Contractor	4631	4621	2557	2892	2660	258	65	20	2	2	0	0	17708	238.42	10.06
	Total	5422	5184	2923	3382	3286	519	245	138	27	3	3	6	21135	678.80	12.46
201103~201204	TEPCO	808	564	364	503	620	262	189	118	25	1	1	6	3460	678.80	24.84
	Contractor	4954	4707	2554	2952	2756	277	65	20	2	2	0	0	18289	238.42	10.05
	Total	5762	5271	2918	3455	3376	539	254	138	27	3	3	6	21749	678.80	12.40
201103~201205	TEPCO	826	567	367	497	622	266	194	118	25	1	1	6	3489	678.80	24.84
	Contractor	5245	4828	2600	2955	2856	313	66	20	2	2	0	0	18887	238.42	10.08
	Total	6071	5395	2967	3452	3478	579	260	138	27	3	3	6	22376	678.80	12.38
201103~201206	TEPCO	832	572	373	496	618	272	201	118	25	1	1	6	3514	678.80	24.88
	Contractor	5321	5130	2635	2998	2930	348	69	20	2	2	0	0	19455	238.42	10.11
	Total	6153	5702	3008	3494	3548	620	270	138	27	3	3	6	22969	678.80	12.37
201103~201207	TEPCO	866	576	375	499	618	272	206	118	25	1	1	6	3562	678.80	24.72
	Contractor	5380	5302	2682	3047	3021	390	70	20	2	2	0	0	19916	238.42	10.21
	Total	6246	5878	3057	3546	3639	662	276	138	27	3	3	6	23478	678.80	12.41
201103~201208	TEPCO	877	587	378	499	612	280	209	118	25	1	1	6	3592	678.80	24.69
	Contractor	5506	5400	2728	3079	3086	411	73	20	2	2	0	0	20307	238.42	10.26
	Total	6383	5987	3106	3578	3698	691	282	138	27	3	3	6	23899	678.80	12.43

Date	TEPCO/ Contractor	1 or less	1-5	5-10	10-20	20-50	50-75	75-100	100-150	150-200	200-250	Over 250	Workers	Max. dose	Average dose
201103～201209	TEPCO	865	596	381	498	611	283	215	118	25	1	6	3599	678.80	24.80
	Contractor	5571	5503	2833	3082	3173	438	73	20	2	2	0	20697	238.42	10.33
	Total	6436	6099	3214	3580	3784	721	288	138	27	3	6	24296	678.80	12.47
201103～201210	TEPCO	896	604	381	499	611	290	217	118	25	1	6	3648	678.80	24.62
	Contractor	5696	5596	2948	3140	3222	458	76	20	2	2	0	21160	238.42	10.36
	Total	6592	6200	3329	3639	3833	748	293	138	27	3	6	24808	678.80	12.45
201103～201211	TEPCO	878	622	383	496	608	296	222	118	25	1	6	3655	678.80	24.74
	Contractor	5839	5653	3018	3213	3276	473	80	20	2	2	0	21576	238.42	10.39
	Total	6717	6275	3401	3709	3884	769	302	138	27	3	6	25231	678.80	12.47
201103～201212	TEPCO	878	618	396	492	608	298	227	118	25	1	6	3667	678.80	24.82
	Contractor	6013	5788	3081	3254	3349	497	80	20	2	2	0	22086	238.42	10.40
	Total	6891	6406	3477	3746	3957	795	307	138	27	3	6	25753	678.80	12.46
201103～201301	TEPCO	876	624	396	493	611	297	230	118	25	1	6	3677	678.80	24.86
	Contractor	6188	5869	3156	3315	3420	513	80	20	2	2	0	22565	238.42	10.40
	Total	7064	6493	3552	3808	4031	810	310	138	27	3	6	26242	678.80	12.43
201103～201302	TEPCO	881	623	399	495	614	298	231	118	25	1	6	3691	678.80	24.89
	Contractor	6354	5961	3168	3428	3510	540	83	20	2	2	0	23068	238.42	10.47
	Total	7235	6584	3567	3923	4124	838	314	138	27	3	6	26759	678.80	12.46
201103～201303	TEPCO	889	615	411	498	614	298	235	118	25	1	6	3710	678.80	24.92
	Contractor	6509	6062	3239	3502	3625	571	85	20	2	2	0	23617	238.42	10.57
	Total	7398	6677	3650	4000	4239	869	320	138	27	3	6	27327	678.80	12.52
201103～201304	TEPCO	926	629	423	498	616	300	237	118	25	1	6	3779	678.80	24.60
	Contractor	6730	6156	3286	3540	3681	591	86	20	2	2	0	24094	238.42	10.55
	Total	7656	6785	3709	4038	4297	891	323	138	27	3	6	27873	678.80	12.46
201103～201305	TEPCO	930	631	424	508	616	300	240	118	25	1	6	3799	678.80	24.59
	Contractor	6884	6273	3293	3563	3737	614	87	20	2	2	0	24475	238.42	10.57
	Total	7814	6904	3717	4071	4353	914	327	138	27	3	6	28274	678.80	12.45
201103～201306	TEPCO	930	635	421	518	614	301	243	118	25	1	6	3812	678.80	24.62
	Contractor	6961	6338	3327	3558	3803	645	90	20	2	2	0	24746	238.42	10.63
	Total	7891	6973	3748	4076	4417	946	333	138	27	3	6	28558	678.80	12.50
201103～201307	TEPCO	962	642	417	528	612	306	243	118	25	1	6	3860	678.80	24.43
	Contractor	7105	6402	3392	3568	3837	679	92	20	2	2	0	25099	238.42	10.66
	Total	8067	7044	3809	4096	4449	985	335	138	27	3	6	28959	678.80	12.49
201103～201308	TEPCO	961	653	417	532	610	310	247	118	25	1	6	3880	678.80	24.42
	Contractor	7173	6502	3431	3595	3904	707	97	20	2	2	0	25433	238.42	10.72
	Total	8134	7155	3848	4127	4514	1017	344	138	27	3	6	29313	678.80	12.53
201103～201309	TEPCO	1031	659	424	535	605	314	250	118	25	1	6	3968	678.80	23.99
	Contractor	7276	6519	3535	3648	3980	742	99	20	2	2	0	25823	238.42	10.82
	Total	8307	7178	3959	4183	4585	1056	349	138	27	3	6	29791	678.80	12.57
201103～201310	TEPCO	1071	675	427	536	609	314	255	118	25	1	6	4037	678.80	23.73
	Contractor	7390	6629	3585	3735	4073	779	105	20	2	2	0	26320	238.42	10.91
	Total	8461	7304	4012	4271	4682	1093	360	138	27	3	6	30357	678.80	12.61
201103～201311	TEPCO	1066	699	430	538	609	319	256	118	25	1	6	4067	678.80	23.68
	Contractor	7578	6701	3634	3802	4140	832	110	20	2	2	0	26821	238.42	10.97
	Total	8644	7400	4064	4340	4749	1151	366	138	27	3	6	30888	678.80	12.64
201103～201312	TEPCO	1064	711	430	543	610	321	257	118	25	1	6	4086	678.80	23.69
	Contractor	7674	6822	3685	3887	4210	861	114	20	2	2	0	27277	238.42	11.02
	Total	8738	7533	4115	4430	4820	1182	371	138	27	3	6	31363	678.80	12.67
201103～201401	TEPCO	1056	726	432	545	611	322	260	118	25	1	6	4102	678.80	23.69
	Contractor	7880	6957	3787	3957	4306	885	121	20	2	2	0	27917	238.42	11.02
	Total	8936	7683	4219	4502	4917	1207	381	138	27	3	6	32019	678.80	12.64
201103～201402	TEPCO	1065	727	438	545	615	319	264	118	25	1	6	4123	678.80	23.66
	Contractor	8026	7083	3807	4071	4380	916	123	20	2	2	0	28430	238.42	11.05
	Total	9091	7810	4245	4616	4995	1235	387	138	27	3	6	32553	678.80	12.64
201103～201403	TEPCO	1066	727	444	551	614	318	268	118	25	1	6	4138	678.80	23.67
	Contractor	8246	7248	3901	4173	4455	951	129	20	2	2	0	29127	238.42	11.04
	Total	9312	7975	4345	4724	5069	1269	397	138	27	3	6	33265	678.80	12.61

Date	TEPCO/ Contractor	1 or less	1-5	5-10	10-20	20-50	50-75	75-100	100-150	150-200	200-250	Over 250	Workers	Max. dose	Average dose
201103~201404	TEPCO	1074	730	458	556	608	322	272	118	25	1	6	4170	678.80	23.59
	Contractor	8666	7475	3971	4223	4561	982	134	20	2	2	0	30036	238.42	10.95
	Total	9740	8205	4429	4779	5169	1304	406	138	27	3	6	34206	678.80	12.49
201103~201405	TEPCO	1091	737	460	563	608	321	275	118	25	1	6	4205	678.80	23.47
	Contractor	9075	7750	4042	4276	4668	1016	137	20	2	2	0	30988	238.42	10.86
	Total	10166	8487	4502	4839	5276	1337	412	138	27	3	6	35193	678.80	12.37
201103~201406	TEPCO	1099	740	463	563	613	322	277	118	25	1	6	4227	678.80	23.44
	Contractor	9479	7928	4235	4340	4750	1054	145	20	2	2	0	31955	238.42	10.80
	Total	10578	8668	4698	4903	5363	1376	422	138	27	3	6	36182	678.80	12.27
201103~201407	TEPCO	1145	751	462	568	616	321	278	118	25	1	6	4291	678.80	23.16
	Contractor	9887	8076	4298	4479	4840	1081	155	20	2	2	0	32840	238.42	10.76
	Total	11032	8827	4760	5047	5456	1402	433	138	27	3	6	37131	678.80	12.19
201103~201408	TEPCO	1146	760	466	566	619	320	281	118	25	1	6	4308	678.80	23.13
	Contractor	10120	8147	4412	4535	4928	1106	160	20	2	2	0	33432	238.42	10.77
	Total	11266	8907	4878	5101	5547	1426	441	138	27	3	6	37740	678.80	12.18
201103~201409	TEPCO	1160	760	476	566	620	320	281	118	25	1	6	4333	678.80	23.05
	Contractor	10377	8275	4462	4652	5035	1133	163	20	2	2	0	34121	238.42	10.76
	Total	11537	9035	4938	5218	5655	1453	444	138	27	3	6	38454	678.80	12.15

* The numbers of dose and workers are subject to change, due to replacement of APD data to monthly dose data measured by integral dosimeter and reflection of workers who wear integral dosimeter (example: workers who entered only the Main Anti-earthquake Building).