

(Aggregation period: March 11, 2011 - March 31, 2015)

Table 7 Cumulative Exposure Dose Data by Fiscal Year

FY2011

Dose ranges (mSv)	March 2011-March 2012		
	TEPCO's employees	Contractors	Total
Above 250	6	0	6
200-250	1	2	3
150-200	26	2	28
100-150	117	20	137
75-100	186	65	251
50-75	257	258	515
20-50	630	2660	3290
10-20	491	2892	3383
5-10	376	2557	2933
1-5	589	4621	5210
1 or less	737	4632	5369
Total	3416	17709	21125
Max. (mSv)	678.80	238.42	678.80
Average (mSv)	25.14	10.06	12.50

FY2012

Dose ranges (mSv)	April 2012-March 2013		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	1	0	1
20-50	62	675	737
10-20	129	2000	2129
5-10	266	1875	2141
1-5	579	3326	3905
1 or less	588	4240	4828
Total	1625	12116	13741
Max. (mSv)	54.10	43.30	54.10
Average (mSv)	4.49	5.90	5.74

FY2013

Dose ranges (mSv)	April 2013-March 2014		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	31	629	660
10-20	95	2067	2162
5-10	195	1897	2092
1-5	670	3739	4409
1 or less	701	4722	5423
Total	1692	13054	14746
Max. (mSv)	41.90	41.40	41.90
Average (mSv)	3.24	5.51	5.25

FY2014

Dose ranges (mSv)	April 2014-March 2015		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	11	981	992
10-20	57	2568	2625
5-10	154	2784	2938
1-5	631	5307	5938
1 or less	832	7370	8202
Total	1685	19010	20695
Max. (mSv)	29.50	39.85	39.85
Average (mSv)	2.25	5.23	4.99

Note)

• The values of the exposure dose and the number of the workers in the table above are subject to change, because there are times when APD data are replaced with monthly dose data measured by integral dosimeters. Or dose data of workers who wore only an integral dosimeter (ex., workers who entered only the Main Anti-earthquake Building) need to be updated in the table after the publication of the data.

(Aggregation period: March 11, 2011 - March 31, 2015)

Table 7(1) Cumulative External Exposure Dose Data by Fiscal Year

FY2011

Dose ranges (mSv)	March 2011-March 2012		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	7	3	10
100-150	58	8	66
75-100	107	29	136
50-75	231	195	426
20-50	674	2457	3131
10-20	554	2845	3399
5-10	428	2586	3014
1-5	599	4734	5333
1 or less	758	4852	5610
Total	3416	17709	21125
Max. (mSv)	188.14	199.42	199.42
Average (mSv)	19.14	9.16	10.77

FY2012

Dose ranges (mSv)	April 2012-March 2013		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	1	0	1
20-50	62	675	737
10-20	129	2000	2129
5-10	266	1875	2141
1-5	579	3326	3905
1 or less	588	4240	4828
Total	1625	12116	13741
Max. (mSv)	54.10	43.30	54.10
Average (mSv)	4.49	5.90	5.74

FY2013

Dose ranges (mSv)	April 2013-March 2014		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	31	629	660
10-20	95	2067	2162
5-10	195	1897	2092
1-5	670	3739	4409
1 or less	701	4722	5423
Total	1692	13054	14746
Max. (mSv)	41.90	41.40	41.90
Average (mSv)	3.24	5.51	5.25

FY2014

Dose ranges (mSv)	April 2014-March 2015		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	11	981	992
10-20	57	2568	2625
5-10	154	2784	2938
1-5	631	5307	5938
1 or less	832	7370	8202
Total	1685	19010	20695
Max. (mSv)	29.50	39.85	39.85
Average (mSv)	2.25	5.23	4.99

Note)

• The values of the exposure dose and the number of the workers in the table above are subject to change, because there are times when APD data are replaced with monthly dose data measured by integral dosimeters. Or dose data of workers who wore only an integral dosimeter (ex., workers who entered only the Main Anti-earthquake Building) need to be updated in the table after the publication of the data.

(Aggregation period: March 11, 2011 - March 31, 2015)

Table 7 (2) Cumulative Internal Exposure Dose Data by Fiscal Year

FY2011

Dose ranges (mSv)	March 2011-March 2012		
	TEPCO's employees	Contractors	Total
Above 250	5	0	5
200-250	1	0	1
150-200	1	0	1
100-150	7	0	7
75-100	11	11	22
50-75	27	17	44
20-50	191	125	316
10-20	399	311	710
5-10	280	411	691
2-5	223	685	908
2 or less	2271	16149	18420
Total	3416	17709	21125
Max. (mSv)	590.00	98.53	590.00
Average (mSv)	6.00	0.90	1.73

FY2012

Dose ranges (mSv)	April 2012-March 2013		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	0	0	0
10-20	0	0	0
5-10	0	0	0
2-5	0	0	0
2 or less	1625	12116	13741
Total	1625	12116	13741
Max. (mSv)	0.00	0.10	0.10
Average (mSv)	0.00	0.00	0.00

FY2013

Dose ranges (mSv)	April 2013-March 2014		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	0	0	0
10-20	0	0	0
5-10	0	0	0
2-5	0	0	0
2 or less	1692	13054	14746
Total	1692	13054	14746
Max. (mSv)	0.00	0.00	0.00
Average (mSv)	0.00	0.00	0.00

FY2014

Dose ranges (mSv)	April 2014-March 2015		
	TEPCO's employees	Contractors	Total
Above 250	0	0	0
200-250	0	0	0
150-200	0	0	0
100-150	0	0	0
75-100	0	0	0
50-75	0	0	0
20-50	0	0	0
10-20	0	0	0
5-10	0	0	0
2-5	0	0	0
2 or less	1685	19010	20695
Total	1685	19010	20695
Max. (mSv)	0.00	0.00	0.00
Average (mSv)	0.00	0.00	0.00

Note)

- Depending on the prime contracting companies, there are some cases in which the internal exposure dose is recorded as that of the WBC measurement month, not the inhalation exposure month.