Nuclide Analysis Results of Fish < Port Area of Fukushima Daiichi Nuclear Power Station>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Rock porgy (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 2, 2018	ND(5.7)	6.2	6.2
Black sea bream (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 2, 2018	12	130	142
Marbled sole (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 4, 2018	ND(5.2)	48	48
Gizzard shad (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 9, 2018	ND(7.8)	8.9	8.9
Gray mullet (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 9, 2018	ND(5.0)	5.5	5.5
Chum salmon (muscle) No.1	Port area of Fukushima Daiichi NPS(Near port entrance)	October 23, 2018	ND(4.9)	ND(4.0)	ND
Chum salmon (muscle) No.2	Port area of Fukushima Daiichi NPS(Near port entrance)	October 26, 2018	ND(5.0)	ND(5.9)	ND
Chum salmon (muscle) No.3	Port area of Fukushima Daiichi NPS(Near port entrance)	October 26, 2018	ND(4.0)	ND(4.3)	ND
Sea bass (muscle)	Port area of Fukushima Daiichi NPS(Near port entrance)	October 26, 2018	ND(6.2)	ND(6.1)	ND

^{*}When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

^{*}Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.