

### Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <1/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Flatfish (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	February 3, 2019	ND(5.5)	40	40
Marbled sole (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	February 6, 2019	ND(4.1)	ND(5.3)	ND
Marbled sole (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	February 6, 2019	ND(6.6)	33	33
Marbled sole (muscle) No.3	Port area of Fukushima Daiichi NPS (Near port entrance)	February 8, 2019	ND(5.6)	9.7	9.7
Schlegel's black rockfish (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	February 9, 2019	65	820	885
Marbled sole (muscle) No.4	Port area of Fukushima Daiichi NPS (Near port entrance)	February 9, 2019	9.4	85	94.4
Marbled sole (muscle) No.5	Port area of Fukushima Daiichi NPS (Near port entrance)	February 11, 2019	ND(6.8)	ND(6.2)	ND
Marbled sole (muscle) No.6	Port area of Fukushima Daiichi NPS (Near port entrance)	February 15, 2019	ND(8.7)	44	44
Roundnose flounder (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	February 15, 2019	ND(4.4)	6.9	6.9
Flatfish (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	February 22, 2019	ND(5.2)	33	33

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

## Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <2/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Marbled sole (muscle) No.7	Port area of Fukushima Daiichi NPS (Near port entrance)	February 22, 2019	ND(4.5)	21	21
Spotbelly rockfish (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	February 22, 2019	100	1200	1300
Marbled sole (muscle) No.8	Port area of Fukushima Daiichi NPS (Near port entrance)	February 26, 2019	ND(6.0)	41	41
Marbled sole (muscle) No.9	Port area of Fukushima Daiichi NPS (Near port entrance)	February 26, 2019	8.0	110	118
Roundnose flounder (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	February 26, 2019	ND(6.2)	8.3	8.3
Marbled sole (muscle) No.10	Port area of Fukushima Daiichi NPS (Center in open channel)	February 21, 2019	20	290	310
Marbled sole (muscle) No.11	Port area of Fukushima Daiichi NPS (Near north breakwater)	February 19, 2019	ND(6.8)	24	24
Marbled sole (muscle) No.12	Port area of Fukushima Daiichi NPS (Near north breakwater)	February 19, 2019	ND(7.2)	14	14
Sebastes cheni (muscle) No.1	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	February 8, 2019	62	670	732
Gray mullet (muscle) No.1	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	February 8, 2019	ND(5.1)	16	16

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <3/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Gray mullet (muscle) No.2	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	February 8, 2019	ND(5.5)	11	11
Sebastes ventricosus (muscle)	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	February 15, 2019	60	880	940
Sebastes cheni (muscle) No.2	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	February 15, 2019	14	170	184
Marbled sole (muscle) No.13	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	February 6, 2019	ND(4.9)	8.4	8.4
Gray mullet (muscle) No.3	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	February 8, 2019	ND(5.7)	ND(6.0)	ND
Marbled sole (muscle) No.14	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	February 26, 2019	ND(8.3)	28	28

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.