

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <1/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Drumfish (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	May 7, 2019	ND(3.8)	ND(3.9)	ND
Marbled sole (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	May 7, 2019	13	180	193
Marbled sole (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	May 9, 2019	ND(2.4)	18	18
Marbled sole (muscle) No.3	Port area of Fukushima Daiichi NPS (Near port entrance)	May 9, 2019	ND(2.8)	33	33
Marbled sole (muscle) No.4	Port area of Fukushima Daiichi NPS (Near port entrance)	May 9, 2019	2.6	22	24.6
Schlegel's black rockfish (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	May 10, 2019	6.6	84	90.6
Sea bass (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	May 10, 2019	ND(2.3)	2.9	2.9
Drumfish (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	May 10, 2019	ND(2.2)	ND(2.2)	ND
Marbled sole (muscle) No.5	Port area of Fukushima Daiichi NPS (Near port entrance)	May 18, 2019	2.7	35	37.7
Spotbelly rockfish (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	May 18, 2019	29	360	389

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <2/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Striped mullet (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	May 31, 2019	ND(3.0)	3.4	3.4
Marbled sole (muscle) No.6	Port area of Fukushima Daiichi NPS (Near port entrance)	May 31, 2019	ND(2.5)	9.5	9.5
Marbled sole (muscle) No.7	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	May 8, 2019	ND(2.4)	13	13
Schlegel's black rockfish (muscle) No.2	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	May 15, 2019	19	230	249
Sea bass (muscle) No.2	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	May 15, 2019	ND(2.6)	ND(2.7)	ND
Temminck's surfperch (muscle) No.1	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	May 24, 2019	ND(2.5)	6.7	6.7
Sea bass (muscle) No.3	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	May 24, 2019	ND(2.7)	3.2	3.2
Gizzard shad (muscle)	Port area of Fukushima Daiichi NPS (South breakwater)	May 15, 2019	ND(2.7)	5.2	5.2
Sebastes cheni (muscle)	Port area of Fukushima Daiichi NPS (South breakwater)	May 24, 2019	5.3	100	105.3
Temminck's surfperch (muscle) No.2	Port area of Fukushima Daiichi NPS (North side in open channel)	May 7, 2019	ND(4.4)	5.1	5.1

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <3/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Temminck's surfperch (muscle) No.3	Port area of Fukushima Daiichi NPS (North side in open channel)	May 11, 2019	ND(3.8)	33	33
Temminck's surfperch (muscle) No.4	Port area of Fukushima Daiichi NPS (Center in open channel)	May 11, 2019	ND(3.9)	8.7	8.7
Temminck's surfperch (muscle) No.5	Port area of Fukushima Daiichi NPS (Center in open channel)	May 11, 2019	ND(2.6)	8.7	8.7
Marbled sole (muscle) No.8	Port area of Fukushima Daiichi NPS (South side in open channel)	May 7, 2019	ND(2.4)	19	19
Temminck's surfperch (muscle) No.6	Port area of Fukushima Daiichi NPS (South side in open channel)	May 11, 2019	ND(4.0)	13	13

*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.