

### Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <1/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Marbled sole (muscle) No.1	Port area of Fukushima Daiichi NPS (Near port entrance)	June 7, 2019	ND(2.6)	17	17
Drumfish (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(3.5)	3.9	3.9
Striped mullet (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.3)	5.2	5.2
Marbled sole (muscle) No.2	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.5)	28	28
Marbled sole (muscle) No.3	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(1.9)	16	16
Marbled sole (muscle) No.4	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.0)	19	19
Marbled sole (muscle) No.5	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.8)	7.3	7.3
Marbled sole (muscle) No.6	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.5)	9.4	9.4
Marbled sole (muscle) No.7	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.5)	15	15
Marbled sole (muscle) No.8	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(2.1)	7.0	7.0

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

## Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <2/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Marbled sole (muscle) No.9	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(1.7)	11	11
Marbled sole (muscle) No.10	Port area of Fukushima Daiichi NPS (Near port entrance)	June 21, 2019	ND(3.5)	19	19
Spotted halibut (muscle)	Port area of Fukushima Daiichi NPS (Near port entrance)	June 29, 2019	ND(2.3)	18	18
Marbled sole (muscle) No.11	Port area of Fukushima Daiichi NPS (Near port entrance)	June 29, 2019	ND(2.8)	27	27
Marbled sole (muscle) No.12	Port area of Fukushima Daiichi NPS (In front of the Units 5-6)	June 3, 2019	4.9	54	58.9
Marbled sole (muscle) No.13	Port area of Fukushima Daiichi NPS (In front of the Units 5-6)	June 3, 2019	3.5	62	65.5
Marbled sole (muscle) No.14	Port area of Fukushima Daiichi NPS (In front of the Units 5-6)	June 3, 2019	9.9	120	129.9
Marbled sole (muscle) No.15	Port area of Fukushima Daiichi NPS (In front of the Units 5-6)	June 3, 2019	5.3	44	49.3
Schlegel's black rockfish (muscle)	Port area of Fukushima Daiichi NPS (In front of the Units 5-6)	June 10, 2019	12	150	162
Marbled sole (muscle) No.16	Port area of Fukushima Daiichi NPS (North breakwater)	June 17, 2019	3.0	37	40

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.

Nuclide Analysis Results of Fish <Port Area of Fukushima Daiichi Nuclear Power Station> <3/3>

Name of Sample (Region)	Place of Sampling (Place No.)	Date of Sampling	Radioactivity Concentration [Bq/kg (Raw)] (Half-life)		
			Cs-134 (Approx. 2 years)	Cs-137 (Approx. 30 years)	CS (Sum)
Greenling (muscle) No.1	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	June 3, 2019	3.9	69	72.9
Temminck's surfperch (muscle)	Port area of Fukushima Daiichi NPS (North side of the east breakwater)	June 3, 2019	ND(2.2)	4.1	4.1
Gizzard shad (muscle)	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	June 3, 2019	ND(2.9)	5.6	5.6
Sea bass (muscle) No.1	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	June 3, 2019	2.5	25	27.5
Sea bass (muscle) No.2	Port area of Fukushima Daiichi NPS (South side of the east breakwater)	June 17, 2019	ND(2.7)	7.3	7.3
Common skete (muscle)	Port area of Fukushima Daiichi NPS (South breakwater)	June 3, 2019	4.6	43	47.6
Marbled sole (muscle) No.17	Port area of Fukushima Daiichi NPS (South breakwater)	June 3, 2019	ND(2.3)	11	11
Greenling (muscle) No.2	Port area of Fukushima Daiichi NPS (South side in the east breakwater)	June 3, 2019	7.9	100	107.9

\*When analyzed results are less than detection limits of radioactivity concentrations, the values are showed as "ND." Detection limits of individual nuclides are shown in parenthesis.

\*Since April 1, 2012, the baseline is the sum of radioactivity concentrations of Cs-134 and Cs-137, which is 100Bq/kg.