

(Aggregation period: March 11, 2011 - December 31, 2017)

Table 15. Cumulative Data of Equivalent Dose to the Skin by Fiscal Year

FY2011

| Dose ranges (mSv) | March 2011-March 2012 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 1000 | 0 | 0 | 0 |
| 500-1000 | 0 | 2 | 2 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 1 | 1 |
| 200-250 | 0 | 2 | 2 |
| 150-200 | 7 | 5 | 12 |
| 100-150 | 61 | 14 | 75 |
| 75-100 | 114 | 34 | 148 |
| 50-75 | 229 | 237 | 466 |
| 20-50 | 671 | 2584 | 3255 |
| 10-20 | 555 | 2807 | 3362 |
| 5-10 | 424 | 2508 | 2932 |
| 1-5 | 598 | 4695 | 5293 |
| 1 or less | 756 | 4831 | 5587 |
| Total | 3415 | 17720 | 21135 |
| Maximum (mSv) | 188.14 | 665.42 | 665.42 |
| Average (mSv) | 19.35 | 9.70 | 11.25 |

•Equivalent dose is a measure of the radiation dose to organs and tissues, and the equivalent dose limit to the skin is 500mSv/year (the emergency exposure dose limit is 1Sv).

•Two contractors shown in the "500-1000"cell of the dose range above were exposed to radiation during the period when the dose limit for radiation workers engaged in emergency work was set at 1Sv.

FY2012

| Dose ranges (mSv) | April 2012-March 2013 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 1 | 1 |
| 150-200 | 0 | 0 | 0 |
| 100-150 | 0 | 1 | 1 |
| 75-100 | 0 | 2 | 2 |
| 50-75 | 2 | 78 | 80 |
| 20-50 | 73 | 1064 | 1137 |
| 10-20 | 138 | 1939 | 2077 |
| 5-10 | 255 | 1711 | 1966 |
| 1-5 | 571 | 3124 | 3695 |
| 1 or less | 587 | 4195 | 4782 |
| Total | 1626 | 12115 | 13741 |
| Maximum (mSv) | 56.46 | 221.20 | 221.20 |
| Average (mSv) | 4.80 | 7.09 | 6.82 |

FY2013

| Dose ranges (mSv) | April 2013-March 2014 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 0 | 0 |
| 150-200 | 0 | 1 | 1 |
| 100-150 | 0 | 4 | 4 |
| 75-100 | 1 | 15 | 16 |
| 50-75 | 8 | 117 | 125 |
| 20-50 | 62 | 1468 | 1530 |
| 10-20 | 118 | 1840 | 1958 |
| 5-10 | 213 | 1654 | 1867 |
| 1-5 | 636 | 3396 | 4032 |
| 1 or less | 654 | 4559 | 5213 |
| Total | 1692 | 13054 | 14746 |
| Max. (mSv) | 81.10 | 193.30 | 193.30 |
| Average (mSv) | 4.36 | 7.79 | 7.39 |

FY2014

| Dose ranges (mSv) | April 2014-March 2015 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 0 | 0 |
| 150-200 | 0 | 1 | 1 |
| 100-150 | 0 | 1 | 1 |
| 75-100 | 1 | 4 | 5 |
| 50-75 | 1 | 120 | 121 |
| 20-50 | 20 | 1825 | 1845 |
| 10-20 | 81 | 2497 | 2578 |
| 5-10 | 172 | 2402 | 2574 |
| 1-5 | 602 | 4968 | 5570 |
| 1 or less | 811 | 7224 | 8035 |
| Total | 1688 | 19042 | 20730 |
| Maximum (mSv) | 80.60 | 162.04 | 162.04 |
| Average (mSv) | 2.74 | 6.86 | 6.53 |

FY2015

| Dose ranges (mSv) | April 2015-March 2016 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 0 | 0 |
| 150-200 | 0 | 0 | 0 |
| 100-150 | 0 | 6 | 6 |
| 75-100 | 0 | 25 | 25 |
| 50-75 | 0 | 117 | 117 |
| 20-50 | 17 | 1466 | 1483 |
| 10-20 | 54 | 1928 | 1982 |
| 5-10 | 124 | 2047 | 2171 |
| 1-5 | 525 | 4509 | 5034 |
| 1 or less | 977 | 6401 | 7378 |
| Total | 1697 | 16499 | 18196 |
| Maximum (mSv) | 38.00 | 145.81 | 145.81 |
| Average (mSv) | 2.13 | 6.54 | 6.12 |

FY2016

| Dose ranges (mSv) | April 2016-March 2017 | | |
|-------------------|-----------------------|-------------|--------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 0 | 0 |
| 150-200 | 0 | 0 | 0 |
| 100-150 | 0 | 7 | 7 |
| 75-100 | 0 | 12 | 12 |
| 50-75 | 0 | 50 | 50 |
| 20-50 | 2 | 733 | 735 |
| 10-20 | 32 | 1308 | 1340 |
| 5-10 | 94 | 1384 | 1478 |
| 1-5 | 402 | 3913 | 4315 |
| 1 or less | 1148 | 6750 | 7898 |
| Total | 1678 | 14157 | 15835 |
| Maximum (mSv) | 21.60 | 138.30 | 138.30 |
| Average (mSv) | 1.39 | 4.63 | 4.29 |

FY2017

| Dose ranges (mSv) | April 2017-December 2017 | | |
|-------------------|--------------------------|-------------|-------|
| | TEPCO's employees | Contractors | Total |
| Above 500 | 0 | 0 | 0 |
| 300-500 | 0 | 0 | 0 |
| 250-300 | 0 | 0 | 0 |
| 200-250 | 0 | 0 | 0 |
| 150-200 | 0 | 0 | 0 |
| 100-150 | 0 | 0 | 0 |
| 75-100 | 0 | 4 | 4 |
| 50-75 | 0 | 34 | 34 |
| 20-50 | 1 | 308 | 309 |
| 10-20 | 9 | 898 | 907 |
| 5-10 | 55 | 979 | 1034 |
| 1-5 | 275 | 2969 | 3244 |
| 1 or less | 1155 | 6500 | 7655 |
| Total | 1495 | 11692 | 13187 |
| Maximum (mSv) | 22.28 | 91.34 | 91.34 |
| Average (mSv) | 0.94 | 3.36 | 3.09 |

• The values of the exposure dose and the number of the workers in the table above are subject to change, because there are times when APD data are replaced with monthly dose data measured by integral dosimeters. Or dose data of workers who wore only an integral dosimeter (ex., workers who entered only the Main Anti-earthquake Building) need to be updated in the table after the publication of the data.